

Foreword iii

Table of Contents vii

INTRODUCTION

Invited Papers

POWER ENGINEERING -STATUS AND TRENDS I.3

Kehlhofer R.

ENERGY AND ENVIRONMENT -WISHFUL THINKING AND REALITY I.19

Heinloth K.

SECTION 1 -MATERIALS FOR ADVANCED STEAM CYCLE PLANTS

1.1. Review Papers

ADVANCED HIGH EFFICIENCY STEAM POWER PLANT I.35

Metcalf E., Scarlin B.

HIGH TEMPERATURE FORGED COMPONENTS FOR ADVANCED STEAM POWER PLANTS I.53

Kern T., Scarlin B., Vanstone R. W., Mayer K.H.

HIGH TEMPERATURE CAST COMPONENTS FOR ADVANCED STEAM POWER PLANT I.71

Mayer K.H., Hanus R., Kern T., Staubli M., Thornton D. V.

EUROPEAN, COLLABORATIVE EVALUATION OF ADVANCED BOILER MATERIALS I.87

Staubli M., Bendick W., Orr J., Deshayes F., Henry Ch.

THE ROLE OF WELDING FOR COMPONENTS MADE FROM ADVANCED 9-12%Cr STEELS I.105

Cerjak H., Letofsky E., Staubli M.

THE OXIDATION BEHAVIOUR OF FERRITIC AND AUSTENITIC STEELS IN SIMULATED POWER PLANT SERVICE ENVIRONMENTS I.123

Quadackers W J ., Ennis P J .

PROGRESS IN UNDERSTANDING MICROSTRUCTURE-PROPERTY RELATIONSHIPS IN ADVANCED 9-12%Cr STEELS I.139
Vanstone R. W.

MICROSTRUCTURAL STABILITY OF 9-12%CrMo(W)VNbN-STEELS I.155
Hald J., Straub S., Foldyna V.

FACTORS AFFECTING THE QUANTITATIVE EVALUATION OF MICROSTRUCTURE IN 9-12%Cr MARTENSITIC POWER PLANT STEELS I.171
Strang A.

1.2. Steam Turbine Materials

INVESTIGATIONS ON LARGE TURBINE CASINGS AND VALVE BODIES MADE OF NEW 9-10%Cr-CAST STEELS AND IMPROVEMENT OF CASTING TECHNIQUE AND QUALITY PERFORMANCE I.193
Hanus R., Schuster F A., Buberl A., Cerjak H.

CREEP PROPERTIES OF HEAVY WALL COMPONENTS FOR FORGED 9Cr-1.8W-0.5Mo-NbVN (NF616) STEEL.I.205
Hasegawa Y., Ohgami M., Mimura H., Naoi H., Kinbara S., Miyamoto T.

LOW STRESS CREEP OF P91 TYPE HEAT RESISTANT STEEL I.215
Kloc L., Sklenilka V.

SMALL PUNCH TESTS ON STEELS FOR STEAM POWER PLANT 1.223 *Fleury E., Ha J.S.*

MACROSCOPIC CONSTITUTIVE LAWS FOR CREEP LIFE PREDICTION I.233
Sklenil'ka V., Kuchařová K., Kloc L.

NOTCHED BEHAVIOUR OF P91 STEEL UNDER CREEP/FATIGUE LOADING I.243
Kunz L., Lukas P., Knesl Z.

CREEP CRACK GROWTH IN 9CrMoVNbN STEEL I.251
Bina V., Bielak O., Haki J.

RESEARCH AND DEVELOPMENT OF ADVANCED FERRITIC STEELS FOR 650°C USC BOILERS I.259
Abe F., Igarashi M., Fujitsuna N., Kimura K., Muneki S.

EFFECT OF Re ADDITION ON THE CREEP STRENGTH OF HEAT RESISTANT Cr- W STEELS I.269
Masuyama F., Komai N.

MODELLING OF LOW-CYCLE FATIGUE BEHAVIOUR OF THE STEEL E911 I.277

Mohrmann R., Hollstein T., Westerheide R.

THE MAIN PARAMETERS INFLUENCING THE CREEP RESISTANCE OF ADVANCED 9-12%Cr-STEELS FOR POWER PLANT APPLICATIONS I.287

Cerjak H., Hofer P., Schaffernak B., Spiradek K., Zeiler G.

EXPERIENCE IN THE MANUFACTURE OF STEAM TURBINE COMPONENTS IN ADVANCED 9-12% Cr STEELS I.297

Taylor M., Thornton D. V., Vanstone R. W.

OPTIMISED CHEMICAL COMPOSITION OF 9-12%Cr STEELS WITH RESPECT TO MAXIMUM CREEP RESISTANCE I.311

Kubol1 Z., Foldyna V., Vodarek V.

THE OPTIMIZATION OF HEAT TREATMENT FOR STEAM AND GAS TURBINE PARTS FROM 10.5-12%Cr-STEELS I.321

Tchizhik A.A., Tchizhik T .A., Petrenja J.K.

NEWLY DEVELOPED 12%Cr HEAT RESISTANT STEELS FOR STEAM TURBINES I.331

Tsuda Y., Yamada M., Ishii R., Watanabe O., Miyazaki M.

THERMAL-MECHANICAL FATIGUE BEHAVIOUR OF A 9%Cr STEEL I.341

Säuberlich T., Pitz G., Löhe D.

THE DESIGN, MANUFACTURE AND INSTALLATION OF A P92 HEADER I.351

Wachter O., Zabelt K., Ennis P J., HelmrichA., Böhme A.

1.3. Boiler Materials and Welding

EFFECT OF WELDING AND AGEING ON PROPERTIES OF NEW 9-12% STEELS I.363

Artinger I.

MICROSTRUCTURE AND CREEP PROPERTIES OF P91 STEEL AND WELDMENTS I.373

Jakobova A., Vodarek V., Hennhofer K., Foldyna V.

FATIGUE BEHAVIOUR ON MODIFIED 9Cr STEELS : BASE AND WELDS I.383

Bicego V., Bontempi P., Mariani R., Taylor N.

IMPROVEMENT OF CREEP RUPTURE STRENGTH OF 9Cr1MoNbV WELDED JOINTS BY NORMALIZING AND TEMPERING AFTER WELD I.393

Sato T., TamUTa K., Mitsuhata K., IkuTa R.

CHARACTERISATION OF THE WELDABILITY AND BEHAVIOUR OF THE HEAT AFFECTED ZONE FOR STEEL E911 I.401

Cerjak H., Letofsky E., Feigl G., PichleT P.

DEVELOPMENT OF 12%Cr HEAT RESISTANT STEEL PLATE (TEMPALLOY F-12M) FOR USC BOILER I.411

Hayashi K., Kojima T., Minami Y., Tohyama A.

CREEP RUPTURE STRENGTH AND STRENGTH REDUCTION FACTOR OF WELD JOINTS IN BOILER TUBES OF TYPE 2.25Cr.1Mo STEEL I.421

Sobotka J., Bina V., Hakl J.

DEVELOPMENT OF 2Cr.Mo-W-Ti-V.B FERRITIC STEEL FOR ULTRA SUPER CRITICAL BOILERS (NKK TEMP ALOY F -2W) I.431

Tohyama A., Minami Y.

PROPERTIES AND EXPERIENCES OF A NEW AUSTENITIC STAINLESS STEEL SUPER 304H (O.1C-18Cr-9Ni.3Cu-Nb-N) TUBES FOR BOILER TUBE APPLICATION I.441

Kan T., SawaTagi Y., YamadeTa Y., Okada H.

STEAM-SIDE OXIDATION OF FERRITIC STEELS I.451

Nava-PazJ.C., KnödleT R.

STEAM OXIDTION PROPERTIES OF HIGH Cr FERRITIC STEELS I.461

Fukuda Y., TamuTa K., Sato T.

A NEW TITANIUM NITRIDE DISPERSION STRENGTHENED FERRITIC STEEL FOR HIGH TEMPERATURE APPLICATIONS I.471

PughJA.

DEVELOPMENT OF A NEW HEAT RESISTANT AUSTENITIC STAINLESS STEEL FOR HIGH TEMPERATURE COMPONENTS OF POWER GENERATION EQUIPMENT I.481

Nishiyama Y., SawaTagi Y., Otsuka N., HiTata H., KihaTa S., Kajigaya I.

CORROSION PROTECTION OF AISI 304 AUSTENITIC STEEL BY Y AND Er ION IMPLANTATION AGAINST ISOTHERMAL OXIDATION I.493

Perez FJ., Hierro M.P., Otero E., Cristobal MJ., Pedraza F., Arnau G.

NEW 2-3%Cr STEEL GRADES FOR WATERWALL PANELS AND SUPERHEATERS I.501

Deshayes F., Bendick W., Haarmann K., Vaillant J.C.

1.4. Microstructure

PROPERTIES AND MICROSTRUCTURE OF MODIFIED 9Cr STEELS I.511

Di Gianfrancesco A., Tassa O., Cumino G.

DESCRIPTION OF THE PRECIPITATION BEHAVIOUR OF ADVANCED 9-12%Cr-STEELS FOR POWER PLANT APPLICATIONS I.521

Schaffernak B., Hofer P., Cerjak H.

HIGH RESOLUTION MICROANALYSIS OF CHROMIUM STEELS P92 AND P122 I.531

Hättestrand M., Schwind M., Andren H.O.

EFFECT OF MICROSTRUCTURAL EVOLUTION OF A T91 STEEL DURING CREEP I.541

Spigarelli S., Cerri E., Evangelista E., Bianchi P.

QUANTITATIVE EVALUATION OF PRECIPITATES IN THE MARTENSITIC CAST STEEL G-XI2CrMoWVNbNI0-I-I I.551

Hofer P., Cerjak H., Warbichler P.

MICROSTRUCTURAL INVESTIGATIONS OF 9% Cr STEEL P92 AFTER LONG-TERM CREEP DEFORMATION I.561

Zielifjska-Lipiec A., Czyska-FilemonowiczA., Ennis P.J., Wachter O.

MICROSTRUCTURAL EVOLUTION DURING CREEP OF A NEW MODIFIED 9%Cr STEEL WITH BORON AND COBALT I.569

Nowakowski P., Straube H., Spiradek K., Zeiler G.

DISLOCATION SUBSTRUCTURE DEGRADATION DURING CREEP OF MARTENSITIC HEAT-RESISTING STEELS WITH AND WITHOUT W I.577

Sawada K., Takeda M., Maruyama K., Ishii R., Yamada M.

MICROSTRUCTURAL INVESTIGATION OF ADVANCED CREEP RESISTANT 10%Cr STEEL I.587

KasI.J., Kaska v.

MICROSTRUCTURAL STABILITY DURING CREEP OF Mo- AND/OR W-BEARING 12Cr STEELS I.595

Kadoya Y., Dyson B.F., Mc Lean M.

MICROSTRUCTURAL DEGRADATION OF MARTENSITIC 12%Cr POWER PLANT STEELS DURING PROLONGED HIGH TEMPERATURE CREEP EXPOSURE I.605

Strang A., Vodarek V.

MICROSTRUCTURAL PHYSICALLY BASED CREEP MODELLING I.617

Weinert P., Buchmayr B., Cerjak H.

LONG TERM CREEP AND CREEP RUPTURE PROPERTIES AND MICROSTRUCTURAL CHANGES OF HEAT RESISTANT STEELS I.629

Kimura K., Abe F., Irie H., Yagi K.

MICROSTRUCTURE CONTROL OF MARTENSITIC PHASE MATRIX IN ADVANCED FERRITIC STEELS FOR USC BOILERS TO ACHIEVE LONG TERM STABILITY I.639

Igarashi M., Muneki S., Abe F.

AUTHOR INDEX I

KEYWORD INDEX V

SECTION 2- MATERIALS FOR CORROSION RESISTANT HEAT EXCHANGERS AND FUEL RELATED PROBLEMS

2.1. Review Papers

MATERIALS REQUIREMENTS FOR ADVANCED COAL FIRED POWER GENERATION TECHNOLOGIES II.651

Oakey J.E., Simms N.J.

COAL GASIFICATION FOR POWER GENERATION: MATERIALS STUDIES II.663

Simms N.J., Bregani F., Huijbregts W.M., Kokmeijer E., Oakey J.E.

MATERIALS FOR WASTE INCINERATORS AND BIOMASS PLANTS II.679

Rademakers P.L.F., Grossmann G., Karlsson A., Montgomery M., Eriksson T., Nylof L.

PRACTICAL EXPERIENCE IN THE DESIGN AND OPERATION OF AN INDIRECT FIRED GAS TURBINE PLANT USING AN ODS FERRITIC ALLOY HEATER II.695

Starr F.

2.2. Corrosion Resistant Materials

CORROSION BEHAVIOUR OF SOME STEELS AND ALLOYS IN COAL GAS ENVIRONMENT II.713

Cizner J., Pitter J., Kadlec J., Hakl J.

LABORATORY INVESTIGATION OF HIGH TEMPERATURE CORROSION IN STRAW-FIRED POWER PLANTS II.723

Montgomery M.

INFLUENCE OF SULPHIDIZING-OXIDIZING ENVIRONMENT ON CREEP BEHAVIOUR OF SOME HIGH TEMPERATURE MATERIALS II.733

Hakl J., Bina V., Cizner J., Vlasak T.

THE ROLE OF MATERIALS IN MAXIMIZING THE ENERGY UTILISATION FROM SOLID WASTE FUELS-RECENT DEVELOPMENTS IN MATERIALS OPTIMIZATION AND PROCESS DESIGN II.741

Mayrhober J., Cerjak H.

INCREASE OF WASTE INCINERATOR POTENTIAL BY ADVANCED SUPERHEATERS II.751

Rademakers P.L.F., Wetzel R. W A., Kokmeijer E.

CORROSION TESTING OF SUPERHEATER MATERIALS FOR USE IN WASTE AND BIOMASS FIRED COMBINED HEAT AND POWER PLANTS II.761

Karlsson A., Teislev B., Larsen O.H., Brondsted P., Olsen A., Nielsen J. V., Nielsen C.

PERFORMANCE OF AN IRON BASED ODS ALLOY IN A BOILER ENVIRONMENT II.769

Holmström S., Siren M., Heikinheimo L., Auerkari P., Varmavuo J., Saarinen R.

EVALUATION OF THE EROSION-CORROSION RESISTANCE OF COATED METALLIC MATERIALS FOR CFBC APPLICATIONS II.779

Dutheillet Y., Prunier V.

CORROSION RESISTANT COATING MATERIALS FOR HEAT EXCHANGER TUBES IN WASTE INCINERATION PLANTS II.789

Schroer C., Spiegel M., Grabke HJ.

CERAMIC HEAT EXCHANGE APPARATUS FOR HIGH-TEMPERATURE GAS TURBINES II.799

Soudarev A. V., Grishaev V. V., Soudarev B. V.

BRAZING OF SiC USING THE BraSiC PROCESS FOR CHEMICAL AND THERMAL APPLICATIONS II.809

Moret F., Sire P., Gasse A.

MECHANICAL PROPERTIES OF HIGH TEMPERATURE CORROSION SCALES ON MATERIALS FOR HIGH TEMPERATURE HEAT EXCHANGERS II.819

Osgerby S., Saunders S.RJ., Banks J.P., Gohil D.D.

INFLUENCE OF PROCESSING ON THE MECHANICAL PROPERTIES OF MA956 ALLOY II.827

Chao J., Cristina M.C., Gonzalez-Carrasco J.L., Gonzalez-Doncel G.

FAILURE MODES OF ALUMINA SCALES ON FeCrAl ALLOYS WITH REACTIVE ELEMENT ADDITIONS II.835

Wilber J.P., Bennett MJ., Nicholls J.R.

SECTION 3- MATERIALS FOR GAS TURBINES

3.1. Review Papers

NEW DEVELOPMENT IN LAND-BASED GAS TURBINE TECHNOLOGY II.849

Schulenberg T.

THE CHARACTERISATION OF THE SINGLE CRYSTAL SUPERALLOY CMSX-4 FOR INDUSTRIAL GAS TURBINE BLADING APPLICATIONS II.861

Bullough C.K., Toullos M., Oehl M: Lukas P.

DEFORMATION MODELLING OF THE SINGLE CRYSTAL SUPERALLOY CMSX-4 FOR INDUSTRIAL GAS TURBINE APPLICATIONS II.879

Toullos M., Mohrmann R., Fleury G.

THIRD GENERATION SUPERALLOYS FOR SINGLE CRYSTAL BLADES II.897

Caron P., Khan T.

DISC MATERIALS FOR ADVANCED GAS TURBINES II.913

Härkegard G., Guedou J.Y.

GAMMA TiAl INTERMETALLIC FOR GAS TURBINE APPLICATIONS II.933

Navny M., Lupinc V.

CONSIDERATIONS ON SOLIDIFICATION PATHS AND DEVELOPMENT OF NEW CASTABLE GAMMA TITANIUM ALUMINIDES II.945

Naka S.

THE EXPLORATION OF PROTECTIVE COATINGS AND DEPOSITION PROCESSES FOR Ni BASE ALLOYS AND 'Y TiAl II.961

Bettridge D.F., Wing R., Saunders S.R.J.

THERMAL BARRIER COATINGS FOR GAS TURBINES -FAILURE MECHANISMS AND LIFE PREDICTION II.977

Singheiser L., Steinbrech R., Quadackers W J., Clemens D., Siebert B.

LIFETIME AND DEGRADATION PROCESSES OF TBCs FOR DIESEL ENGINES II.997

Kvernes I., Lugscheider E., Ladru F.

3.2. Turbine Blade Materials

A COMPARATIVE INVESTIGATION ON THE THERMO-MECHANICAL FATIGUE BEHAVIOUR OF THREE Ni-BASE SUPERALLOYS II.I015

Engler-Pinto Jr. C.C., Rezai-Aria F.

DEVELOPMENT AND CHARACTERISATION OF A HIGH STRENGTH SINGLE CRYSTAL SUPERALLOY -SMP 14 II.1025

Gravill N., Benson J.M., Mc Colvin G., Maldini M.

IMPROVED PERFORMANCE CMSX-4 ALLOY TURBINE BLADES UTILISING PPM LEVELS OF LANTHANUM AND YTTRIUM II.1035

Ford DA., Bhangu H.K., Fullagar K.P.L., Thomas M.C., Korinko P.S., Burkholder P.S., HarrisK. WahlJ.B.

MODELLING OF THE MECHANICAL BEHAVIOUR OF THERMOMECHANICALLY LOADED CMSX-4 - II.1045

Schubert F., Steinhaus T., Fleury G.

AN INVESTIGATION OF THE ANISOTROPY OF THE SECONDARY CREEP RATE IN CMSX-4 II.1059

White P.S.

CREEP-FATIGUE BEHAVIOUR OF POLYCRYSTALLINE AND SINGLE CRYSTAL Ni-BASE SUPERALLOYS IN738LC AND SC16 II.1069

Chen W., Wahi R.P.

DESIGN OF A THIRD GENERATION DS SUPERALLOY TMD-13 II.1079

Kobayashi T., Koizumi Y., Harada H., Yamagata T., Tamura A., Nitta S.

THIRD GENERATION SC SUPERALLOYS WITH EXCELLENT PROCESSABILITY AND PHASE STABILITY II.1089

Koizumi Y., Kobayashi T., Yokokawa T., Kimura T., Osawa M., Harada H.

DEVELOPMENT OF A NEW Ni-BASED SINGLE CRYSTAL SUPERALLOY FOR LARGE SIZED BUCKETS II.1099

Tamaki H., Yoshinari A., Okayama A., Nakamura S., Kageyama K., Ohno T.

HIGH PERFORMANCE AND HIGH COMPLEXITY NET SHAPE PARTS. FOR GAS TURBINES : THE ISOPREC POWDER METALLURGY PROCESS II.1111

Pellerin F., Guichard D., Raison G., Moret F.

HIGH TEMPERATURE MEASUREMENT OF Y- Y' LATTICE MISFITS IN THIRD GENERATION Ni-BASE SUPERALLOY II.1121

Yokokawa T., Osawa M., Murakami H., Kobayashi T., Koizumi Y., Yamagata T., Harada H.

DESIGN OF A HIGH Re CONTAINING SINGLE CRYSTAL SUPERALLOY FOR INDUSTRIAL GAS TURBINES II.1129

Hino T., Yoshioka Y., Nagata K., Kashiwaya H., Kobayashi T., Koizumi Y., Harada H., Yamagata T.

THE LOCATION OF ATOMS IN Ir-CONTAINING Ni-BASE SINGLE CRYSTAL SUPERALLOYS II.1139

Murakami H., Osawa M., Yokokawa T., Koizumi Y., Yamagata T., Harada H.

PRECIPITATE SHAPE DEPENDENCE OF STRENGTH IN Ir-BASE REFRACTORY SUPERALLOYS II.1147

Yamabe-Mitarai Y., Ro Y., Maruko T., Yokokawa T., Gu Y., Harada H.

HOT CORROSION PROPERTIES OF Ni-BASE SINGLE CRYSTAL SUPERALLOYS IN BURNER RIG TEST II.1155

Misumi M., Mitsuhashi A., Wakita S., Mizuta A., Takenaka T., Ishihara H.

EFFECT OF GRAIN BOUNDARY ORIENTATION ON CREEP AND FRACTURE BEHAVIOR OF A DIRECTIONALLY SOLIDIFIED Ni-BASE SUPERALLOY II.1165

Yuan C., Guo J., Yang H.C.

HIGH TEMPERATURE DOUBLE SHEAR CREEP DEFORMATION OF Ni-BASED SUPERALLOY SINGLE CRYSTALS II.1175

Kamaraj M., Neuking K., Kolbe M., Eggeler G.

GROWTH OF SMALL FATIGUE CRACKS IN THE SINGLE CRYSTAL SUPERALLOYS SC16 AND CMSX-4 II.1185

Rieck T., Schubert F.

3.3. Turbine Disc Materials

CREEP AND CREEP-FATIGUE BEHAVIOUR OF UDIMET 720 AT 850°C II.1197

Chateau E., Remy L., Dolet-Berge N., Fournier D.

FATIGUE CRACK GROWTH AND TENSILE DEFORMATION OF THE PM SUPERALLOY N18 : MICROSTRUCTURAL INVESTIGATIONS II.1207

Neves S., Penkalla H.J., Schubert F., Singheiser L.

AUTHOR INDEX I

KEYWORD INDEX V

SECTION 3- MATERIALS FOR GAS TURBINES

3.4. Intermetallics

CREEP AND MICROSTRUCTURE OF NEAR γ -TiAl INTERMETALLICS III.1219

Dlouhy A., Kuchařová K., Horkel T.

MICROSTRUCTURES, DEVELOPMENT OF DEFECTS, AND CREEP BEHAVIOUR IN A γ -TiAl BASED ALLOY FOR GAS TURBINE APPLICATIONS III.1229

Lundström D., Knutson-Wedel M., Karlsson B.

MICROSTRUCTURE AND CREEP RESISTANCE AT 650-750°C OF THE γ -Ti-47Al-2W-0.5Si CAST ALLOY III.1239

Lupinc V., Yin W.M., Maldini M.

HIGH TEMPERATURE FATIGUE BEHAVIOUR OF γ -TiAl BASE INTERMETALLIC ALLOY III.1249

Onofrio G., Marchionni M.

LOW CYCLE FATIGUE OF THE γ -BASED ALLOY Ti-48Al-2W-0.5Si III.1259

Recina V., Remy L., Marchionni M., Guardamagna C.

HIGH TEMPERATURE FATIGUE PROPERTIES AND RELATED MICROSTRUCTURES OF GAMMA TiAl INTERMETALLIC ALLOYS III.1269

Tiainen T., Kuokkala V.T., Hynnä A., Huang H.

CREEP AND LOW CYCLE FATIGUE BEHAVIOUR OF A γ -TiAl FOR GAS TURBINE APPLICATION III.1279

Bianchi P., Bontempi P., Guardamagna C., Mariani R.

INFLUENCE OF STATE OF STRESS ON CREEP/FATIGUE FAILURE OF γ -TITANIUM ALUMINIDE TURBINE BLADE MATERIAL III.1289

Nikbin K.M., Webster G.A.

THE EFFECT OF NOBLE ELEMENT ADDITIONS ON THE OXIDATION RESISTANCE OF γ -TiAl BASED ALLOYS III.1299

Shemet V., Hoven H., Lersch P., Singheiser L., Quadakkers W.J.

EARLY STAGES OF HIGH TEMPERATURE OXIDATION OF γ -TiAl ALLOYS : INFLUENCE OF W AND Si ADDITION III.1309

Tomasi A., Gialanella S., Micheli V., Nazmy M.

THE BEHAVIOUR OF PVD SiAlN-TYPE COATINGS DEPOSITED III.1319
ON Y TiAl

Lugscheider E., Siry c.w., Saunders S.RJ.

THE EFFECT OF THERMO-MECHANICAL PROCESSING AND HEAT TREATMENT ON THE MICROSTRUCTURE AND MECHANICAL PROPERTIES OF ORTHORHOMBIC ALLOYS III.1329

Partridge A., Colvin J J., Winstone M.R.

CREEP BEHAVIOUR OF DIRECTIONALLY SOLIDIFIED Ni3-Al-BASED III.1337
ALLOY

Lapin J.

A NEW GENERATION FeAl ALLOY WITH ADVANCED PROPERTIES III.1347

Moret F., Baccino R., Revol S.

3.5. Combustor Materials

THERMAL FATIGUE BEHAVIOR OF THE COMBUSTOR ALLOYS IN617 AND HAYNES 230 III.1357

Kasik N., Meyer-Olbersleben F., Reza-Aria F., Blümm M., Ilschner B.

INFLUENCE OF THE MINIMUM CYCLE TEMPERATURE ON THE THERMAL-MECHANICAL FATIGUE BEHAVIOUR OF NiCr22Co12Mo9 III.1369

Kleinpaß B., Lang K.-H., Löhe D., Macherauch E.

3.6. Modelling, Life Assessment and Repair Techniques

TRACE OF THE EVOLUTION OF Ni-BASED SUPERALLOYS BY THE d-ELECTRONS CONCEPT III.1381

Murata Y., Morinaga M., Hashizume R.

ANISOTROPY OF THE CRITICAL RESOLVED SHEAR STRESS AND TENSION-COMPRESSION ASYMMETRY OF A NICKEL-BASE SUPERALLOY III.1391

Bettge D., Möser T., Österle W.

ESTIMATION OF CREEP RUPTURE STRENGTH IN NICKEL BASE SUPERALLOYS III.1401

Fujii H., McKay DJ.C., Bhadeshia H.K.D.H., Harada H., Nogi K.

LIFE ASSESSMENT TECHNIQUES FOR GAS TURBINE HOT-SECTION COMPONENTS III.1411

Yoshioka Y., Saito D., Fujiyama K., Kashiwaya H.

LARGE SCALE NUMERICAL SIMULATION OF P ARTICLE COARSENING IN ELASTICALLY STRESSED SOLIDS III.1421

Akaiwa N., Voorhees P.W.

MICROSTRUCTURALLY BASED DETERMINATION OF THE LOCALLY ACTING SERVICE TEMPERATURE AND STRESS IN
A

MONOCRYSTALLINE TURBINE BLADE AFTER SERVICE III.1429

v. Grossmann B., Biermann H., Mechsner S., Mughrabi H.

LIFE EXTENSION OF SUPERALLOY DISCS BY PREVENTION OF STRESS ACCELERATED GRAIN BOUNDARY OXIDATION
III.1439

Müller S., Rösler J.

INTEGRITY ASSESSMENT OF HVOF REPAIRED INDUSTRIAL GAS TURBINE VANES III.1449

Bianchi P., Cernuschi F., Ferravante L., Scardi P., Setti S.

FRECKLE FORMATION IN LARGE SUPERALLOY SINGLE CRYSTAL AIRFOIL CASTINGS III.1459

Auburtin P., Cockcroft S.L., Mitchell A.

ADVANCED REPAIR TECHNIQUES FOR MODERN INDUSTRIAL GAS TURBINES III.1469

Stoiber J., Baumann R.

SINGLE CRYSTAL TURBINE COMPONENTS REPAIRED BY EPITAXIAL LASER METAL FORMING III.1479

Gäumann M., Rusterholz H., Baumann R., Wagniere J.D., Kurz W.

3.7. Corrosion Resistant Coatings

EFFECT OF Ti ADDITIONS ON ISOTHERMAL AND CYCLIC OXIDATION OF NiCrAlY COATING ALLOYS FOR GAS TURBINE
APPLICATION III.1489

Clemens D., Vosberg V.R., Tietz F., Quadakkers W.J., Singheiser L.

ANNEALING OF NiCr- AND Ni-SUPERALLOY INTERFACES m.1497

Krejić J., Svecar J., Krejeva J., Ambroz O., Janova D., Jiríkovský K.

ISOTHERMAL OXIDATION BEHAVIOUR OF PLATINUM MODIFIED ALUMINIDE DIFFUSION COATINGS ON SINGLE
CRYSTAL Ni BASED SUPERALLOY III.1505

Angenete J., Stiller K.

HIGH TEMPERATURE RESISTANT MeCrAlY + Al COATINGS OBTAINED BY THE ARC-PVD METHOD ON Ni-BASE
SUPERALLOYS III.1513

Swadzba L., Maciejny A., Mendala B., Pucka G.

METALLURGICAL TEMPERATURE ESTIMATES BASED ON INTERDIFFUSION BETWEEN CoCrAlY OVERLAY COATINGS AND A DIRECTIONALLY SOLIDIFIED Ni-BASE SUPERALLOY SUBSTRATE III.1523

Ellison K.A., Daleo J.A., Boone D.H.

MICROSTRUCTURE AND HOT CORROSION BEHAVIOR OF Pt-Al COATINGS ON IN738 NICKEL-BASE SUPERALLOY III.1535

Sun X.F., Guan H.R., Pang Y., Jin T., Jiang X.X., Hu Z.Q.

HIGH TEMPERATURE CORROSION RESISTANCE OF GAS TURBINE MATERIALS AND COATINGS UNDER THE INFLUENCE OF Cl- CONTAMINATIONS III.1543

Schütze M., Jeutter A.

THE SURFACE STRUCTURE OF GAS TURBINE BLADES III.1553

Pigrova G.D.

CREEP OF COATED AND UNCOATED THIN-SECTION CMSX-4 III.1559

Henderson P.J., Linde L.

LOW-CYCLE AND THERMO-MECHANICAL FATIGUE OF COATED IN738LC III.1569

Take K., Ohtani R., Kaku M., Takenaka T., Masuo H.

HEAT TREATMENT OF GAS TURBINE BLADES WITH PROTECTIVE COATINGS III.1579

Rybníkov A.I., Getsov L.B., Osyka A.S., Muhametganov K.S.

NON-DESTRUCTIVE INTEGRITY CHARACTERISATION AND ASSESSMENT OF GAS TURBINE COATINGS WITHIN THE COST-501 PROGRAM III.1587

Cernuschi F., Netzelmann U., Pohl K.J.

3.8. Thermal Barrier Coatings

FAILURE MECHANISMS IN THERMAL CYCLED TBC III.1601

Teixeira V., Andritschky M., Buchkremer H.P., Stöver D.

INNOVATIVE PLASMA SPRAYED 7% YSZ-THERMAL BARRIER COATINGS FOR GAS TURBINES III.1611

Babiak Z., Bach Fr. W., Bertamini L., Hindryckx F., Krugers J.P., Mertens Ch., Michel B., Sturlese S., Unterberg W.

RESIDUAL STRESSES IN HIGH TEMPERATURE MULTILAYERED COATINGS FOR ADVANCED POWER ENGINEERING III.1619

Teixeira V., Andritschky M., Fischer W., Buchkremer H.P., Stöver D.

NEW MATERIALS FOR ADVANCED THERMAL BARRIER COATINGS III.1627

Vaßen R., Tietz F., Kerkhoff G., Stöver D.

BURNER RIG TESTS OF EB-PVD THERMAL BARRIER COATINGS UNDER HOT CORROSION CONDITIONS III.1637

Rätzer-Scheibe H.J., Fritscher K., Peters M., Schulz U., Kaysser W. A.

RESIDUAL STRESSES IN ZIRCONIA THERMAL BARRIER COATINGS DUE TO STRONGLY INHOMOGENEOUS TEMPERATURE DISTRIBUTIONS III.1647

Schmackers T., Reimers W., Baron H.U., Cosack T.

MICROSTRUCTURE AND MODELLING OF COATED SUPERALLOYS III.1657

Martin U., Oettel H., Jerenz M., Mühle U.

3.9. Coating Modelling and Repair Techniques

FINITE ELEMENT ANALYSIS OF THERMAL STRESSES IN THERMAL BARRIER COATINGS ON CYLINDRICAL SUBSTRATES III.1669

Kerkhoff G., Vaßen R., Funke C., Stöver D.

NUMERICAL SOLUTION OF INVERSE PROBLEM FOR DIFFUSION AND CORROSION PROCESSES IN MATERIALS FOR GAS TURBINE III.1679

Krukovsky P.G., Kartavova E.S.

LIFE TIME MODELLING FOR MCrAlY COATINGS OF GAS TURBINE BLADES III.1689

Kartavova E.S., Krukovsky P.G.

ASSESSMENT OF TURBINE HOT GAS PATH COMPONENTS III.1699

Mezzedimi V., Giorni E., Tognarelli L., Pratesi F., Zonfrillo G., Giannozzi M., Innocenti M.

AN INFLUENCE OF THE STRUCTURE OF THE THERMAL BARRIER COATINGS ON THERMAL SHOCK AND HOT CORROSION RESISTANCE III.1709

Swadlow L., Dudek S., Hetmanczyk H., Mendala B., Szala J.

SECTION 4 -GENERAL INTEREST

STRESS RELAXATION IN METALS AND ALLOYS III.1721

Getsov L.B.

ON STATISTICAL ASPECTS OF RESISTANCE TO CYCLIC STRAINING AND FRACTURE III.1733

Getsov L.B., Kononov K.M., Rebiakov Yu.N.

DISTRIBUTED DATABASE SYSTEM FOR MUTUAL USAGE OF MATERIAL INFORMATION (DATA-FREE-WAY) III.1739

Tsuji H., Yokoyama N., Fujita M., Kano S., Tachi Y., Shimura K., Nakajima R., Iwata S.

NEW SOFTWARE TOOLS FOR LIFETIME PREDICTION OF HIGH TEMPERATURE COMPONENTS UNDER SERVICE LOADING III.1747

Berger C., Granacher J., Scholz A.

ALKALI RELEASE AND SORPTION IN COAL COMBUSTION III.1757

Witthohn A., Oeltjen L., Hilpert K.

SECTION 5 -MATERIALS FOR THE 21st CENTURY

Invited Paper

THE IMPACT OF MATERIALS RESEARCH FOR ENERGY TECHNOLOGIES PROVIDING FOR THE 21st CENTURY III.1769

Theenhaus R., Schubert F.

THE ADVANCED TURBINE SYSTEMS PROGRAM IN THE U.S.A. III.1789

Parks W.P. Jr., Hoffman P., Karnitz M.A., Wright I.G.

STEAM PLANT MATERIAL DEVELOPMENTS IN JAPAN III.1807

Masuyama F.

THE NEW COST ACTION 522 -POWER GENERATION IN THE 21st CENTURY : ULTRA EFFICIENT, LOW EMISSION PLANT III.1825

Allen D., Oakey J.E., Scarlin B.

AUTHOR INDEX I

KEYWORD INDEX V