

Conference Committees

Conference Chairmen

H. H. Coenen	Jülich/Cologne, Germany
S. M. Qaim	Jülich/Cologne, Germany

International Advisory Committee (IAC)

P. Benes	Prague, Czech Republic
J. Fuger	Liège, Belgium
H. W. Gäggeler	Villigen/Bern, Switzerland
Z. I. Kolar	Delft, The Netherlands
J. V. Kratz	Mainz, Germany
H. Kudo	Sendai, Japan
Y. F. Liu	Beijing, P. R. China
C. Madic	Saclay, France
H. Nakahara	Tokyo, Japan
H. Nitsche	Berkeley, USA
A. Vértes	Budapest, Hungary
A. R. Ware	Maidstone, United Kingdom
M. J. Welch	St. Louis, USA
I. Zvara	Dubna, Russia

Local Organising Committee (LOC)

U. Herpers	Cologne
G. Meyer	Cologne
R. Michel	Hanover
R. Odoj	Jülich/Aachen
B. Scholten	Jülich
H. Ströher	Jülich/Cologne
R. Gail	Conference Service, Jülich
E. Wittig	Conference Service, Jülich

Contact Persons at International Organisations

C. Nordborg	OECD-NEA, Paris, France
M. Rossbach	IAEA, Vienna, Austria

Conference Topics

1. **Fundamental Nuclear Chemistry**
(nuclear reactions, radioactive decay)
2. **Actinides**
3. **Transactinides**
4. **Radioanalytics**
(nuclear and non-nuclear methods)
5. **Nuclear Technology**
(techniques, cross sections, radionuclide production)
6. **Radiotracers in Life Sciences**
(radiopharmaceutical chemistry)
7. **Radioactive Indicators in Research and Industry**
8. **Radionuclides in Geo- and Cosmochemistry**
9. **Nuclear Fuel Cycle**
(waste management, transmutation, partitioning)
10. **Radioecology and Environmental Sciences**

Contents

1. Fundamental Nuclear Chemistry

Prospects for investigation of superheavy elements at FLNR <i>A. G. Popeko; Dubna, Russia</i>	3
Target dependence of light fragment production in neutron- and alpha-induced nuclear reactions at intermediate energies <i>H. Matsumura, T. Sanami, K. Masumoto, N. Nakao, A. Toyoda, M. Kawai, T. Aze, H. Nagai, M. Takada, H. Matsuzaki; Tsukuba, Tokyo and Chiba-shi, Japan</i>	6
Influence of reaction channel on the isomeric cross-section ratio <i>S.M. Qaim, S. Sudar, C. Nesaraja, M.R. Zaman, A. Fessler; Jülich, Germany ..</i>	9
Excitation function of $^{63}\text{Cu}(n,p)^{63}\text{Ni}$ reaction in the neutron energy range below 15 MeV <i>K. Takamiya, Y. Ota, M. Akamine, S. Shibata, N. Nogawa, Y. Ito, T. Shibata, Y. Uwamino, M. Imamura, S. Iwasaki, S. Matsuyama, M. Baba; Osaka, Tokyo, Tsukuba, Saitama, Chiba and Sendai, Japan</i>	12
Preparation and half-life measurement of samarium-146 <i>N. Kinoshita, A. Yokoyama, H. Amakawa, T. Nakanishi; Kanazawa and Tokyo, Japan</i>	15
Investigation of the decay property of $^{229\text{m}}\text{Th}$ by photon detection and alpha-spectrometry <i>Y. Kasamatsu, H. Kikunaga, K. Takamiya, T. Mitsugashira, T. Nakanishi, T. Ohtsuki, H. Yuki, W. Sato, H. Yamana, Y. Ohkubo, S. Shibata, Y. Kawase, A. Shinohara; Osaka, Kanazawa, Oarai-machi and Sendai, Japan</i>	18
Production of Th-229m in nuclear reaction and its identification by alpha-spectrometry <i>H. Kikunaga, Y. Kasamatsu, K. Takamiya, T. Mitsugashira, M. Hara, T. Ohtsuki, H. Yuki, A. Shinohara, S. Shibata, N. Kinoshita, A. Yokoyama, T. Nakanishi; Kanazawa, Osaka, Oarai-machi and Sendai, Japan</i>	21
Energy shift of electronic X rays emitted from pionic atoms <i>K. Ninomiya, H. Sugiura, Y. Kasamatsu, H. Kikunaga, N. Kinoshita, Y. Tani, H. Hasegawa, M. Yatsukawa, K. Takamiya, W. Sato, H. Matsumura, A. Yokoyama, K. Sueki, Y. Hamajima, T. Miura, A. Shinohara; Osaka, Kanazawa, Tsukuba and Nomi, Japan</i>	24
Time-differential perturbed angular correlations of ^{140}Ce and ^{19}F implanted in highly oriented pyrolytic graphite	

<i>W. Sato, H. Ueno, H. Watanabe, H. Miyoshi, A. Yoshimi, D. Kameda, J. Kaihara, K. Shimada, T. Ito, S. Suda, Y. Kobayashi, K. Asahi, Y. Kasamatsu, A. Shinohara, A. Taniguchi, Y. Ohkubo; Osaka, Saitama and Tokyo, Japan</i>	27
Chemical stabilisation of recoil ^{56}Mn in $\text{MnSO}_4\text{-KClO}_4$ mixed crystals following (n, γ) process <i>S.P. Mishra, Vijaya; Varanasi, India</i>	30
The influence of a nuclear prehistory on transport rate of impurity "hot" atoms ^{111}In , $^{114\text{m}}\text{In}$ and $^{115\text{m}}\text{In}$ in the irradiated metal cadmium <i>I.E. Alekseev, V.V. Lazarev, S.P. Orlov; St. Petersburg and Gatchina, Russia ..</i>	32

2. Actinides

Actinide chemistry, methods, data and models <i>I. Grenthe; Stockholm, Sweden</i>	37
Solubility and ternary hydroxo-carbonate complexes of thorium <i>M. Altmaier, V. Neck, Th. Fanghänel; Karlsruhe, Germany</i>	40
Complex formation of U(VI) with amino acids studied by UV-Vis spectroscopy, TRLFS and EXAFS <i>A. Günther, G. Geipel, A. Roßberg, G. Bernhard; Dresden, Germany</i>	43
Coordination chemistry of trivalent f-elements in solution with calixarene-type ligands <i>R. Ludwig, N.T.K. Dzung, E. Hermann; Berlin and Dresden, Germany; Hanoi, Vietnam</i>	46
pH dependence of uranyl uptake on quartz: An XPS study <i>A. Froideval, M. Del Nero, R. Barillon, J. Hommer, G. Mignot; Strasbourg and Bruyères-le-Chatel, France</i>	48
X-ray absorption spectroscopy (XAS) study of U(VI) immobilization by hardened cement paste (HCP) <i>I. Bonhoure, E. Wieland, J. Tits, A. Scheidegger; Villigen, Switzerland; Manresa, Spain</i>	51
The influence of itinerant vs. localized f-electrons in actinide alloys as nuclear transmutation fuel <i>J.R. Kennedy, D.D. Keiser, S.M. Frank; Idaho Falls, USA</i>	54
Contraction of actinides 3+ ionic radii at the end of the series <i>A. Bilewicz; Warsaw, Poland</i>	57
Uranium L-lines emission chemical and isotope effects and the state of uranium atom in its compounds	

<i>L.L. Makarov, A.A. Solomennikov; St. Petersburg, Russia</i>	60
New orthophosphates matrices of the NZP-like structure for immobilization of actinides	
<i>S.V. Tomilin, A.N. Lukinykh, A.A. Lizin, V.I. Spirykov, A.I. Orlova; Dimitrovgrad and Novgorod, Russia</i>	62
Refined data on the PuO₄ volatility	
<i>V.P. Domanov, Yu.V. Lobanov, Dubna, Russia</i>	64
Thermochromatographic volatility studies of actinide oxides	
<i>S. Hübener, G. Bernhard, Th. Fanghänel; Dresden and Karlsruhe, Germany</i> ...	66
UCa₂Si₈O_x phases found on anoxically leached UO₂ - evidence for U-ekanite as U(VI) secondary alteration phase	
<i>M. Amme, T. Wiss, H. Lang, H. Thiele; Karlsruhe and Neuherberg, Germany</i> ...	69
Complex formation of curium with adenosine 5'-triphosphate (ATP) studied by TRLFS	
<i>H. Moll, G. Geipel, G. Bernhard; Dresden, Germany</i>	72
Gas-phase thermochemical studies of actinide oxides	
<i>M. Santos, J. Marçalo, J.P. Leal, A.P. de Matos, J.K. Gibson, R.G. Haire; Sacavém, Portugal; Oak Ridge, USA</i>	75
Limiting transport properties of actinide ions in pure water	
<i>E. Mauerhofer, K. Zhemosekov, F. Rösch; Aachen, Jülich and Mainz, Germany</i>	77
Sorption of uranyl ion onto glutaraldehyde derivates of chitosan	
<i>P.K. Mohaparta, N. Rawat, V.K. Manchanda, E. Guibal; Mumbai, India; Ales, France</i>	80
Separation of Am³⁺ and Eu³⁺ by Cyanex-301 using different techniques	
<i>A. Bhattacharyya, P.K. Mohapatra, V.K. Manchanda; Mumbai, India</i>	83
Formation and stability of Pu(IV) colloids in aquatic solution	
<i>H.R. Cho, C. Walther, C. Bitea, A. Seibert, J.I. Yun, C. Marquardt, V. Neck, J.I. Kim, Th. Fanghänel; Karlsruhe, Germany</i>	86
Sorption of plutonium and neptunium onto colloidal Fe- and Mn-oxides	
<i>A.B. Khasanova, S.N. Kalmykov, N.S. Shcherbina, A.P. Novikov, S.B. Clark; Moscow, Russia; Pullman, USA</i>	89
Chemical shift and widening of the U L_{γ6}-line as parameters for identifying the chemical state of the uranium atom	
<i>A.G. Krivitsky, R.V. Bogdanov, Y.F. Batrakov, St. Petersburg, Russia</i>	92

Valence state of uranium atom in UO_{2+x} oxides according to data of X-ray emission spectroscopy <i>Y.F. Batrakov, A.G. Krivitsky, E.V. Puchkova; St. Petersburg, Russia</i>	95
Time-resolved laser-induced fluorescence spectrometry (TRLFS) applied to uranyl complexation studies <i>I. Bonhoure, G. D. Donne, V. Marti, J. de Pablo, J.-L. Cortina; Manresa and Barcelona, Spain</i>	98
Potentiometric and spectrophotometric study of the temperature effects on complexation. The Uranyl-sulphate ($\text{UO}_2^{2+}/\text{SO}_4^{2-}$) system in the range 5°C-85°C at 1 and 3 M ionic strength <i>G.L. D. Donne, J.L. Cortina, R. Tauler, V. Marti, I. Bonhoure, J. de Pablo, T. Caruso, E. Vasca; Salerno, Italy; Barcelona and Manresa, Spain</i>	100
Electrochemical oxidation of Am(III) and Am(V) ions in nitric acid solutions containing potassium phosphotungstate $\text{K}_{10}\text{P}_2\text{W}_{17}\text{O}_{61}$ <i>E.A. Yerin, A.A. Baranov, A.Yu. Volkov, V.M. Chistyakov; Dimitrovgrad, Russia</i>	102
Thermochemistry of selected sodium neptunyl carbonates <i>F. Rorif, J. Fuger, J.F. Desreux; Liège and Mol, Belgium</i>	105

3. Transactinides

Chemistry of the transactinide elements <i>A. Türler, Garching, Germany</i>	109
Chemical identification and properties of element 112 <i>A. Yakushev, I. Zvara, Yu.Ts. Oganessian, A.V. Belozarov, S.N. Dmitriev, B. Eichler, S. Hübener, E.A. Sokol, A. Türler, A.V. Yeregin, G.V. Buklanov, M.L. Chelnokov, V.I. Chepigina, V.A. Gorshkov, V.Ya. Lebedev, O.N. Malyshev, A.G. Popoko, S. Soverna, Z. Szegłowski, S.N. Timokhin, S.P. Tretyakova, V.M. Vasko, M.G. Itkis; Garching and Dresden, Germany; Dubna, Russia; Villigen and Bern, Switzerland; Krakow, Poland</i>	112
Attempt to chemically characterize element 112 <i>S. Soverna, W. Bröchle, R. Dressler, Ch.E. Düllmann, K. Eberhardt, B. Eichler, R. Eichler, Ch.M. Folden, H.W. Gäggeler, K.E. Gregorich, F. Haenssler, E. Jäger, J.V. Kratz, H. Nitsche, D. Piquet, Z. Qin, U. Rieth, M. Schädel, B. Schausten, E. Schimpf, N. Trautmann, P. Thörle, A. Türler, P.A. Wilk, G. Wirth, A.B. Yakushev, A. von Zweidorf; Bern and Villigen, Switzerland; Darmstadt, Mainz and Garching, Germany; Berkeley, USA; Lanzhou, China</i>	115
Rationale for estimating volatility characteristics of transactinoid halides from adsorption enthalpy data <i>I. Zvára; Dubna, Russia</i>	118

Status and future developments of the aqueous heavy-element chemistry <i>J.V. Kratz; Mainz, Germany</i>	121
Development of an on-line hot catcher for transactinide research at PSI <i>R. Eichler, Z. Qin, R. Dressler, D. Piquet, F. Haenssler, S. Soverna, U. Köster, H.W. Gäggeler; Villigen, Bern and Geneva, Switzerland</i>	124
Chemical studies of rutherfordium at JAERI <i>Y. Nagame; Tokai, Japan</i>	127
Prediction of ionic radius and binding energy of hydration for the No^{2+} ion by relativistic density functional calculations <i>M. Hirata, K. Tanaka, Y. Nagame, T. Baştuğ, J. Anton, B. Fricke; Tokai, Japan; Canberra, Australia; Kassel, Germany</i>	129
Development of a gas-loop set-up for the investigation of the chemical properties of elements 112 and 114 <i>F. Haenssler, R. Dressler, R. Eichler, H.W. Gäggeler, D. Piquet, S. Soverna; Bern and Villigen, Switzerland</i>	131
Electrochemical deposition - a tool for the investigation of superheavy element chemistry? <i>H. Hummrich, J.V. Kratz; Mainz, Germany</i>	133
Microsisak - a new device for fast and continuous liquid-liquid-extractions on a microliter scale <i>K. Eberhardt, S. Andersson, C. Ekberg, B. Horn, J.V. Kratz, A. Müller, M. Nilsson, G. Skamemark, N. Trautmann; Mainz, Germany; Göteborg, Sweden ..</i>	136
Relativistic electronic structure calculations for the heaviest elements <i>V. Pershina; Darmstadt, Germany</i>	139
Final result of the CALLISTO-Experiment: Formation of sodium hassate(VIII) <i>A. von Zweidorf, R. Angert, W. Bröchle, S. Bürger, K. Eberhardt, R. Eichler, H. Hummrich, E. Jäger, R. Jera, H.-O. Kling, J.V. Kratz, U. Krille, B. Kuczewski, G. Langrock, G. Lehr, M. Mendel, A. Nähler, A. Peil, V. Pershina, U. Rieth, M. Schädel, B. Schausten, E. Schimpf, H.-J. Schött, E. Stiel, P. Thörle, N. Trautmann, K. Tsukada, N. Wiehl, G. Wirth; Darmstadt and Mainz, Germany; Villigen, Switzerland; Tokai-mura, Japan</i>	141
Zirconium and hafnium extraction using crown ethers - a model system for the study of rutherfordium <i>R. Sudowe, C.E. Düllmann, L.M. Farina, C.M. Folden III, K.E. Gregorich, S.E.H. Gallaher, D.C. Hoffman, D.C. Phillips, J.M. Schwantes, R.E. Wilson, P.M. Zielinski, H. Nitsche; Berkeley, USA</i>	144

Toward volatile metal complexes of rutherfordium - Results of test experiments with Zr and Hf <i>C.E. Düllmann, G.K. Pang, C.M. Folden III, K.E. Gregorich, D.C. Hoffman, H. Nitsche, R. Sudowe, P.M. Zielinski; Berkeley, USA</i>	147
Chloride complexation of rutherfordium - X-ray absorption fine structure spectroscopy of Zr and Hf in HCl <i>H. Haba, K. Akiyama, K. Tsukada, M. Asai, A. Toyoshima, T. Yaita, M. Hirata, K. Sueki, Y. Nagame; Saitama, Tokai, Osaka and Tsukuba, Japan</i>	150
Elution behavior of rutherfordium (Rf) in anion-exchange chromatography in a hydrofluoric acid system <i>A. Toyoshima, K. Tsukada, M. Asai, H. Haba, K. Akiyama, I. Nishinaka, D. Saika, K. Matsuo, W. Sato, H. Ishizu, M. Ito, J. Saito, S. Goto, H. Kudo, H. Kikunaga, N. Kinoshita, C. Kato, A. Yokoyama, K. Sueki, Y. Nagame, A. Shinohara; Osaka, Tokai, Saitama, Niigata, Kanazawa and Tsukuba, Japan</i> ..	153
Sorption on anion-exchange resin of dubnium and its homologues in HF solution <i>K. Tsukada, H. Haba, M. Asai, A. Toyoshima, K. Akiyama, I. Nishinaka, M. Hirata, K. Hashimoto, S. Ichikawa, Y. Nagame, K. Yasuda, Y. Miyamoto, Y. Tani, H. Hasegawa, W. Sato, A. Shinohara, G. Goto, M. Ito, J. Saito, H. Ishizu, H. Kudo, Y. Oura, H. Nakahara, K. Sueki, N. Kinoshita, H. Kikunaga, A. Yokoyama; Tokai, Saitama, Osaka, Niigata, Tokyo, Tsukuba and Kanazawa, Japan</i>	155

4. Radioanalytics

Ultratrace analysis of long-lived radionuclides by laser mass spectrometry (RIMS) <i>N. Trautmann; Mainz, Germany</i>	161
Recent developments in prompt gamma activation analysis <i>Z. Révay, T. Belgya, Z. Kasztovszky, L. Szentmiklósi, G.L. Molnár; Budapest, Hungary</i>	163
Progress in determination of long-lived radionuclides by mass spectrometry <i>J.S. Becker; Jülich, Germany</i> ..	166
Separation of plutonium and neptunium species by CE-IPS-MS and application to natural groundwater samples <i>B. Kuczewski, C.M. Marquardt, A. Seibert, H. Geckeis, J.V. Kratz, N. Trautmann; Mainz and Karlsruhe, Germany</i>	168
Measurements of actinides on a compact accelerator mass spectrometry system <i>L. Wacker, E. Chamizo, L.K. Fifield, H.-A. Synal, M. Suter; Zürich and Villigen, Switzerland; Sevilla, Spain; Canberra, Australia</i>	171

γ - γ -perturbed angular correlation one-detector method (1-PAC) for investigation of physico-chemical properties of matter <i>D.V. Filosofov, K. Zhemosekov, N.A. Korolev, A.F. Novgorodov, N.A. Lebedev, F. Rösch; Dubna, Russia; Mainz, Germany</i>	174
Complex formation of In(III) with D-gluconate and glycolate in neutral aqueous perchlorate solutions in wide range of pH <i>K.P. Zhemosekov, E. Mauerhofer, D.V. Filosofov, N.A. Korolev, A.F. Novgorodov, F. Rösch; Mainz and Jülich, Germany; Dubna, Russia</i>	177
Free-ion selective radiotracer extraction (FISRE) - a new technique to study the lability of metal complexes in radiopharmacy <i>B. Wierczynski, L.G. Bouts, W.A.P. Breeman, A.G. Denkova, J.A. Peters, H.T. Wolterbeek; Garching, Germany; Delft and Rotterdam, The Netherlands</i>	180
Analytical capabilities of the new thermal neutron prompt gamma-ray activation analysis instrument at the NIST center for neutron research <i>E. Mackey, D.L. Anderson; Gaithersburg and College Park, USA</i>	183
Removal of actinium from europium for the determination of specific radioactivity of ultra low-level Eu-152 in a sample exposed to atomic-bomb neutrons in Nagasaki <i>R. Hosotani, H. Izumi, T. Nomura, A. Yokoyama, T. Nakanishi; Kanazawa, Japan</i>	185
Destructive radiochemical analysis of uraniumsilicide fuel for burnup determination <i>M. Gysemans, M.V. Bockstaele, P. Van Bree, L. Vandeveld, E. Koonen, L. Sannen, B. Guigon; Mol, Belgium; Saint Paul lez Durance, France</i>	187
Scintillating polymer inclusion membrane for preconcentration and determination of radionuclides: Effect of plasticizer <i>Y.M. Scindia, N. Desigan, S. Sodaye, A.K. Pandey, A.V.R. Reddy; Mumbai and Kalpakkam, India</i>	189
Comparing performance of k-zero neutron activation: Fresh and freeze-dried animal tissue analysis <i>A.A. Canella, M.A.B.C. Menezes; Belo Horizonte, Brazil</i>	192
Peak treatment of alpha liquid scintillation spectra for the determination of actinides in water samples <i>J. Aupiais; Bruyères-le-Châtel, France</i>	194
Robust methods for the determination of radium and uranium in water samples <i>J. Aupiais; Bruyères-le-Châtel, France</i>	197
Avalanche photodiodes for alpha liquid scintillation detection <i>A. Reboli, J. Aupiais, J.C. Mialocq; Bruyères-le-Châtel and Gif-sur-Yvette, France</i>	200

Effect of crown ethers on the Sr ²⁺ , Ba ²⁺ and Ra ²⁺ uptake on tunnel structure ion exchangers <i>B. Bartoś, A. Bilewicz; Warsaw, Poland</i>	203
Extraction and substoichiometric separation of Co(II) with organic reagent employing tracer technique <i>V. Lobo, Z.R. Turel; Hodeidah, Republic of Yemen; Bombay, India</i>	205
Analytical method for pure beta radionuclides in reactor graphite, concrete and other materials for reactor decommissioning <i>X. Hou; Roskilde, Denmark</i>	207
Measurement of hyperfine field in mavicyanin by perturbed angular correlation of gamma-rays <i>A. Yokoyama, T. Hashimoto, K. Kataoka, M. Takata, Y. Ohkubo; Kanazawa and Osaka, Japan</i>	210
Sequential separation of Zn(II), Hg(II) and Cd(II) by substoichiometric solvent extraction technique <i>S.S Pandey, H. Bagla; Mumbai, India</i>	212
A novel method for selective separation of ¹¹¹ In from impurities by ion exchange chromatography <i>R. Yavari, A.R. Khanchi, M. G. Maragheh, G. Bagheri; Tehran, Iran</i>	214
Determination of Cu, Ag and Au in alloy samples by sequential instrumental thermal neutron activation analysis <i>U.N. Chaube, Z.R. Turel; Mumbai, India</i>	216
Evaluation of uncertainties in routine determinations of thermal to epithermal flux ratios for k ₀ based neutron activation analysis <i>I.M. Cohen, M.C. Fornaciari Iljadica; Buenos Aires, Argentina</i>	219
Fission track analysis of uranium-doped silica particles <i>K.Y. Jee, H.Y. Pyo, S.C. Sohn, Y.J. Park, W.H. Kim; Daejon, Korea</i>	222
Study of the zinc effect on the beta-glucuronidase levels of some tissue samples using a nuclear technique <i>T. Ünak, Y. Yildirim, U. Avcibaşı; Izmir, Turkey</i>	225
Sr-90 determination in urine samples by ICP-MS and radiochemical techniques <i>P. Ostapczuk, A.P. Vonderheide, M.V. Zoriy, J.S. Becker, R. Hille; Jülich Germany; Cincinnati, USA</i>	227
Determination of uranium, thorium and ²³⁵ U/ ²³⁸ U isotopic ratio at trace and ultratrace level in urine by LA-ICP-MS <i>M. Burow, M. Zoriy, C. Pickhardt, P. Ostapczuk, R. Hille, J.S. Becker; Jülich, Germany</i>	230

Ion chromatographic analysis of aqueous iodine species by conductivity and radioactivity measurement <i>D. Schumann, R. Grasser, R. Dressler, H. Bruchertseifer; Villigen, Switzerland</i>	233
The development of a depleted uranium solid matrix reference material <i>A. Harms, D. Tyler, C. Gilligan; Teddington, UK</i>	236
The development and application of a standard for organically bound tritium measurements <i>A. Harms, C. Gilligan, S. Jerome; Teddington, UK</i>	237
Standardisation of radioactivity at the National Physical Laboratory <i>S. Jerome, S. Judge; Teddington, UK</i>	238
Prompt gamma-ray activation analysis: Multielemental non-destructive analytical method for geochemistry and cosmochemistry <i>P. Kudějová, Z. Kasztovszky, Z. Révay, T. Belgya, T. Materna, J. Jolie; Cologne, Germany; Budapest, Hungary</i>	239
Determination of actinides and ⁹⁰ Sr in spent ion exchange resins <i>P. Tavčar, L. Benedik; Ljubljana, Slovenia</i>	242
A TRLFS study of aqueous carbonate complexes: Comparison of Eu(III) and Cm(III) at 25°C, and temperature influence on CmCO ₃ ⁺ stability <i>T. Vercoouter, C. Moulin, P. Vitorge ; Gif-sur-Yvette, France</i>	245
Electrochemical behaviour of U(IV) and U(VI) in phosphoric acid <i>A. Rahier, S. Picaud, A. Darchen; Mol, Belgium; Rennes, France</i>	248
Separation of thorium(IV) from cerium (IV) and lanthanum (III) in aqueous solutions by extraction chromatography technique <i>Ü. Hiçsönmez, M. Eral, C. Kütahyalı; Manisa and Izmir, Turkey</i>	251
²³⁹ Np as a tracer of ²³⁷ Np in effluent samples and low level nuclear waste <i>J.M. Diodati, F.M. Sartori; Buenos Aires, Argentina</i>	254
Setting up laser ablation - inductively coupled plasma - mass spectrometry (LA-ICP-MS) in a hot-cell environment for the analysis of irradiated nuclear materials <i>S. Van Winckel, S. Hollas, R. Malmbeck, J.-P. Glatz, I. Horn, D. Günther; Karlsruhe and Hannover, Germany; Zürich, Switzerland</i>	257
NAA of long-time irradiated hafnium for an improved half-life value of ¹⁸² Hf <i>C. Vockenhuber, M. Bichler, W. Kutschera, P. Steier; Vienna, Austria</i>	259
Application of X-ray fluorescence methods for analytical control of pyrochemical reprocessing of nuclear fuel <i>M.I. Melnik, I.V. Tselishchev, R.I. Makeeva, I.A. Pshenichnaya, V.M. Chistyakov; Dimitrovgrad, Russia</i>	261

Ultratrace analysis of ^{129}I in sediments by ICP-MS with collision cell <i>A. V. Izmer, S.F. Boulyga, M.V. Zoriy, J.S. Becker; Jülich and Mainz, Germany</i>	264
On the use of CE-ICP-MS (Capillary Electrophoresis - Inductively Coupled Plasma - Mass Spectrometry) to determine thermodynamic constant. Application to the $\text{UO}_2^{2+}/\text{H}_2\text{SO}_4$ system <i>C. Ambard, N. Baglan, A. Delorme, J. Aupiais; Bruyères le Chatel, France</i>	265
The use of moss as biomonitors of atmospherical deposition in Romania: An example from the Eastern Carpathian mountains <i>A. Lucaciu; Bucharest, Romania</i>	268
Phosphoric acid purification: Removal of thorium and other chemical species <i>H.T. Fukuma, E.A. De Nadai Fernandes, A.L. Quinelato, C.L. Gonzaga; Poço de Caldas and Piracicaba, Brazil</i>	271
Digital signal processing gamma-ray spectrometers in high count rate applications <i>G. Caspary, Jülich, Germany</i>	274
Application of k_0 -based neutron activation analysis for studies on serpentines, dolerite and dolomites <i>R. Acharya, A.G.C. Nair, N. S. Kumar, P.V.N. Kumar, N.B.Y. Reddy, L.K. Reddy, A.V.R. Reddy; Mumbai and Cuddapah, India</i>	277
Development of a software package for improving accuracy and precision in non-destructive declaration of radioactive waste <i>T. Bücherl, G. Caspary, A. Elhardt; Garching and Jülich, Germany</i>	280

5. Nuclear Technology

Determination of nuclear constants of reactions induced on zinc by short irradiations with the epithermal and fast components of a reactor neutron spectrum <i>I.M. Cohen, S. Ribeiro Guevara, M.A. Arribére, M.C. Fornaciari Ijadica, A.J. Kestleman, R.A. Ohaco, M.S. Segovia, A.N. Yunes; Buenos Aires and Rio Negro, Argentina</i>	285
Fission spectrum averaged cross section measurements of some neutron threshold reactions of relevance to medical radionuclide production <i>J.H. Zaidi, M. Arif, I. Fatima, S. Waheed, S. Ahmad, I.H. Qureshi; Islamabad, Pakistan</i>	288
New cross section data for production of the therapeutic radionuclides ^{64}Cu , ^{67}Cu , ^{140}Nd and ^{192}Ir <i>K. Hilgers, I. Spahn, Ye. Skakun, H.H. Coenen, S.M. Qaim, Jülich, Germany</i> ...	291

New data of intermediate energy nuclear reactions for theory and medical applications <i>B. Scholten, K.Kettern, F.M.Nortier, G.F. Steyn, Yu. Shubin, S.Spellerberg, N. van der Walt, S.M. Qaim, H.H. Coenen; Jülich, Germany; Somerset West, South Africa</i>	294
Production and separation of proton rich radionuclides by heavy ion activation <i>S. Lahiri; Kolkata, India</i>	297
Bulk processing of radionuclide generator parents at the Los Alamos hot cell facility <i>M. Faßbender, F.M. Nortier, D.R. Phillips, V.T. Hamilton, R.C. Heaton, D.J. Jamniska, J.J. Kitten, L.R. Pitt, L.L. Salazar, F.O. Valdez, E.J. Peterson; Los Alamos, USA</i>	300
Study on reclamation of low radioactive waste by chemical processes <i>T. Dovbysheva; Minsk, Belarus</i>	303
Radioactive targets for neutron-induced cross section measurements <i>A. Kronenberg, R.S. Rundberg, D.J. Vieira, E. Esch, R. Reifarh, J. Ullmann, R.C. Haight, D. Rochmann; Los Alamos, USA</i>	305
Investigations on adsorption and transport behaviour of carrier-free silver, gold, platinum, technetium and rhenium in quartz columns at low pressure <i>A. Hohn, R. Eichler, B. Eichler; Villigen, Switzerland</i>	307
Oscillatory extraction of lanthanides and uranium <i>M.A. Afonin, A. A. Kopyrin, K.J. Moody; St. Petersburg, Russia; Livermore, USA</i>	310
Production possibility of copper radioisotopes from cobalt target for PET studies <i>F. Szelecsényi, Z. Kovács, K. Suzuki, T. Fukumura, K. Okada, K. Mukai; Debrecen, Hungary; Chiba and Yokohama, Japan</i>	313
Highly-pure radioisotopes for life science researches produced at the FLNR JINR accelerators <i>S.N. Dmitriev, N.G. Zaitseva; Dubna, Russia</i>	316
Cyclotron production of radionuclides in aqueous target matrices as alternative to solid state targetry: Production of Y-86 as example <i>A.T.J. Vogg, R. Lang, P. Meier-Böke, W. Scheel, S.N. Reske, B. Neumaier; Ulm, Germany</i>	318
Isolation of lanthanide and hafnium radioisotopes from a massive Ta-target <i>N.A. Korolev, A.F. Novgorodov, D.V. Filosofov, K. Zhernosekov, A. Korobeinikov, N.A. Lebedev, G.-J. Beyer, F. Roesch, and ISOLDE collaboration; Dubna, Russia; Mainz, Germany; Geneva, Switzerland</i>	321

A new internal target system for production of ^{211}At on the cyclotron U-120M <i>O. Lebeda, R. Jiran, J. Ráliš, J. Štursa; Řež, Czech Republic</i>	323
Investigation of the production of the therapeutic radioisotope $^{114\text{m}}\text{In}$ through proton and deuteron induced nuclear reactions on cadmium <i>F. Tárkányi, S. Takács, A. Hermanne, P. Van den Winkel, R. Van der Zwart; Debrecen, Hungary; Brussels, Belgium</i>	325
The production of ^{111}In from an $\text{In}/\text{In}_2\text{O}_3$ target <i>N.P. van der Meulen, T.N. van der Walt, S.G. Dolley; Somerset West, South Africa</i>	328
A vertical thermochromatographic device for various radiochemical separations including radionuclide generators <i>A.F. Novgorodov, N.A. Korolev, F. Rösch; Dubna, Russia; Mainz, Germany</i>	330
Development of a gas-jet-coupled multitarget system for multitracer production <i>H. Haba, K. Igarashi, D. Kaji, R. Hirunuma, S. Enomoto; Saitama, Japan</i>	333
$^{99\text{m}}\text{Tc}$ production on the basis of central generator and wasteless reactor Zr-Mo gel-technology <i>I.A. Savushkin, O.B. Gourko; Minsk, Belarus</i>	336
Technetium generator with hydrotalcite as support of ^{99}Mo <i>J. Serrano G., H. López G., N. Aranda O., C.F. Granados, S. Bulbulian G.; México, D.F., México</i>	339
Estimate of impurity purification coefficients for irradiated silver target processing and palladium-103 extraction <i>L.A. Smakhtin, A.A. Sokolov, A.S. Kupriyanov, T.V. Prokopchik, E.V. Lapshina, V.M. Kokhanyuk, B.L. Zhuikov; Obninsk and Moscow, Russia</i>	342
Preparation and quality control of clinic scale ^{188}W - ^{188}Re generator <i>Y. Duanzhi, Z. Wei, H. Weiqing, H. Weiyu, Z. Lei, M. Xiaofeng, S. Xichang, C. Benhong, W. yongxian; Shanghai, China</i>	345
Production of no-carrier added ^{31}Si for silicon-uptake studies in yeast cells <i>G.C. Krijger, K.J. Volkers, H.J. Brassler, Z.I. Kolar; Delft, The Netherlands</i>	348
^{89}Sr separation from irradiated yttrium using vinylpyridine chelating resin VPC <i>O.I. Andreev, R.A. Kuznetsov, A.N. Pakhomov, N.V. Tetyukova; Dimitrovgrad, Russia</i>	351
Extraction and high purification of actinium-225 isotope for medical application <i>D.O. Dubinkin, N.A. Nerozin, V.B. Pavlovich, E.Ya. Smetanin; Obninsk, Russia</i>	353
Production and separation of ^{236}Pu and ^{237}Pu for laboratory use <i>O.O. Odintsov, V.A. Ageyev, A.A. Klyuchnikov, A.D. Sajeniouk; Chernobyl and Kiev, Ukraine</i>	355

Production of highly pure einsteinium and fermium preparations <i>O.I. Andreev, V.A. Tarasov, E.A. Zotov, A.Yu. Baranov; Dimitrovgrad, Russia ..</i>	357
A comparison of the adsorption behaviour of radioisotopes from their organic solutions on solid sorbents <i>M.W. A. R. M. Nofal, A. Alian; Cairo, Egypt</i>	360
Radiochemical reprocessing of activated V-Cr-Ti alloy as structural material for fusion reactor <i>S.A. Bartenev, I.B. Kvasnitskij, B.N. Kolbasov, P.V. Romanov, V.N. Romanovskij; St. Petersburg and Moscow, Russia</i>	362
Investigation on the chemical behaviour of a crown ether irradiated in high gamma radiation fields <i>M.C. Fornaciari Iljadica, J.C. Fumari, I.M. Cohen; Buenos Aires, Argentina</i>	364
Effect of metal nitrates on strontium extraction with 4',4''-di-tert-butyl-dicyclohexano-18-crown-6 <i>R.A. Kuznetsov, A.N. Pakhomov; Dimitrovgrad, Russia</i>	367
Safety relevant nuclides in advanced spallation neutron sources <i>R. Moormann, S. Becker, K. Bongardt, H. Brücher, W. Kühnlein, B. Lensing, H. Schaal; Jülich, Germany</i>	370
Evaluation of cross section data for applications in accelerator driven energy systems and in production of medical radioisotopes <i>E.V. Gai, A.V. Ignatyuk, V.P. Lunev, Yu.N. Shubin, N.N. Titarenko; Obninsk, Russia</i>	373
Oscillatory extraction of Eu-152 <i>M.A. Afonin, A.A. Kopyrin, E.V. Komarov, M.H. Ekzekov; St. Petersburg, Russia</i>	376
Progress in the method for preparing standard low energy X-ray point source set <i>D. Hongshan, F. Qin, L. Guiha, Y. Sujuan; Beijing, China</i>	377
Irradiation facilities at the new research reactor FRM-II Munich <i>X. Li, H. Gerstenberg, K. Fiederer; Garching and Markdorf, Germany</i>	378

6. Radiotracers in Life Sciences

Radiotracers in life sciences <i>W. Vaalburg, Ph. H. Elsinga; Groningen, The Netherlands</i>	383
Radiometal-labeled somatostatin analogs for cancer therapy <i>C. J. Anderson; St. Louis, USA</i>	386

Single-step synthesis of no carrier added [¹⁸ F]fluoroanisols via aryl-heteroaryl-iodonium salts <i>T. Roß, J. Ermert, H.H. Coenen; Jülich, Germany</i>	389
Synthesis of 2'-deoxy-2'-[¹⁸ F]-fluoro-5-iodo-1-β-D-arabinofuranosyluracil ([¹⁸ F]-FIAU) and micro-PET imaging of suicide gene expression in tumour-bearing nude mice <i>M.M. Alauddin, A. Shahinian, R. Park, M. Tohme, J.D. Fissekis, P.S. Conti; Los Angeles, USA</i>	392
[¹⁸ F]Norchlorofluorohomoepibatidine: Synthesis, radiosynthesis, evaluation in vitro and comparison with 2-[¹⁸ F]fluoro-A-85380 in mice <i>J.T. Patt, W. Deuther-Conrad, P. Brust, M. Patt, A. Schildan, D. Feuerbach, O. Sabri, J. Steinbach; Leipzig, Germany; Basel, Switzerland</i>	395
Accumulation and persistence of nicotine derived DNA and hemoglobin adducts in mice after multiple administration of ¹⁴ C-nicotine at low dose level <i>H. Sun, H. Li, J. Zhu, H. Wang, Y. Liu, K. Liu, S. Peng; Beijing, China</i>	398
Astination of nanoparticles containing silver as possible carriers of ²¹¹ At for cancer therapy <i>J. Kučka, M. Hrubý, J. Kozempel, O. Lebeda; Řež and Prague, Czech Republic</i>	400
Tumour targeted liposomes for neutron capture therapy <i>G.C. Krijger, M.M. Fretz, R. Carvalho, O. Steinebach, W. Jiskoot, G. Storm, G.A. Koning; Delft and Utrecht, The Netherlands</i>	402
A new ⁷² Se/ ⁷² As radionuclide generator based on solid phase extraction <i>M. Jennewein, S. Maus, S.M. Qaim, F. Rösch; Mainz and Jülich, Germany</i>	405
Quantitative PET-imaging with the non-pure positron emitters ¹²⁴ I and ⁸⁶ Y <i>H. Herzog, L. Tellmann, S. Spellerberg, D. Krücker, H.H. Coenen, S.M. Qaim; Jülich, Germany</i>	408
Biodistribution and tumor uptake of iodine-125-labelled fullerols in mice <i>Z. Ji, H. Sun, H. Wang, Y. Liu; Beijing, China</i>	411
Syntheses of ¹⁸ F-labeled acyclic purine and pyrimidine nucleosides intended for monitoring gene expression <i>M. Grote, B. Noll, St. Noll; Rossendorf, Germany</i>	413
Carbon sources which decrease the specific activity of [¹¹ C]CH ₃ I synthesized by the single-pass I ₂ method <i>M.-R. Zhang, K. Suzuki; Chiba and Tokyo, Japan</i>	415
Stability of ¹¹ C-radiopharmaceuticals against radiolysis and their synthesis at high radiochemical purity <i>T. Fukumura, R. Nakao, K. Suzuki; Chiba, Japan</i>	418

Quality control of [¹⁸ F]FDG injection: Bacterial endotoxin test, aluminium ions test and HPLC analysis for FDG and CIDG <i>R. Nakao, T. Kida, K. Suzuki; Chiba and Tokyo, Japan</i>	421
Synthesis of 2'-deoxy-2'-[¹⁸ F]fluoro-5-ethyl-1β-D-arabinofuranosyluracil ([¹⁸ F]-FEAU) and micro PET imaging of HSV-tk gene expression in tumor-bearing nude mice <i>M.M. Alauddin, A. Shahinian, R. Park, M. Tohme, J.D. Fissekis, P.S. Conti; Los Angeles, USA</i>	424
^{99m} Tc(I)tricarbonyl complexes with N-methylamides of picolinic and thiopicolinic acids <i>M. Zasepa, J. Mieczkowski, J. Narbutt; Warsaw, Poland</i>	427
Synthesis and radioiodination of di-iodo-Evan's blue via isotopic exchange reaction in the molten state and evaluation of the kinetics <i>K.M. El-Azony, D. Bier, H.H. Coenen; Jülich, Germany</i>	430
Synthesis and evaluation of ¹⁸ F-labelled amino acids promising for clinical PET imaging <i>K. Hamacher, K.J. Langen, H. Mühlensiepen, D. Bauer, H.H. Coenen, Jülich Germany</i>	433
New fluorinated ligands for the dopamine transporter: Synthesis and first biological evaluation in pig and rat brain <i>B. Krebs, W. Sihver, H.H. Coenen; Jülich, Germany</i>	436
Aromatic halogen exchange reactions <i>J. Kozempel, O. Lebeda, M. Hrubý, J. Kučka, J. Ráliš, J. Kadeřávek, L. Lešetický; Prague and Řež, Czech Republic</i>	438
Use of metal- ²¹¹ At complexes as a new method for preparation of astatine radiopharmaceuticals <i>M. Pruszyński, A. Biłewicz, B. Wąs, B. Petelenz; Warsaw and Cracow, Poland</i>	440
Synthesis of the possible receptor ligand [¹³¹ I]-3-iodo-cytisine for in vivo imaging of the nAChReceptor <i>A. Özbolet, L. Munoz, S. Guhlke, U. Wüllner, D. Gündisch, J. Schmaljohann; Bonn, Germany</i>	443
Preparation of ¹⁸⁸ Re-HEDP and its pre-clinical study <i>Y. Duanzhi, Z. Wei, G. Zili, Z. Jiong, M. Xiaofeng, X. Jianying, Z. Hao, C. Minfeng, C. Haiyan, H. Weiyu, Z. Lei, H. Weiqing, S. Qixun, H. Zongzhi, W. Yongxia; Shanghai, China</i>	446
Labeling of creatinine with technetium-99m <i>F.Y. Lambrecht, K. Durkan, A. Soylu; Izmir, Turkey</i>	449
Study of the radiopharmaceutical potential of radioiodinated phenolphthalein <i>T. Ünak, Y. Duman, U. Avcibaşı, Y. Yildirim; Izmir, Turkey</i>	452

Measurement of dynamic transport processes in plants using short-lived isotopes <i>G.W. Roeb, PEH. Minchin, S. Jahnke, U. Schurr; Jülich, Germany</i>	454
Production of ^{62}Zn , ^{65}Zn and ^{203}Pb radioisotopes for studying the transport of zinc and lead in plants <i>A. Fenyvesi, F. Szelecsényi, Z. Szűcs, A. Tóth; Debrecen, Hungary</i>	457

7. Radioactive Indicators in Research and Industry

Research, development and applications of process oriented radiotracer methods in the oil & gas and petrochemical industry <i>G. Jonkers, F.A. Hartog; Amsterdam, The Netherlands</i>	463
Positronium formation in supercritical fluid N_2O <i>Y. Kino, K. Funakoshi, T. Sekine, H. Kudo, Y. Ito, T. Suzuki; Sendai, Tokai and Tsukuba, Japan</i>	465
Isotopic tracer studies of chemical behaviour of rare earth elements in environmental and biological sciences <i>Z. Zhang, Z. Chai; Beijing, China</i>	468
The behaviour of cesium iodide radioaerosols during CsI sublimation from metal surface <i>S.A. Kulyukhin, A.N. Kamenskaya, N.B. Mikheev, I.A. Rumer, E.N. Bogachev; Moscow, Russia</i>	471
Kinetics of hydrolysis and partition constants of neutral metal chelates as radiotracers. Solvent extraction of tris(thenoyltrifluoroacetate)thallium(III) <i>J. Narbutt, J. Krejzler; Warsaw, Poland</i>	474
A radiokinetic study of the $^{60}\text{CoC}_2\text{O}_4$, $^{60}\text{CoI}_2$ and $^{60}\text{Co}(\text{SCN})_2$ crystals growth in hydrogels <i>A. Cecal, K. Popa, S. Patachia, C. Corbos; Iasi and Brasov, Romania</i>	477
Application of tritium label in investigation of anion exchange in layered double hydroxides <i>E.V. Lukashina, A. V. Lukashin, G. A. Badun, Y. D. Tretyakov; Moscow, Russia</i>	480
Diffusion of radioactive tracers (^{204}Tl , $^{110\text{m}}\text{Ag}$) and ionic conductivity in membrane materials for the chemical sensors <i>Yu. E. Ermolenko, Yu.G. Vlasov, V.V. Kolodnikov, D.A. Shabalkin, J. Kloock, M.J. Schoening; St. Petersburg, Russia; Jülich, Germany</i>	483

The study of CsClO ₄ solubility in mixed solvents by radioactive indicators method <i>O. Yu. Sytnik, A.P. Krasnopyorova; Kharkiv, Ukraine</i>	486
---	-----

8. Radionuclides in Geo- and Cosmochemistry

Cosmogenic radionuclides in ice cores <i>J. Beer, Dübendorf, Switzerland</i>	489
The effect of parameter uncertainty on blind prediction of Np(V) sorption onto haematite using surface complexation modelling <i>A. Richter, V. Brendler, C. Nebelung; Rossendorf, Germany</i>	493
Radiolabelling of humic substances with ¹³¹ I and ¹⁴ C and their use for adsorption studies on geomatrics under conditions near to nature <i>A. Mansel, J.T. Patt, H. Kupsch; Leipzig, Germany</i>	496
Effect of humic colloids on the pH-dependent adsorption of terbium (III) onto geogenic solids-changeover from mobilization to demobilization <i>H. Lippold, H. Kupsch; Leipzig, Germany</i>	499
Cosmogenic nuclides in the Martian meteorites ALHA 77005, LAFAYETTE and ZAGAMI <i>Th. Bastian, U. Herpers, P.W. Kubik, K.Knie, U. Ott, R. Michel; Cologne, Garching, Mainz and Hannover, Germany; Zürich, Switzerland</i>	502

9. Nuclear Fuel Cycle

New nuclear fuel cycle options for waste minimisation and sustainable development of nuclear energy <i>M. Salvatores; Cadarache, France; Argonne, USA</i>	507
Actinide partitioning: Past, present and future <i>K.L. Nash; Pullman, USA</i>	511
Transmutation experiments on ¹²⁹ I, ¹³⁹ La and ²³⁷ Np using the nuclotron accelerator <i>W. Westmeier, R. Brandt, E-J. Langrock, H. Robotham, K. Siemon, R. Odoj, V.M. Golovatyuk, M.I. Krivopustov, S.R. Hashemi-Nezhad, M. Zamani; Marburg, Hoyerswerda, Jülich and Ebsdorfergrund, Germany; Dubna, Russia; Sydney, Australia; Thessaloniki, Greece</i>	514

Radionuclide immobilization in cement systems <i>E. Wieland, J. Tits, I. Bonhoure, M. Vespa, A.M. Scheidegger; Villigen, Switzerland</i>	517
Functionalized ionic liquids: New agents for the extraction of actinides/lanthanides <i>A. Ouadi, P. Hesemann, I. Billard, C. Gaillard, B. Gadenne, J. Moreau, G. Moutiers, C. Mariet, A. Labet, S. Mekki; Strasbourg, Montpellier and Gif-sur-Yvette, France</i>	520
Development of electrochemical separation of actinides and lanthanides in the frame of the Czech P&T programme <i>R. Zvejskova, K. Chuchvalcova Bimova, P. Soucek, F. Lisy, J. Uhlir, Husinec-Rez, Czech Republic</i>	523
X-ray absorption fine structure spectroscopy investigations of the structure of Cm(III)/Eu(III) complexed with di(chlorophenyl)dithiophosphinic acid and different synergistic agents <i>M. Weigl, M.A. Denecke, A. Geist, K. Gompper; Karlsruhe, Germany</i>	526
First demonstration of MA recovery from genuine high active concentrate <i>D. Serrano-Purroy, P. Baron, B. Christiansen, C. Madic, R. Malmbeck, G. Modolo, J.-P. Glatz; Karlsruhe and Jülich Germany; Bagnols-sur-Céze and Gif-sur-Yvette, France</i>	529
Selective removal of uranium and evaluation of N,N,N',N' tetra octyl diglycolamide (TODGA) for actinide partitioning from high-level waste (HLW) <i>J.M. Joshi, S.A. Ansari, P.N. Pathak, V.K. Manchanda; Mumbai, India</i>	532
New options for treatment of organic complexants containing liquid radioactive waste <i>J. John, K. Cernochova, F. Sebesta, M. Semelova; Prague, Czech Republic</i> ...	535
Technological development for liquid radioactive waste management in order to cease discharge into open storages <i>V. Shidlovski, V.M. Kondakov, A.S. Ryabov, V.G. Balakhonov, V.A. Matyukha, I.V. Yurko, I.M. Kosareva, M.C. Savushkina; Seversk and Moscow, Russia</i>	538
Liquidation of the surface storages for liquid mid-level radioactive wastes at the Siberian group of chemical enterprises <i>V. Shidlovski, A.S. Kozyrev, A.S. Ryabov, A.A. Zubkov, V.A. Matyukha, N.A. Mikhailova, E.N. Semenov, M.D. Noskov, A.D. Istomin, E.V. Zakharova; Seversk and Moscow, Russia</i>	540
Self-propagating high-temperature synthesis of pyrochlore-type matrices for immobilization of actinides <i>S.E. Vinokurov, S.A. Perevalov, Y.M. Kulyako, B.F. Myasoedov, A.V. Kouprin, E.M. Glagovsky; Moscow, Russia</i>	543

Dissolution of uranium, neptunium, plutonium and americium oxides in tri-n-butylphosphate saturated with nitric acid <i>M.D. Samsonov, Y.M. Kulyako, T.I. Trofimo, B.F. Myasoedov Moscow, Russia</i>	546
Radiation and chemical stability of titanate ceramics intended for plutonium immobilization <i>S.V. Tomilin, A.N. Lukinykh, A.V. Bychkov, V.I. Kononov, V.M. Chistyakov, L. Jardine; Dimitrovgrad, Russia, Livermore, USA</i>	549
Dynamic leaching of spent UO ₂ fuel under oxidising conditions <i>D. Serrano-Purroy, J.-P. Glatz, S. Hollas, D.H. Wegen, J. de Pablo, I. Casas, J. Giménez; Karlsruhe, Germany; Barcelona, Spain</i>	551
Development of a simple reprocessing process using n-cyclohexyl-2-pyrrolidone as selective precipitant for uranyl ions <i>Y. Ikeda, N. Koshino, M. Nogami, K. Suzuki, H. Mineo, Y. Morita, K. Yamasaki, T. Chikazawa, Y. Tamaki, T. Kikuchi; Tokyo, Chiba and Tokai-mura, Japan</i>	554
Study of kinetics of gas generation from moistened plutonium dioxide powder <i>V.K. Orlov, E.M. Glagovsky, A.A. Kamozov; Moscow, Russia</i>	557
Radioactive waste and nuclear fuel cycle back-end <i>O. Kireeva; Moscow, Russia</i>	560
¹³² Te, ⁹⁵ Zr, ⁹⁹ Mo and ¹⁰³ Ru trace level fission products speciation and adsorption on inorganic materials as a function of pH values <i>F. Granados C., J. Serrano G., V. Bertin M., S. Bulbulian G.; México, D.F., México</i>	563
Influence of β radiation on the UO ₂ dissolution at different pH <i>F. Clarens, J. Giménez, J. de Pablo, I. Casas, J. Dies, J. Quiñones; Barcelona and Madrid, Spain</i>	566
Electrochemistry and spectroelectrochemistry of neptunium ions in aqueous solution <i>S.-Y. Kim, T. Asakura, Y. Morita; Tokai-mura, Japan</i>	568
Effect of alkyl substituents on extraction properties and solubility of phosphorylated calix[4]arenes <i>I.V. Smimov, M.D. Karavan, V.A. Babain, E.S. Stoyanov; St. Petersburg and Novosibirsk, Russia</i>	571
Separation of actinides from lanthanides by electrolysis - a comparison between molten Bi and solid Al cathodes <i>J. Serp, R. Malmbeck, J.-P. Glatz; Karlsruhe, Germany</i>	574
Development of a regenerable strip reagent for treatment of acidic, radioactive waste with the universal solvent extraction process	

<i>J.D. Law, R. S. Herbst, D. R. Peterman, T.A. Todd, V.N. Romanovskiy, V.A. Babain, I.V. Smirnov, V. M. Esimantovskiy; Idaho Falls, USA; St. Petersburg, Russia</i>	577
Sorption of americium from complexone solutions in dense CO ₂ <i>V. Babain, D. Shafikov, V. Kamachef, A. Murzin, A. Shadrin; St. Petersburg, Russia</i>	580
Graphite and pyrocarbon corrosion in water and salt brines <i>T.E. Podrzhina, J. Fachinger, Jülich, Germany</i>	583
Extraction of americium and europium by carbamoyl-substituted adamantylcalixarenes <i>V.A. Babain, M.Yu. Alyapyshev, M.D. Karavan, V. Böhmer, L. Wang, V.V. Kovalev, E.A. Shokova, A.E. Motomaya; St. Petersburg and Moscow, Russia; Mainz, Germany</i>	585
Complex radiochemical and activation analysis of minor actinides transmutation in fast reactors and in the beam of high energy accelerators <i>L.Y. Isakova, V.B. Pavlovich, E.Y. Smetanin, S.G. Stetsenko, Yu.S. Khomyakov, Yu.N. Shubin; Obninsk and Dubna, Russia</i>	588
Penetration and leaching studies of radionuclides in concrete and hardened cement paste <i>K. Fleischer, G. Herold, K. Raptis, A. Neumann, H.S. Müller, R. Knappik; Karlsruhe and Dresden, Germany; Vienna, Austria</i>	590
Sorption of technetate on Mg-Al-layered double hydroxide <i>H. Curtius, D. Wellens, R. Odoj; Jülich, Germany</i>	593
Methods of processing of Am - inclusive waste formed at the conversion of metallic plutonium <i>D.G. Kuznetsov, A.A. Minaev, I.B. Popov, V.V. Ivanov, S.M. Baranov; Moscow, Russia</i>	596
Investigation of matrices for immobilization of some fractionated radioactive waste <i>A.A. Minaev, D.G. Kuznetsov, I.B. Popov, V.V. Ivanov, I.K. Prilutskaya; Moscow, Russia</i>	599
Fabrication and characterization of inert matrix and thoria fuel for actinides transmutation <i>D. Barrier, A.A. Bukaemskiy, G. Modolo, R. Odoj; Jülich, Germany</i>	602
Retention of anionic radionuclides by organophilic clays in aqueous solutions <i>B. Riebe, C. Bunnenberg; Hannover, Germany</i>	604
Porous zirconium carbide-based inert matrix fuel developed for fast reactors to dispose of plutonium and minor actinides <i>V.K. Orlov, E.M. Glagovsky, H.M. Bluekher, A.P. Ivanov, I.A. Shlepov; Moscow, Russia</i>	607

Inhibiting the radiolysis of BTP-molecules by addition of nitrobenzene <i>M. Nilsson, S. Andersson, C. Ekberg, M.R.S. Foreman, G. Skamemark;</i> <i>Göteborg, Sweden; Reading, UK</i>	610
Extraction of actinides, fission products and corrosion products from synthetic high level liquid waste with dimethyl-dioctyl-hexaethoxy-malonamide (DMDOHEMA) <i>G. Skamemark, S. Andersson, C. Ekberg, M. Nilsson, A. Ødegaard-Jensen;</i> <i>Göteborg, Sweden</i>	613
Separation of trivalent actinides and lanthanides using synergistic extraction with pyridine based ligands <i>C. Ekberg, S. Andersson, M. Nilsson, G. Skamemark; Göteborg, Sweden</i>	616
Determination of stability constants of lanthanide nitrate complex formation using a solvent extraction technique <i>S. Andersson, K. Eberhardt, C. Ekberg, J.O. Liljenzin, M. Nilsson, G.</i> <i>Skamemark; Göteborg, Sweden; Mainz, Germany</i>	619
Extraction separation of americium(III) from lanthanides(III) with N,N,N',N'- tetrakis(2-methylpyridyl)ethylenediamine (TPEN) and derivatives <i>T. Matsumura, K. Takeshita; Tokai-mura and Yokohama, Japan</i>	622
Preliminary studies on the reprocessing of advanced heavy water reactor (AHWR) spent fuel <i>P.N. Pathak, D.R. Prabhu, A.S. Kanekar, R.K. Jha, K.K. Gupta, V.K.</i> <i>Manchanda; Mumbai, India</i>	624
Extraction-electrochemical separation of rare earths <i>A.A. Kopyrin, A.A. Baulin, M.A. Afonin; St. Petersburg, Russia</i>	627
Chromatographic separation of actinides and lanthanides from fission products on CMPO/SiO ₂ -P extraction resin <i>P. Goethals, A. Bruggeman, Y. Wei, H. Hoshi, M. Kumagai; Mol, Belgium;</i> <i>Takada, Japan</i>	629
Role of irradiation in the leaching of alkali elements from glasses <i>M.I. Ojovan, Sheffield, UK</i>	631
Process development for the treatment of radioactive waste using zirconium salt of dibutyl phosphoric acid dissolved in 30% tributyl phosphate <i>B.Ya. Zilberman, Yu.S. Federov, O.V. Schmidt, E.N. Mishin, D.N. Kukharev.</i> <i>A.S. Aloy, A.A. Akhmatov, I.V. Blazheva, A.V. Trofimenko, A.V. Strelnikov,</i> <i>G.R. Choppin; St. Petersburg, Russia; Tallahassee, USA</i>	634

10. Radioecology and Environmental Sciences

An investigation into the role of colloids at a low-level waste repository site <i>P. Warwick, S.J. Allinson, K. Beckett, K. Baines, A. Eilbeck, D.</i> <i>Trivedi; Loughborough, Seascale and Warrington, UK</i>	639
---	-----

Radioecology of iodine <i>Y. Muramatsu; Tokyo, Japan</i>	643
Colloid-borne uranium in an abandoned uranium mine in the stage of flooding <i>K.-U. Ulrich, H. Zänker, U. Jenk; Rossendorf and Chemnitz, Germany</i>	645
Surface complexation modelling of actinide binding to colloids <i>S.N. Kalmykov, A.P. Novikov, S.B. Clark, A.B. Khasanova, N.S. Shcherbina, M.N. Sabodina; Moscow, Russia; Pullman, USA</i>	648
Spectroscopic study of the interaction between trivalent and tetravalent actinides <i>J.I. Yun, P.J. Panak, M.A. Kim, J.I. Kim, Th. Fanghänel; Karlsruhe and Garching, Germany</i>	651
Gas phase separation of light actinoides from a soil sample in a temperature gradient tube <i>U.G. Schneider, U. Krähenbühl, S. Röllin; Bern and Spiez, Switzerland</i>	654
Plutonium from global fallout recorded in an ice core from the Belukha glacier, Siberian Altai <i>S. Olivier, H.W. Gäggeler, M. Schwikowski, S. Bajo, U. Schotterer, K. Fifield, P.H. Santschi, L. Wacker, T. Papina; Villigen, Bern and Zürich, Switzerland; Canberra, Australia; Galveston, USA; Barnaul, Russia</i>	657
Sorption of Cm(III) onto Sapphire (α -Al ₂ O ₃) single crystals <i>Th. Rabung, D. Schild, H. Geckeis, R. Klenze, Th. Fanghänel; Karlsruhe, Germany</i>	660
Interaction of Cm(III) with aqueous mono- and polysilicates studied by time-resolved laser fluorescence spectroscopy (TRLFS) <i>P.J. Panak, M.A. Kim, R. Klenze, J.I. Kim, Th. Fanghänel; Karlsruhe and Garching, Germany</i>	663
Long-lived radionuclides in the environment: On the radioecology of iodine-129 <i>R. Michel, T. Ernst, K. Klipsch, J.-W. Vahlbruch, D. Jakob, H.-A. Synal, C. Schnabel, S. Szidat, J.M. López-Gutiérrez; Hannover, Germany; Zürich and Bern, Switzerland; East Kilbride, UK; Sevilla, Spain</i>	666
Microanalytical ¹⁴ C AMS measurements on carbonaceous particles <i>H.W. Gäggeler, S. Szidat, T. Jenk, H.-A. Synal, G. Bonani, R. Fisseha, M. Schwikowski, K.A. Henderson, U. Baltensperger, M. Kalberer, V. Samburova; Bern, Villigen and Zürich, Switzerland</i>	669
Determination of neptunium in soil samples by ICP-MS <i>M. Ayranov, U. Krähenbühl, H. Sahli, S. Röllin, M. Burger; Bern and Spiez, Switzerland; Sofia, Bulgaria</i>	672

Determination of fallout ^{238}Pu , ^{239}Pu , ^{240}Pu , and ^{241}Am in soil samples from Switzerland using high-resolution α -spectrometry and MC-IPC-MS <i>J. Eikenberg, I. Günther, H. Beer, P. Froidevaux; Villigen and Lausanne, Switzerland</i>	675
Evaluation of primordial radionuclides in building materials used in the Rawalpindi/Islamabad and Karachi areas by γ -ray spectrometry and INAA <i>J.H. Zaidi, M. Arif, I. Fatima; Islamabad, Pakistan</i>	678
Preconcentration of ^{198}Au by <i>mimusops elengi</i> seed proteins <i>D. Nayak, K.M. Hazra, S. Laskar, S. Lahiri; Kolkata and Burdwan, India</i>	681
Po-210 dating of Yenisei sediments <i>E. Klemt, H. Paliachenka, G. Zibold; Weingarten, Germany</i>	684
Formation of hydroxy-aluminosilicate colloids: The process of actinide incorporation <i>M.A. Kim, P.J. Panak, J.I. Yun, D. Breban, A. Priemyshev, J.I. Kim, Th. Fanghänel; Garching and Karlsruhe, Germany</i>	687
^{137}Cs low-level determination in drinking water using a silica gel impregnated with molybdophosphate (ASG adsorbent) <i>A. Camacho, I. Vallés, X. Ortega, Barcelona, Spain</i>	690
Radiotracer study of dialysis, electrophoresis, ion exchange and ultrafiltration as methods for analysis of metal-humate complexation <i>P. Benes, K. Stamberg, J. Mizera, S. Prochazkova; Prague, Czech Republic</i> ...	693
Release and sorption of uranium in the system waste rock from uranium mining - natural water <i>D. Vopalka, P. Benes, S. Prochazkova; Prague, Czech Republic</i>	696
Radiocaesium in water and sediments of Lago Maggiore: Measurements and modelling <i>V. Putyrskaya, E. Klemt, H. Paliachenka, G. Zibold; Weingarten, Germany; Minsk, Belarus</i>	699
Determination of heavy metals in aerosol fractions of different particle sizes from the healing gallery of Badgastein (Austria) <i>G. Wallner, A. Berner; Vienna, Austria</i>	702
Adsorption behaviour of strontium on kaolinite and montmorillonite and their mixtures <i>G. Atun, E. Bascetin; Istanbul, Turkey</i>	705
Detection of environmental radioactive micro-particles bearing fissile material <i>G. Tamborini, O. Dequincey, M. Betti; Karlsruhe, Germany</i>	708
Positron emission tomography for modelling of geochemical transport processes in clay	

<i>M. Richter, M. Gründig, K. Zieger, A. Seese; Leipzig, Germany</i>	711
Tritium enrichment in the hydration sphere of inorganic salts <i>B. Wierczinski, F. Baumgärtner, G. Müllen, A. Türler; Garching, Germany</i>	714
Geochemical caesium fractionation in bottom sediments <i>G. Lujanienė, B. Šilobritienė, K. Jokšas; Vilnius, Lithuania</i>	717
Peculiarities of ¹³⁷ Cs behaviour in marine environment <i>G. Lujanienė, K. Jokšas, B. Šilobritienė; Vilnius, Lithuania</i>	720
Express determination of ⁹⁰ Sr content in different objects with dicyclohexyl-18-crown-6 (DCH18C6) <i>A. Burak, H. Fischer, O. Bilan, E. Rudak, O. Yachnik; Minsk, Belarus; Bremen, Germany</i>	723
Europium sorption from aqueous solutions by Al ³⁺ - and Fe ³⁺ -doped amorphous zirconium and titanium phosphates <i>O. Misaelides, S. Sarri, D. Zamboulis, G. Gallios, I. Zhuravlev, V.V. Strelko; Thessaloniki, Greece; Kiev, Ukraine</i>	726
Humate complexation of neptunium(V) <i>A. Seibert, C.M. Marquardt, J.V. Kratz, N. Trautmann, Th. Fanghänel; Karlsruhe and Mainz, Germany</i>	729
Determination of stability constant of plutonium complexes with humic acid <i>L. Génot, H. Michel, G. Barci-Funel; Nice, France</i>	732
Development of methodology for calculation of control levels (CL) for discharges and blowouts in RAW handling <i>V.I. Panteleev, T.N. Laschenova, I.P. Korenkov; Moscow, Russia</i>	735
Environmental isotopes for determining the residence time and a qualitative study of recharge of shallow aquifer of Guelmime, South Morocco <i>A. Aiachi, S. Bouhlassa; Rabat, Morocco</i>	738
AMS analysis of ³⁶ Cl induced in shielding concrete of various accelerator facilities <i>K. Bessho, H. Matsumura, T. Miura, Q. Wang, K. Masumoto, T. Matsuhira, Y. Nagashima, R. Seki, T. Takahashi, K. Sasa, K. Sueki; Tsukuba, Japan</i>	740
Changes in the filterable fractions of ⁶⁰ Co, ¹²⁵ Sb, ¹³⁷ Cs and ²⁴¹ Am from a contaminated aquifer: A laboratory study <i>F. Caron, S. Laurin, G. Mankarios; Sudbury, Canada</i>	743
Uptake of thorium by wheat at different stages of plant growth <i>I. Shtangeeva, S. Ayrault, J. Jain; St. Petersburg, Russia; Gif-sur-Yvette, France; Notre Dame, USA</i>	746

Distribution of ^{238}Pu , $^{239+240}\text{Pu}$, ^{241}Am and ^{244}Cm radionuclides in Chernobyl fallout by soil organic material fractions <i>O.O. Odintsov; Chernobyl, Ukraine</i>	749
White sea radioactivity assessment <i>R.A. Aliev, S.N. Kalmykov, A.P. Lisitzin; Moscow, Russia</i>	751
Modelling colloid generation with plutonium: The effect of pH and redox potential <i>C. Degueldre, M. Bolek; Villigen, Switzerland</i>	754
Behaviour of radioactive cesium, plutonium and americium in Boreal forest ecosystems <i>J. Lehto, T. Jaakkola, K. Vaaramaa, A. Leskinen, I. Outola, M. Tillander, R. Pehrman; Helsinki, Finland</i>	757
Development of nuclear analytical techniques in analysis of some pollutants in plant leaves <i>M. Kadirova, U.S. Kadirov, N.M. Mukhamedshina, A.A. Mirsagatova, M.I. Salimov; Tashkent, Uzbekistan</i>	760
The environmental actinide and radiochemistry program at Clemson university <i>J.D. Navratil; Anderson, USA</i>	763
Radionuclide X-ray fluorescence method of determination of toxic metal content in environment objects <i>A.P. Krasnopyorova, L.T. Lebedeva, G.D. Yukhno, O.Yu. Sytnik; Kharkiv, Ukraine</i>	766
Application of simple environmental model for naturally occurring trace elements transformation in surface water <i>A.A. El Sayed, E.H. Borai; Cairo, Egypt</i>	767
Study of polonium-210 radioactivity in Indian and German tobacco <i>U.W. Scherer, J. Schütz, A. Schamberger, S. Cooper, A. Srivastava; Jülich, Germany; Chandigarh, India</i>	770
Study of airborne radioactivity around open cast coal mines in Juelich region <i>U.W. Scherer, J. Schütz, S. Cooper, A. Srivastava; Jülich, Germany; Chandigarh, India</i>	773
Optimization of electrochemical soil decontamination <i>M. Nemeč, J. John; Prague, Czech Republic</i>	776
A systematic study on cesium sorption on a sedimentary rock towards reliable safety assessment methodology for HLW disposal <i>X. Xia, M. Shibata, A. Kitamura, G. Kamei; Tokai-mura, Japan</i>	779
Author Index	783