

CONTENTS

SECTION 1 ECOLOGY

W. Beck:	8
Investigation of the Interactions between pine and beech in two-layer mixed stands using methods of tree-ring research	
J. Block, V.N. Magda, D.V. Ovtchinnikov, A.V. Kirdyanov and U. Treter:	17
Spatial differences and temporal patterns of ring-width and density chronologies of the mountain forests of northern Central Asia	
J. Bolli, A. Rigling and H. Bugmann:	24
Regeneration dynamics of Norway spruce (<i>Picea abies</i> L.) on a subalpine meadow near the treeline in Sedrun, Kt. Graubünden, Switzerland	
C. Dittmar:	31
Contributions to the ecology of common beech as derived from tree-ring analyses	
M. Pelfini, M. Santilli, M. Maggiolini, M. Orlandi and M. Barsanti:	41
The effects of the opening of a construction site on high-mountain tree vegetation	
P. Weber, H. Bugmann and A. Rigling:	48
Differences in drought response of <i>Pinus sylvestris</i> L. and <i>Quercus pubescens</i> Willd. in the Swiss Rhône valley	

SECTION 2 GEOMORPHOLOGY

A. Foetzki, M.J. Jonsson, M. Kalberer, H. Simon and T. Lundström:	54
Interaction between trees and natural hazards in subalpine spruce forests	
M. Krabisch and H. Strunk:	58
Dendrogeomorphological research on thermokarst depressions in Western Siberia	
D. Ciszewski and I. Malik:	63
Examples of valley and riverbed form dating by means of tree rings (Mala Panew meandering river, southern Poland)	
M. Pelfini, M. Santilli and C. Merlini:	70
Determination of the erosion rate of escarpments at the debris-flow fan toe	

SECTION 3 CLIMATOLOGY

- D. Friedrichs and B. Neuwirth:** 78
A spatial high resolved climate reconstruction from recent and historical tree-ring data in the Rheinische Schiefergebirge since ad 1500
- I. Heinrich:** 85
Dendroclimatology of *Toona ciliata* in Australia
- M. Schaub, K.F. Kaiser and B. Kromer:** 96
Lateglacial tree-ring chronologies - A high resolution archive of the past

SECTION 4 ISOTOPES

- T. Boettger, Y. Kononov and M. Friedrich:** 104
New stable isotope and dendrochronological studies of the 1000 years pine (*Pinus sylvestris* L.) tree-ring chronology at the upper timberline in the Khibiny Low Mountains, Kola Peninsula, North-Western Russia
- A.L. Carnelli, B. Ammann, J. Esper, M. Filot, M. Leuenberger and K. Treydte:** 112
Stable isotope ratios in late wood of *Picea abies* from Engadine
- J. Gießinger, A. Bräuning and G.H. Schleser:** 117
Isotope studies along a high-elevation transect on the Tibetan Plateau
- R. Wagner, T. Boettger, I. Boeren and M. Friedrich:** 124
Stable isotope ratios in tree rings of living Scots pine near Reichwalde opencast mine in Lusatia (East Germany)

SECTION 5 METHODS

- T. Barrelet, U. Krähenbühl and A. Ulrich:** 130
Quantification of sulphur in *Picea abies* by LA-ICPMS
- A. Beliaikov:** 138
Dendroindication of synchronous trends in productivity (middle-taiga of Arkhangelsk region, Russia)
- U. Büntgen, J. Esper, D.C. Frank, K. Treydte, M. Schmidhalter, K. Nicolussi and M. Seifert:** 141
The effect of power transformation on RCS – evidence from three millennial-length alpine chronologies

<i>P. Duncker and H. Spiecker:</i>	150
Compression wood formation and pith eccentricity in <i>Picea abies</i> L. depending on selected site-related factors: Detection of compression wood by its spectral properties in reflected light	
<i>J. König, B. Günther and C.T. Bues:</i>	159
New multivariate cross-correlation analysis	
<i>S. Rickebusch:</i>	167
Tree rings as a calibration tool for dynamic forest models	
 <i>List of participants</i>	 173
TRACE 2004 Conference, April 22 nd – 24 th 2004, WSL Birmensdorf, Switzerland	