

CONTENTS

Acknowledgments	I
Abstract	II
Kurzfassung	IV
Contents	VII
Figure captions	XI
Plate captions	XIV
Table captions	XV
Abbreviation index	XVI

Chapter 1: Introduction.....1

1.1. Motivation and objective	1
1.2. Previous studies on organic-walled microfossils	2
1.2.1. Palynological investigations on Paleozoic organic-walled microfossils	2
1.2.2. Previous studies on organic geochemistry of organic-walled microfossils	4
1.3. Samples	6
1.3.1. Sample preparation	7
1.4. Analytical methods	7
1.4.1 Light and scanning electron microscopy	9
1.4.2. Rock-Eval Pyrolysis	9
1.4.3. Pyrolysis-Gas Chromatography-Mass spectrometry	10
1.4.4. Micro-Fourier transform infrared spectroscopy	11
1.5. References	12

Chapter 2: Molecular Composition of Silurian/Devonian *Tasmanites* and

<i>Leiosphaeridia</i> (Dadas Formation, SE Turkey).....17	17
2.1. Introduction	17
2.2. Samples and preparation	19
2.3. Experimental	20
2.4. Results and discussion	22

2.4.1. Py-GC-MS analysis of <i>Tasmanites</i>22
2.4.2. Py-GC-MS analysis of <i>Leiosphaeridia</i>24
2.5. Conclusions	31
2.6. References33

Chapter 3: Molecular composition of Upper Silurian Chitinozoa from the Dadas

Formation, SE Turkey as revealed by spectroscopic and pyrolytic investigations.....	37
3.1. Introduction	37
3.2. Geological settings	38
3.3. Experimental	40
3.3.1. Samples and preparation	40
3.3.2. Micro-FTIR spectroscopy	43
3.3.3. Curie point pyrolysis-gas chromatography-mass spectrometry	43
3.3.4 GC-MS of rock extract	44
3.4. Results and discussion	45
3.4.1. Micro-FTIR spectroscopy	45
3.4.2. Curie point pyrolysis-gas chromatography-mass spectrometry	46
3.4.2.1. <i>n</i> -Alkenes/ <i>n</i> -alkanes	46
3.4.2.2. Aromatic compounds	47
3.4.2.3. Chitin derived compounds	56
3.5. Conclusions	57
3.6. References.....	59

**Chapter 4: The molecular composition of sporopollenin from fossil megaspores as revealed
by micro-FTIR and pyrolysis-GC-MS**63

4.1. Introduction63
4.2. Experimental	64

4.2.1. Samples	64
4.2.2. Palyнологical preparation	69
4.2.3. Micro-FTIR spectroscopy	70
4.2.4. Curie point pyrolysis-gas chromatograph-mass spectrometry	70
4.3. Results and discussion	71
4.3.1 FTIR spectral characteristics of fossil sporopollenin	71
4.3.2 Curie point pyrolysis-gas chromatography-mass spectrometry	74
4.4. Conclusions	82
4.5. References	84

Chapter 5: Molecular composition of Silurian scolecodonts (Gotland, Sweden)

as revealed by pyrolysis-GC-MS.....89

5.1. Introduction.....	89
5.2. Geological background.....	90
5.3. Experimental.....	91
5.3.1. Sample preparation.....	91
5.3.2. Curie point pyrolysis-gas chromatography-mass spectrometry.....	92
5.4. Results and discussion.....	92
5.5. Conclusions.....	98
5.6. References.....	99

Chapter 6: *Chuaria circularis* from the Early Mesoproterozoic Suket Shale, Vindhyan Supergroup, India: Insights from Microscopy, Spectroscopy and Pyrolysis-Gas Chromatography101

6.1. Introduction	101
6.2. Samples	102
6.3. Methods	104
6.3.1. Microscopy.....	104
6.3.2. Pyrolysis-Gas Chromatography.....	104
6.3.3. Micro-FTIR.....	105
6.4. Systematic description	105
6.4.1. Discussion	106
6.5. Colour	109

6.6. Biostatistics	110
6.7. Ultrastructure	112
6.8. Reflectance studies	113
6.9. Molecular composition	114
6.9.1. Pyrolysis-Gas Chromatography	114
6.9.2. Micro-FTIR.....	116
6.10. Age and geographical distribution	117
6.11. Conclusions	119
6.12. References	120
Chapter 7: Summary and Perspective	127
Appendix	135