

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Density Functional Theory</b>	<b>7</b>
2.1	Born-Oppenheimer Approximation . . . . .	8
2.2	Hohenberg-Kohn Theorems . . . . .	8
2.3	The Kohn-Sham Ansatz . . . . .	9
2.4	The Local Spin Density Approximation . . . . .	11
2.5	Non-collinear Spin Density . . . . .	12
<b>3</b>	<b>The KKR Green Function Method</b>	<b>15</b>
3.1	Introduction . . . . .	15
3.2	Green Function Method . . . . .	16
3.3	Single-Site Scattering . . . . .	18
3.4	Multiple-Scattering Theory . . . . .	21
3.5	Multiple-Scattering: The Green Function Approach . . . . .	23
3.6	Description of the Full Potential . . . . .	25
3.7	Self-Consistency Algorithm . . . . .	27
<b>4</b>	<b>KKR for Non-collinear Magnetism</b>	<b>31</b>
4.1	Introduction . . . . .	31
4.2	Non-collinear KKR Formalism . . . . .	33
4.3	Rotation Matrices . . . . .	34
4.4	Host Green Functions and $t$ -matrices . . . . .	37
4.4.1	Screened (tight-binding) KKR Method . . . . .	39
4.4.2	Two-Dimensional Systems: Finite-Thickness Slabs and Half-Infinite Crystals . . . . .	40

4.5	t-matrix for Perturbed Atoms . . . . .	41
4.6	Structural Green Function . . . . .	43
4.7	Green Function for Perturbed Atoms . . . . .	44
4.8	Total Energy . . . . .	46
4.9	Lloyd's Formula . . . . .	48
4.10	Frozen Potential Approximation for Magnetic Interactions . . . . .	50
4.11	Formula for Exchange Interactions $J_{ij}$ . . . . .	52
4.12	Test of the Implementation . . . . .	55
<b>5</b>	<b>Complex Magnetism of 3d Clusters on Ni(001)</b>	<b>59</b>
5.1	Introduction . . . . .	59
5.2	Calculational Details . . . . .	59
5.3	Magnetic Properties of Ni(001) Surface . . . . .	60
5.4	3d Single Adatoms . . . . .	61
5.5	3d Single Inatoms . . . . .	63
5.6	Adatom Dimers . . . . .	64
5.7	Inatom Dimers . . . . .	71
5.8	Trimers . . . . .	72
5.9	Tetramers and Pentamers . . . . .	74
5.10	Summary . . . . .	76
<b>6</b>	<b>Complex Magnetism of Small Clusters on Fe<sub>3ML</sub>/Cu(001)</b>	<b>81</b>
6.1	Introduction . . . . .	81
6.2	Magnetic Properties of Fe/Cu(001) Surface . . . . .	81
6.3	Calculations Setup for Clusters . . . . .	82
6.4	Single Adatoms . . . . .	83
6.5	Adatom Dimers . . . . .	84
6.6	Trimers . . . . .	86
6.7	Tetramers . . . . .	89
6.8	Cr-pentamer . . . . .	92
6.9	Comparison with Experiment: Case of Cr . . . . .	93
6.9.1	Experimental Setup . . . . .	93
6.9.2	Comparison . . . . .	94
6.10	Comparison with Experiment: Case of Mn . . . . .	97

---

6.11	Summary	98
<b>7</b>	<b>Cr and Mn Clusters on Ni(111)</b>	<b>101</b>
7.1	Introduction	101
7.2	Calculational Details	102
7.3	Surface of Ni(111)	103
7.4	Single Adatoms	103
7.5	Adatom dimers	104
7.6	Trimers	106
7.7	Tetramers	111
7.8	Discussion of Technical Assumptions within our Simulations	113
7.9	Summary	115
<b>8</b>	<b>Strong Even-Odd Effects in Magnetism of Nanochains</b>	<b>117</b>
8.1	Introduction	117
8.2	Ab-initio Results	117
8.3	Heisenberg Model Results	119
8.3.1	Case of Constant Rotation Angles	120
8.3.2	General Case	123
8.4	Summary	127
<b>9</b>	<b>Surface State Scattering by Small Clusters</b>	<b>129</b>
9.1	Introduction	129
9.2	Computational Aspects	131
9.3	Tersoff-Hamann Model	132
9.4	Origin of the Localization	134
9.5	Surface State of Cu(111)	135
9.6	3d-impurities as Adatoms	135
9.7	<i>sp</i> -impurities as Adatoms	141
9.8	Impurities in the Surface Layer	143
9.9	Limitations of the LSDA	144
9.10	Summary	144

---

<b>10 Focusing Effect due to Subsurface Impurities</b>	<b>145</b>
10.1 Introduction . . . . .	145
10.2 Origin of the Effect . . . . .	148
10.3 Computational details . . . . .	155
10.4 Co impurity below Cu(111) . . . . .	155
10.5 Magnetic effect: Interface Cu/Co(111) . . . . .	158
10.6 Co impurity below Cu(001) . . . . .	161
10.7 Summary . . . . .	162
<b>11 Conclusion</b>	<b>165</b>
<b>A Force Calculations</b>	<b>169</b>
<b>B Lattice Relaxations</b>	<b>171</b>
<b>Bibliography</b>	<b>173</b>
<b>Acknowledgments</b>	<b>181</b>
<b>Curriculum Vitae</b>	<b>183</b>