

Contents

1	Introduction	1
2	Tokamaks and subsystems	5
2.1	Thermonuclear fusion	5
2.2	Plasma confinement	6
2.3	Tokamak transformer principle	11
2.4	The TEXTOR tokamak	13
2.4.1	TEXTOR iron core	18
2.4.2	Plasma positioning and shape	20
2.5	Plasma heating	20
2.5.1	Ohmic heating	21
2.5.2	Neutral beam injection	22
2.5.3	Ion cyclotron resonance heating	22
2.5.4	Electron cyclotron resonance heating	23
2.6	Plasma diagnostics	23
2.6.1	Magnetic diagnostics	24
2.6.2	Langmuir probes	27
2.6.3	Interferometry	28

3 Plasma control strategies and problems	31
3.1 A TEXTOR discharge	31
3.1.1 Discharge initialisation	32
3.1.2 Plasma start-up and the ohmic heating system	32
3.1.3 Pre-magnetisation (1)	36
3.1.4 Interruption and breakdown (2)	36
3.1.5 Current rise (3)	38
3.1.6 Flat-top phase and commutation (4)	38
3.1.7 Discharge termination (5)	40
3.2 TEXTOR feedback control scheme	40
3.2.1 Magnetic control at TEXTOR	41
3.2.2 Kinetic control at TEXTOR	46
3.3 Problems of the existing TEXTOR control system	49
3.3.1 Control loops	49
3.3.2 Hardware scheme	50
3.4 New "Real-time capable" hardware philosophy	52
4 Plasma vertical position modelling and control	55
4.1 Introduction and survey	55
4.2 General aspects of system modelling	56
4.3 Vertical position model	58
4.4 Vertical position closed loop model	62
4.5 Radial disturbance field	64
4.6 Radial disturbance field modelling	69

<i>CONTENTS</i>	iii
4.7 Total vertical position model and validation	73
4.8 Vertical position measurement and calculation	78
4.9 Optical vertical position drift compensation	88
4.10 Validation of drift compensation	92
5 Plasma shape control	97
5.1 Definition of plasma shape	98
5.2 Manipulating the plasma shape	100
5.3 Disturbances on the plasma shape (by stray fields)	101
5.4 Existing plasma shape feedforward control	103
5.5 Plasma shape measurements	104
5.6 Improved plasma shape control	107
6 Conclusion	119