

Contents

Declaration of Authorship	v
Abstract	vi
Acknowledgements	vii
List of Figures	xiii
List of Tables	xv
1 Introduction	1
1.1 Motivation	3
1.2 Goals	4
1.3 Thesis outline	6
2 Positron Emission Tomography	9
2.1 Positron emission and annihilation	9
2.2 Coincidence Detection	10
2.3 Limits of PET	11
2.3.1 PET/CT scanner	13
2.4 PET scanner Siemens Biograph16	13
2.5 Sinogram	15
2.6 Arc correction	18
2.7 Michelogram	19
2.8 Measurement file	21
2.8.1 List-mode data	22
3 Image Reconstruction	25
3.1 System Matrix	27
3.1.1 Siddon algorithm	28
3.2 Maximum Likelihood - Expectation Maximization algorithm	30
4 Implementation of ML-EM on CPU	33
4.1 Sinogram and Michelogram combined in Biograph16	33
4.2 Computation of the system matrix A_{geom}	34

4.2.0.1	Calculation of detector coordinates	37
4.2.1	Storage of the system matrix	38
4.3	On-the-fly CPU implementation	40
5	Graphics Processing Unit and Computed Unified Device Architecture	43
5.1	NVIDIA Geforce 8600GT	45
5.1.1	Some definitions	46
5.1.2	Memory model and hardware limitations	47
5.2	Computer Unified Device Architecture	50
5.2.1	CUDA software model	50
5.2.1.1	Function declaration, calls and threadIDs	50
5.2.1.2	Variable declaration and memory usage	52
5.2.1.3	Device runtime library	54
5.2.1.4	Debugging and emulation mode	54
5.2.1.5	General performance issues	55
6	Implementation of ML-EM in CUDA	57
6.1	Related work	57
6.2	Parallelization of the reconstruction process	60
6.2.1	Parallelization of forward-projection	61
6.2.1.1	First implementation approach	62
6.2.1.2	Improved implementation	63
6.2.2	Evaluation of forward-projection implementation	65
6.3	Implementation of back-projection	66
6.4	Threads in parallel and memory usage	69
7	Results and discussion	71
7.1	Data used for evaluation	71
7.2	Time performance	72
7.3	Image quality	74
7.3.1	ECAT7 versus CPU	74
7.3.2	Evaluation of images reconstructed on CPU	77
7.3.3	Evaluation of images reconstructed on GPU	78
7.3.4	Error evaluation at different resolutions	78
7.4	Our results compared to the related works	81
8	Conclusions and outlook	83
8.1	Summary	83
8.2	Conclusions	84
8.2.1	Time performance	84
8.2.2	Image quality	85
8.2.3	General conclusions	86
8.3	Outlook	86
A	CUDA implementation example	89

