

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Motivation and Approach . . . . .	2
1.2	Thesis Outline . . . . .	3
<b>2</b>	<b>Parameter Estimation of Dynamic Processes</b>	<b>5</b>
2.1	Model Derivation . . . . .	7
2.1.1	Modeling of Flow Fields . . . . .	8
2.1.2	Model Limitations . . . . .	10
2.2	Discretization . . . . .	11
2.3	Parameter Estimation . . . . .	12
2.3.1	Least Squares . . . . .	12
2.3.2	Total Least Squares . . . . .	13
2.3.3	Respecting Known Measurement Errors in Estimation Schemes	17
2.3.4	Robust Estimation . . . . .	22
2.4	Conclusions . . . . .	29
<b>3</b>	<b>Approaches to 3D Motion Estimation</b>	<b>31</b>
3.1	<i>Scene Flow</i> . . . . .	32
3.2	<i>Range Flow</i> . . . . .	33
3.2.1	The Range Constraint . . . . .	33
3.2.2	The Intensity Constraint . . . . .	34
3.2.3	<i>Range Flow</i> Estimation . . . . .	34
3.3	<i>Affine Model</i> . . . . .	35
3.3.1	Derivation of the BCCE . . . . .	36
3.3.2	Parameter Estimation . . . . .	42
3.4	Experiments . . . . .	44
3.4.1	Sinusoidal Pattern . . . . .	45
3.4.2	Synthetic Cube . . . . .	50
3.4.3	Plant Sequences . . . . .	51
3.5	Conclusions . . . . .	55

---

## CONTENTS

---

<b>4 Modeling Brightness Changes</b>	<b>57</b>
4.1 Prefiltering . . . . .	57
4.2 Brightness Constraints . . . . .	59
4.2.1 The Gradient Constancy Constraint . . . . .	60
4.2.2 Combined Intensity and Gradient Constancy Constraint . . . . .	60
4.2.3 A Physics-Based Brightness Change Model . . . . .	60
4.3 Extension of 3D Motion Estimation Models . . . . .	63
4.3.1 <i>Scene Flow</i> . . . . .	63
4.3.2 <i>Range Flow</i> . . . . .	63
4.3.3 <i>Affine Model</i> . . . . .	65
4.4 Experiments . . . . .	66
4.4.1 Evaluation of Brightness Change Models for the <i>Affine Model</i> . . . . .	66
4.4.2 Evaluation of Prefilters and Brightness Change Models for <i>Range Flow</i> . . . . .	72
4.4.3 Comparison of Models . . . . .	82
4.5 Conclusions . . . . .	86
<b>5 Modeling Rotation</b>	<b>89</b>
5.1 Model Derivation . . . . .	90
5.1.1 Surface Patch Model . . . . .	90
5.1.2 Camera Model . . . . .	90
5.1.3 Pixel-Centered View . . . . .	90
5.1.4 Projecting the Pixel Grid to the Surface . . . . .	91
5.1.5 Brightness Change Model . . . . .	92
5.1.6 Combination of Models . . . . .	92
5.1.7 Rotation . . . . .	94
5.1.8 The Range Constraint, $Z_t$ , $b_4$ , and why (5.5) still holds under Rotation . . . . .	94
5.1.9 A 4D- <i>Affine Model</i> . . . . .	95
5.2 Parameter Estimation . . . . .	96
5.3 Experiments . . . . .	97
5.3.1 Sinusoidal Pattern . . . . .	97
5.3.2 Synthetic Cube . . . . .	100
5.3.3 <i>Castor Oil Plant</i> . . . . .	102
5.4 Conclusions . . . . .	104
<b>6 5D-<i>Affine Scene Flow Model</i></b>	<b>105</b>
6.1 5D- <i>Affine Model</i> . . . . .	105
6.2 Parameter Estimation . . . . .	108
6.3 Experiments . . . . .	108
6.3.1 Sinusoidal Pattern . . . . .	109

6.3.2	Synthetic Cube . . . . .	111
6.3.3	<i>Castor Oil Plant</i> . . . . .	115
6.3.4	<i>Tobacco Plant</i> . . . . .	116
6.4	Conclusions . . . . .	119
<b>7</b>	<b>Conclusions And Outlook</b>	<b>121</b>
7.1	Summary and Conclusions . . . . .	121
7.2	Future Work . . . . .	123
7.3	Closure . . . . .	125
<b>A</b>	<b>Average Angular Error</b>	<b>127</b>
<b>B</b>	<b>Synthetic Testsequences</b>	<b>129</b>
	Bibliography	133
	Curriculum Vitae	141
	Acknowledgements	143