
1	Summary and aim of the work	1
2	Introduction	3
2.1	Fuel cells	3
2.1.1	Type of fuel cells	3
2.1.2	Solid Oxide Fuel Cells (SOFCs)	6
2.1.2.1	Comparison with conventional energy converters	6
2.1.2.2	The principal operation	8
2.1.2.3	Cell and stack designs	10
2.1.2.4	SOFCs component	14
2.2	Electrolytes	16
2.2.1	SOFCs electrolyte requirements	16
2.2.2	The conduction mechanism	17
2.2.3	Investigated electrolyte materials	23
2.3	The oxy-cuspidine and phosphate based materials	30
2.3.1	The oxy-cuspidines	30
2.3.2	Phosphate based electrolytes	33
3	Experimental methods	34
3.1	Synthesis	34
3.1.1	Oxy-cuspidine materials	34
3.1.2	Phosphate based materials	34
3.2	Characterizations	35
3.2.1	Chemical analysis	35
3.2.2	Thermal analysis (DTA/TGA)	35
3.2.3	X-ray diffraction (XRD)	35
3.2.4	Archimedes method	36
3.2.5	Raman spectroscopy	37
3.2.6	Scanning electron microscopy (SEM)	37
3.2.7	Electrical conductivity measurements	37
3.2.8	Thermal expansion measurements	38
4	Results and discussion	40
4.1	Oxy-cuspidine $Gd_4Al_2O_9$, $Gd_4Al_{2-x}Mg_xO_{9-x/2}$ and $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$	40
4.1.1	Synthesis and chemical analysis	40
4.1.2	DTA/TGA	41
4.1.3	XRD analysis	43
4.1.3.1	XRD results of $Gd_4Al_2O_9$	43

4.1.3.2	XRD results of $Gd_4Al_{2-x}Mg_xO_{9-x/2}$ series	44
4.1.3.3	XRD results of $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$ series	47
4.1.4	Raman spectroscopy	48
4.1.4.1	Raman spectra of $Gd_4Al_2O_9$	48
4.1.4.2	Raman spectra of $Gd_4Al_{2-x}Mg_xO_{9-x/2}$ series.....	49
4.1.4.3	Raman spectra of $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$ series	50
4.1.5	Microstructural analysis	54
4.1.5.1	Microstructural analysis of $Gd_4Al_{2-x}Mg_xO_{9-x/2}$	54
4.1.5.2	Substitution limit of Mg^{2+} in $Gd_4Al_2O_9$	55
4.1.5.3	Microstructural analysis of $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$ series.....	57
4.1.6	Electrical conductivity	58
4.1.6.1	4-probes DC measurements of $Gd_4Al_{2-x}Mg_xO_{9-x/2}$	58
4.1.6.2	4-probes DC measurement of $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$	59
4.1.6.3	AC impedance spectroscopy of $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$	61
4.1.7	Thermal expansion	65
4.1.7.1	Dilatometry of $Gd_4Al_{2-x}Mg_xO_{9-x/2}$	65
4.1.7.2	Dilatometry of $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$ series	67
4.1.8	Summary of $Gd_4Al_2O_9$, $Gd_4Al_{2-x}Mg_xO_{9-x/2}$ and $Gd_{4-x}(Ca,Sr)_xAl_2O_{9-x/2}$	70
4.2	Oxy-cupidine $Gd_4Ti_2O_{10}$, $Gd_4Ti_{2-x}Mg_xO_{10}$ and $Gd_{4-x}(Ca,Sr)_xTi_2O_{10}$	72
4.2.1	Synthesis and chemical analysis.....	72
4.2.2	XRD analysis	74
4.2.2.1	XRD results of $Gd_4Ti_2O_{10}$	74
4.2.2.2	XRD results of $Gd_4Ti_{2-x}Mg_xO_{10-x/2}$ series	76
4.2.2.3	XRD results of $Gd_{4-x}(Ca,Sr)_xTi_2O_{10-x/2}$ series	78
4.2.3	Raman Spectroscopy	80
4.2.4	Microstructural analysis	82
4.2.4.1	SEM and EDX of $Gd_4Ti_2O_{10}$	82
4.2.4.2	Microstructure of $Gd_{4-x}Ca_xTi_2O_{10-x/2}$ with $x=0.10$ and 0.20	83
4.2.5	Electrical Conductivity	84
4.2.5.1	4-probes DC measurements of samples sintered at $1400\text{ }^\circ\text{C}$ for 20 h.....	84
4.2.5.2	4-probes DC measurements of samples sintered at $1300\text{ }^\circ\text{C}$ for 10 h.....	86
4.2.5.3	Comparison of DC electrical conductivity	88
4.2.5.4	AC impedance spectroscopy of $Gd_{4-x}(Ca,Sr)_xTi_2O_{10-x/2}$	89
4.2.5.5	Comparison of DC and AC conductivity measurements	91
4.2.6	Thermal expansion	93
4.2.6.1	Thermal expansion of $Gd_4Ti_2O_{10}$ with high temperature XRD.....	93
4.2.6.2	Dilatometry of $Gd_{4-x}(Ca,Sr)_xTi_2O_{10-x/2}$ series	97
4.2.6.3	Comparison of TECs between high temperature XRD and dilatometer.....	99
4.2.7	Summary of oxy-cuspidines $Gd_4Ti_2O_{10}$, $Gd_4Ti_{2-x}Mg_xO_{10}$ and $Gd_{4-x}(Ca,Sr)_xTi_2O_{10}$..	101

4.3	SnP₂O₇ and Sn_{1-x}Fe_xP₂O_{7-x/2}	102
4.3.1	Synthesis of SnP ₂ O ₇ and Sn _{1-x} Fe _x P ₂ O _{7-x/2}	102
4.3.2	DTA/TGA of Sn _{1-x} Fe _x P ₂ O _{7-x/2}	104
4.3.3	XRD Results of SnP ₂ O ₇ and Sn _{1-x} Fe _x P ₂ O _{7-x/2}	105
4.3.4	Microstructural analysis	107
4.3.5	Electrical conductivity of SnP ₂ O ₇ and Sn _{1-x} Fe _x P ₂ O _{7-x/2}	108
4.3.6	Summary of SnP ₂ O ₇ and Sn _{1-x} Fe _x P ₂ O _{7-x/2}	109
5	Conclusions	110
6	References	111
	Acknowledgements	120