Table of content

| 1. Introduction | 6 |
|---|----|
| 2. Materials | |
| 2.1 Instruments | 16 |
| 2.2 Competent cells | 18 |
| 2.3 Vectors and oligonucleotides | 18 |
| 2.4 Kits and enzymes | 19 |
| 2.5 Chemicals and other consumables | 19 |
| 2.6 Media | 22 |
| 2.7 Buffers and solutions | 22 |
| | |
| 3 Methods | |
| 3.1 Molecular biological methods | |
| 3.1.1 Polymerase chain reaction | 26 |
| 3.1.2 Site directed mutagenesis | 26 |
| 3.1.3 DNA Sequencing | 27 |
| 3.1.4 Cloning | 28 |
| 3.1.5 Transformation | 29 |
| 3.1.6 Plasmid preparation/Miniprep | 29 |
| 3.1.7 Protein expression | 29 |
| 3.1.8 Ammonium sulfate precipitation | 30 |
| 3.1.9 Chromatographic methods | 31 |
| 3.1.10 Electrophoresis of DNA and proteins | 32 |
| 3.2 Biochemical methods | |
| 3.2.1 Enzyme activity of phosphoglycerate kinase | 34 |
| 3.2.2 Molecular encapsulation in polymeric nanocontainers | 36 |
| 3.2.3 Labeling of PGK with fluorescent dyes | 37 |
| 3.2.4 Cysteine specific protein cleavage | 39 |

| 3.3 Optical methods | |
|---|----|
| 3.3.1 Absorption spectroscopy | 39 |
| 3.3.2 Circular dichrosim spectroscopy | 40 |
| 3.3.3 Fluorescence spectroscopy | |
| 3.3.3.1 Basic principles of fluorescence | 43 |
| 3.3.3.2 Intrinsic protein fluorescence | 46 |
| 3.3.3.3 Fluorescence anisotropy measurements | 48 |
| 3.3.3.4 Photon induced electron transfer as a probe for | |
| the folding status of PGK | 50 |
| 3.3.3.5 Fluorescence microscopy | 52 |
| 3.3.3.6 Fluorescence correlation spectroscopy (FCS) | 53 |
| 3.3.3.7 Förster resonance energy transfer measurements | |
| on single molecules | 56 |
| 3.3.4 Dynamic light scattering (DLS) | 60 |
| | |
| 4. Results | |
| 4.1 Unfolding and refolding kinetics of phosphoglycerate kinase | |
| 4.1.1 Thermal unfolding of PGK: Eyring-plot | 62 |
| 4.1.2 Guanidine hydrochloride induced unfolding of PGK: | |
| Chevron-plot | 64 |
| 4.2 Molecular encapsulation of PGK | |
| 4.2.1 Probing the mobility of encapsulated proteins | |
| by fluorescence anisotropy | 67 |
| 4.2.2 Unfolding and refolding transitions of encapsulated | |
| single PGK molecules | 68 |
| 4.3 Preparation and characterization of the FRET sample | |
| 4.3.1 Expression and purification of different PGK constructs | 71 |
| 4.3.2 Labeling of single cysteine mutants of PGK | 77 |
| 4.3.3 Characterizing the fluorescent dyes labeled to PGK | 79 |
| 4.3.4 Labeling of PGK double cysteine mutants with a FRET pair | 84 |
| 4.4 The native state of PGK | |
| 4.4.1 Salt effects on the native state of PGK | 87 |
| 4.4.1 Line broadening: | |
| Evidence for functional domain movements? | 94 |

| | III |
|--|-----|
| 4.5 Unfolding/refolding transitions of PGK | 97 |
| 3.5.1 PGK inter-domain unfolding/refolding transitions | 98 |
| 3.5.2 The unfolding transition of PGK N-Domain | 103 |
| 5. Discussion and outlook | 106 |
| 6. Summary | 114 |
| 7. Zusammenfassung | 115 |
| Abbreviations | 117 |
| Bibliography | 120 |
| Erklärung, Veröffentlichungen | 131 |
| Danksagungen | 132 |
| Appendix I: Primer sequences | 135 |
| Appendix II: Amino acid sequences of the engineered PGK constructs | 137 |
| | |