

Table of contents

Index of figures	xvii
Index acronyms of and symbols	xxii
1 General introduction and technological relevance.....	1
1.1 PTC thermistors based on barium titanate.....	1
1.2 Objective and scientific approach of the present study.....	4
2 Phenomenology of BaTiO ₃ based PTC thermistors.....	6
2.1 Temperature characteristics of resistivity.....	6
2.2 Challenges of material development: past and state of the art.....	8
3 Theoretical background.....	11
3.1 Crystal structure of the ferroelectric compound BaTiO ₃	11
3.2 Defect chemistry and electrical conductivity of BaTiO ₃	15
3.2.1 The Kröger-Vink notation.....	15
3.2.2 Lattice disorder and conductivity mechanisms.....	17
3.2.2.1 Intrinsic reactions.....	18
3.2.2.2 Acceptor-doping.....	20
3.2.2.3 Donor-doping.....	24
3.2.2.4 Amphoteric doping.....	31
3.2.3 Defect chemical simulations: outline of the calculation algorithm.....	33
3.3 Basic models of barium titanate based PTCR ceramics.....	35
3.3.1 Heywang model: Schottky-type grain boundary junctions.....	35
3.3.2 Jonker model: the role of ferroelectric domains.....	39
3.3.3 Daniel model: the role of point defects.....	40
4 Experimental	43
4.1 Powder synthesis and ceramic processing.....	43
4.1.1 Solid state reaction and sintering.....	45
4.1.2 Microemulsion mediated synthesis and plasma spark sintering.....	46

4.2	Phase purity and crystallographic characterization.....	47
4.3	Analytical powder characterization.....	48
4.4	Microstructural characterization.....	48
4.4.1	Sample preparation.....	48
4.4.2	Electron microscopy.....	49
4.4.2.1	Scanning electron microscopy (FE-SEM and SEM).....	49
4.4.2.2	Transmission electron microscopy (TEM).....	49
4.4.2.3	Electron backscattered diffraction (EBSD).....	49
4.5	Impedance spectroscopy.....	50
4.5.1	Measurements.....	50
4.5.2	Data analysis according to the brick-wall model.....	51
4.5.3	Evaluation of impedance spectra as Cole-Cole diagrams.....	52
4.5.3.1	One single parallel <i>RC</i> component.....	54
4.5.3.2	Two parallel <i>RC</i> components in series.....	56
4.5.3.3	One parallel <i>RC</i> component in series with one resistor.....	57
4.5.3.4	Constant phase element analysis.....	58
4.6	Measurements of DC conductivity.....	60
4.6.1	Experimental set-up.....	60
4.6.2	Control of oxygen partial pressure.....	61
4.7	Determination of ¹⁸ O diffusion profiles.....	64
4.8	Optical characterization.....	65
5	PTCR ceramics based on BaTiO₃ with BaO-excess.....	67
5.1	Microstructure, phase purity and crystallography.....	67
5.2	Origin of the PTCR effect in view of impedance spectroscopy.....	74
5.2.1	Influence of BaO-excess on the total resistivity.....	74
5.2.2	Impedance spectra and modeled equivalent circuits.....	75
5.2.2.1	Resistive components.....	75
5.2.2.2	Capacitive components.....	80
5.2.3	Influence of the electrode-ceramic interface.....	81
5.2.4	Variation of sample geometry.....	83
5.2.5	Effect of the reoxidation treatment during annealing.....	86
5.3	Characteristics of oxygen diffusion during reoxidation.....	88
5.3.1	Experimental results.....	89
5.3.2	Simulation of the diffusion profiles.....	90
5.3.2.1	The role of volume diffusion.....	90
5.3.2.2	The role of grain boundary diffusion.....	91

5.3.2.3 Impact of defect chemistry on the diffusion behavior.....	93
5.3.3 Factors enhancing grain boundary diffusion.....	96
5.3.3.1 DFT calculation of diffusivity.....	97
5.3.3.2 Quantitative estimation of oxygen absorption.....	99
5.4 Summary.....	100
6 Kröger-Vink diagrams and defect chemistry	101
6.1 Simulation of defect chemical equilibria.....	102
6.2 Experimental results and discussion.....	103
6.2.1 Low BaO-excess ($m = 1.01$).....	105
6.2.2 High BaO-excess ($m = 1.03, m = 1.05$).....	106
6.2.3 The intrinsic minimum of conductivity.....	109
6.3 P-type conductivity and its relation to the PTCR effect.....	111
6.4 The case of Nb-doped BaTiO ₃ with BaO-excess.....	114
6.5 The mechanism of the PTCR effect based on defect chemistry.....	115
6.6 Summary.....	118
7 PTCR effect in ultrafine grained BaTiO₃ ceramics.....	120
7.1 Introduction.....	120
7.2 Microstructural and analytical characterization.....	121
7.3 Electrical characterization.....	125
7.4 Discussion.....	127
7.4.1 Stoichiometric composition.....	127
7.4.2 Hyper-stoichiometric case with BaO-excess.....	130
7.5 Summary.....	131
8 Optically translucent heavily La-doped BaTiO₃ ceramics.....	132
8.1 Introduction.....	132
8.2 Analytical and microstructural characterization.....	134
8.3 Optical transmittance.....	137
8.4 Defect chemistry: charge compensation mechanism.....	140
8.5 Ferroelectric properties.....	142
8.6 Optical reflection.....	143
8.7 Summary.....	146

9 Annex.....	147
10 General conclusion.....	151
Literature.....	155