



Development of thermal spray processes with liquid feedstocks

Alexandre Guignard

Forschungszentrum Jülich GmbH
Institute for Energy and Climate Research (IEK)
Materials Synthesis and Processing (IEK-1)

Development of thermal spray processes with liquid feedstocks

Alexandre Guignard

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 141

ISSN 1866-1793

ISBN 978-3-89336-788-7

Table of contents

1. Introduction.....	1
1.1. Subject.....	1
1.2. Aim of the work.....	2
2. Background.....	3
2.1. Theoretical background.....	3
2.1.1. Thermal spray.....	3
2.1.2. Thermal barrier coatings (TBCs).....	5
2.1.3. Suspension plasma spray (SPS).....	7
2.2. Literature review: recent developments on SPS coatings.....	11
2.2.1. Yttria-stabilized zirconia (YSZ) and NiO/YSZ.....	11
2.2.2. Alumina, alumina-zirconia and alumina-titania.....	15
2.2.3. Titanium oxide.....	19
2.2.4. Hydroxyapatite.....	21
2.2.5. Other materials.....	23
2.2.6. Conclusion.....	24
2.3. Study of the industrial competitiveness of SPS.....	25
2.3.1. An overview of the current industry-related activities on SPS provided by an analysis of the patent situation.....	26
2.3.2. Considerations on suspension storage and choice of the solvent.....	37
2.3.3. Suspension stability and suspension transportation issues.....	40
2.3.4. Cleaning requirements.....	41
2.3.5. Feeding rates and deposition rates.....	43
2.3.6. Spraying distance.....	43
2.3.7. Conclusion.....	44
3. Materials and methods.....	47
3.1. Suspensions.....	47

3.2. Suspension plasma spraying operations	49
3.3. Characterization of SPS-deposited coatings	51
3.3.1. Characterization of coatings microstructures and properties	51
3.3.2. Isothermal annealing tests	52
3.3.3. Three-point bending tests realized in-situ at high temperature	53
3.3.4. Thermal cycling tests	53
4. Results and discussion	55
4.1. Developments on SPS YSZ TBCs	55
4.1.1. Motivation	55
4.1.2. Microstructural investigations on as-sprayed SPS coating	56
4.1.3. Thermal cycling tests at surface temperature of 1400°C	59
4.1.4. Sintering behavior under isothermal annealing at 1400°C	63
4.1.5. Improvement of YSZ TBC coating microstructure	69
4.1.6. New developments of SPS-deposited YSZ coatings with columnar microstructure	80
4.1.7. Summary on SPS YSZ TBCs	88
4.2. Investigations on SPS TBCs with an alternative material: lanthanum zirconate	90
4.2.1. Motivation	90
4.2.2. SPS experimental series conducted for $\text{La}_2\text{Zr}_2\text{O}_7$ coatings	91
4.2.3. $\text{La}_2\text{Zr}_2\text{O}_7$ coatings microstructures	94
4.2.4. $\text{La}_2\text{Zr}_2\text{O}_7$ coatings stoichiometry	99
4.2.5. $\text{La}_2\text{Zr}_2\text{O}_7$ coatings phase composition	100
4.2.6. Summary on SPS $\text{La}_2\text{Zr}_2\text{O}_7$ coatings	102
4.3. Further application of the SPS process: manufacture of photoactive TiO_2 coatings ...	103
4.3.1. Motivation	103
4.3.2. SPS screening experimental series	103
4.3.3. Further microstructural investigations and phase analyses on coatings deposited with selected conditions	105

4.3.4. Summary on SPS TiO ₂ coatings.....	107
5. General summary.....	109
6. References.....	111
7. Acknowledgment.....	127



Energie & Umwelt / Energy & Environment
Band / Volume 141
ISBN 978-3-89336-788-7