



**Characterization of the human mu opioid receptor:
Structural and functional studies of a G protein-coupled receptor**

Yanbin Ma

Forschungszentrum Jülich GmbH
Institute of Complex Systems (ICS)
Molecular Biophysics (ICS-5)

Characterization of the human mu opioid receptor: Structural and functional studies of a G protein- coupled receptor

Yanbin Ma

Schriften des Forschungszentrums Jülich
Reihe Gesundheit / Health

Band / Volume 52

ISSN 1866-1785

ISBN 978-3-89336-767-2

Table of contents

Tables and Figures	4
Abbreviations	7
1. Introduction	10
1.1 Membrane proteins	10
1.2 G protein-coupled receptors (GPCRs)	10
1.3 GPCR classification	11
1.4 GPCR ligands.....	13
1.5 GPCR activation (G-protein cycle).....	15
1.6 GPCR silencing, trafficking, signaling	16
1.6.1 GRKs and beta-arrestins	16
1.6.2 Roles of GRKs and β -arrestins in GPCR silencing.....	18
1.6.3 Roles of GRKs and β -arrestins in GPCRs trafficking.....	19
1.6.4 Roles of GRKs and β -arrestins in GPCRs signaling.....	20
1.7 GPCRs drug discovery.....	20
1.8 GPCR crystallization challenges.....	23
1.9 Opioid receptor	25
1.9.1 Mu opioid receptor.....	25
1.9.2 Opioid peptides and drugs.....	25
1.9.3 Mechanism of OPRM signalling.....	28
1.10 Aim of the work	29
2. Results	30
2.1 Overexpression of OPRM in <i>E.coli</i>	30
2.1.1 Plasmid preparation of pQE2 his-tagged OPRM	30
2.1.2 <i>In vitro</i> translation of OPRM.....	31
2.1.3 Effect of <i>E.coli</i> cell strains on expression of OPRM.....	31
2.1.4 Effect of culture media on expression of OPRM	34
2.1.5 Effect of IPTG concentrations on expression of OPRM	35
2.1.6 Effect of autoinduction on expression of OPRM	36
2.1.7 Effect of temperatures on expression of OPRM.....	37
2.2 Solubilisation of OPRM.....	38
2.2.1 Solubilisation trial of OPRM with DDM	38
2.2.2 Solubilisation of OPRM with various detergents	39
2.3 Purification of OPRM using denaturing and native conditions.....	41
2.3.1 Purification of OPRM using denaturing conditions	41
2.3.1.1 Purification from RP autoinduction with sarcosine.....	41
2.3.1.2 Refolding from RIL autoinduction from urea/DDM.....	43
2.3.1.3 Purification from C43 with urea and sarcosine	44
2.3.1.4 On column refolding of OPRM.....	47

Contents

2.3.2 Purification of OPRM using native conditions	47
2.3.2.1 Small scale purification from C43 in DDM	47
2.3.2.2 Purification from C43 in CHAPS/DDM/CHS	48
2.3.2.3 Purification from RIL autoinduction in CHAPS/DDM/CHS	49
2.3.2.4 Purification from C43 in Fos-12	52
2.4 MALDI-TOF Mass Spectroscopy of OPRM	54
2.5 Detergent screening for refolding	55
2.6 Refolding evaluation of OPRM through ligand binding	59
2.7 Circular Dichroism Spectroscopy	60
2.8 Ligand binding by Surface Plasma Resonance (Biacore)	62
2.9 Comparison of refolded OPRM and native OPRM.....	64
2.10 Thermostability of OPRM.....	65
2.11 Macromolecular crystallisation	67
2.12 Beta-arrestin 2	70
2.12.1 Expression and purification of beta-arrestin 2 from <i>S. cerevisiae</i>	70
2.12.2 <i>In vitro</i> interactions of beta-arrestin 2 with OPRM	70
2.13 Expression of OPRM with <i>Tetrahymena thermophila</i> system	71
2.14 G-protein receptor kinase (GRKs)	73
2.14.1 GRKs expression and purification	73
2.14.2 Phosphorylation of rhodopsin by GRKs in rod outer segments ROS	75
2.14.3 Phosphorylation of OPRM by GRKs	76
3. Materials and Methods	78
3.1 General chemicals	78
3.2 Cell culture and expression requirements	78
3.2.1 <i>E.coli</i> strains, plasmid/vectors and primers.....	78
3.2.2 Agarose Gel Electrophoresis	80
3.2.3 Culture media used to grow cells	81
3.2.4 Transformation of competent cells	82
3.2.5 Mini preparation of plasmid DNA from <i>E.coli</i> cells	83
3.2.6 Cloning of plasmid pPR-IBA2 GRKs for <i>E.coli</i> cells expression.....	83
3.2.7 Expression using cell-free system	84
3.3 Overexpression and purification of OPRM.....	84
3.3.1 Overexpression of OPRM in <i>E.coli</i> using IPTG induction	84
3.3.2 Overexpression of OPRM in <i>E.coli</i> using the autoinduction method	85
3.3.3 Overexpression of OPRM in <i>Tetrahymena thermophila</i>	85
3.3.4 Inclusion body preparation.....	86
3.3.5 Membrane preparation	86
3.3.6 Detergent solubilization	87
3.3.7 Purification of OPRM using denaturing conditions	87
3.3.8 On column refolding of OPRM from inclusion body	89
3.3.9 On column refolding of OPRM from membrane	89
3.3.10 Purification of OPRM using native conditions	89
3.4 Expression and purification of beta-arrestin 2 from <i>S. cerevisiae</i>	90

Contents

3.4.1 Expression of beta-arrestin 2.....	90
3.4.2 Purification of beta-arrestin 2.....	91
3.5 Expression and purification of GRKs from <i>E. coli</i>	92
3.6 Protein biochemistry techniques	92
3.6.1 Protein concentration measurements.....	92
3.6.2 SDS polyacrylamide gel electrophoresis (SDS-PAGE)	92
3.6.3 Immunoblotting.....	93
3.6.4 TCA Precipitation of Proteins	93
3.6.5 Size-exclusion chromatography.....	94
3.6.6 Ion-exchange chromatography.....	94
3.6.7 Streptavidin affinity chromatography.....	95
3.6.8 Factor Xa protease cleavage.....	95
3.7 Identification and characterization of OPRM	96
3.7.1 Circular Dichroism Measurements.....	96
3.7.2 Tryptophan Fluorescence Measurements	96
3.7.3 Detergent screening for refolding.....	96
3.7.4 Ligand binding assays by Surface Plasma Resonance (Biacore)	97
3.7.5 Mass Spectroscopy.....	98
3.7.6 Thermal Denaturation	98
3.7.7 Enzymatic phosphorylation.....	99
3.7.8 On column protein-protein binding assay	99
3.8 Macromolecular crystallisation.....	100
3.8.1 Cubic phase crystallisation.....	100
3.8.2 Crystallization of OPRM through lipidic cubic phase	102
4. Discussion.....	104
4.1 Expression.....	104
4.2 Solubilisation	106
4.3 Purification.....	107
4.4 Comparison of receptor obtained by different refolding methods	108
4.5 Comparison of refolded OPRM and native OPRM.....	109
4.6 Binding.....	110
4.7 Crystallization	113
4.8 Perspectives.....	114
Appendix (protein sequence and sequence alignment)	120
Acknowledgments	124
Summary.....	126

Tables and Figures


Table 1. 1	The classification of membrane proteins depending on functions.	10
Table 1. 2	GPCR classification	13
Table 1. 3	Some commonly used ligands for OPRM.	26
Table 2. 1	Different detergents used for OPRM refolding.	57
Table 2. 2	Secondary structure content of OPRM.	62
Table 3. 1	The plasmids/vectors.	78
Table 3. 2	<i>E. coli</i> strains	79
Table 3. 3	primers.	80
Table 3. 4	Components for cell-free system.	84
Table 3. 5	Denaturing purification buffer required	88
Table 3. 6	Native purification buffer required.	90
Table 3. 7	Western blot buffer required.	93
Table 3. 8	Buffer for Ion-exchange chromatography	95
Figure 1. 1	Different ligands effects on the activity of GPCRs.	14
Figure 1. 2	Heterotrimeric G-protein subunit compositions.	15
Figure 1. 3	β -Arrestin 2: Structural model and GPCR-dependent conformational changes.	17
Figure 1. 4	A model of functional specialization of the different GRKs.	19
Figure 1. 5	Signal transduction by seven transmembrane receptors.	20
Figure 1. 6	Gene-family distributions of current drugs per drug targets.	21
Figure 1. 7	Biased agonism at the angiotensin II type 1 (AT1) receptor.	22
Figure 1. 8	Summary of structural modifications required to obtain crystals of several GPCRs.	23
Figure 1. 9	The “message-address” concept of opioid ligand.	26
Figure 1. 10	Mu-selective opiates.	26
Figure 1. 11	The pharmacophore of β -funaltrexamine (β -FNA) in the μ receptor.	27
Figure 1. 12	The pharmacophore of (2'R, 3R, 4S)-cis-ohmefentanyl in the μ receptor.	27
Figure 1. 13	Differential mu-Opioid receptor trafficking upon the stimulation by different agonists.	28
Figure 2.1	Agarose gel shows the plasmids of the N/C-his-tagged OPRM protein.	30
Figure 2.2	<i>E. coli</i> in vitro tranlation expression of the N/C-his-tagged OPRM protein.	31
Figure 2.3	A: growth curve of N-his-tagged OPRM in various <i>E. coli</i> strains after induction.	32
Figure 2.4	Heterologous expression of the N-his-tagged OPRM protein in C41, C43 <i>E. coli</i> strains with two different media (DYT and TB).	34
Figure 2.5	Heterologous expression of the N/C-his-tagged OPRM protein in C43 <i>E. coli</i> strains at 18°C for 12h with different IPTG concentration.	35

Contents

Figure 2.6	Expression of the N-his-tagged OPRM protein by autoinduction at 37°C in different <i>E.coli</i> strains (RP, RIL, C41, and C43).....	36
Figure 2.7	Heterologous expression of the N/C-his-tagged OPRM protein in C43 <i>E.coli</i> strain with two different temperatures (18°C and 37°C).	37
Figure 2.8	Solubilisation of N-his-tagged OPRM in DDM from C43.....	38
Figure 2.9	Solubilisation of the N-his-tagged OPRM protein with various detergents.....	39
Figure 2.10	The N-his-tagged OPRM protein after solubilisation with various detergents.....	40
Figure 2.11	Purification of the N-his-tagged OPRM with sarcosine from RP cell strain on a Ni-NTA affinity column by gradient elution.	41
Figure 2.12	Purification of the N-his-tagged OPRM protein with sarcosine from RP.....	42
Figure 2.13	Purification and refolding of OPRM protein with urea and sarcosine from RIL using Ni-NTA.....	43
Figure 2.14	Purification of OPRM protein with urea and sarcosine from C43.....	45
Figure 2.15	Size exclusion chromatography of OPRM using a sephacryl 200 column in buffer with 0.4% sarcosine (w/v) and 6M urea.	46
Figure 2.16	Purification of OPRM protein with urea and sarcosine from C43 using Size exclusion chromatography.	46
Figure 2.17	On column refolding of OPRM by Ni-NTA.	47
Figure 2.18	Small scale purification of the N-his-tagged OPRM protein in DDM.....	48
Figure 2.19	Purification of OPRM from C43 in CHAPS/DDM/CHS using Ni-NTA.....	49
Figure 2.20	Purification of OPRM from RIL in CHAPS/DDM/CHS using Ni-NTA.....	50
Figure 2.21	Purification of OPRM from RIL in CHAPS/DDM/CHS using Q sepharose and Ni-NTA.....	51
Figure 2.22	Purification of OPRM from C43 in Fos-12 using Ni-NTA.....	52
Figure 2.23	Purification of OPRM in Fos-12 from C43 using superdex 200.	53
Figure 2.24	Purification of OPRM in Fos-12 from C43 using size exclusion chromatography.....	53
Figure 2.25	Mass Spectroscopy of protein samples excised from a 12% SDS-PAGE.....	54
Figure 2.26	MS/MS Fragmentation of peptide (Mass: 2010.659).	55
Figure 2.27	Fluorescence intensity of OPRM in different detergents after refolding.	56
Figure 2.28	Correlation of refolding efficacy of different detergents with different parameters for OPRM refolding.....	58
Figure 2.29	Tryptophan Fluorescence of unfolded OPRM and refolded OPRM.	59
Figure 2.30	Fluorescence titration of refolded OPRM with EM-1.....	59
Figure 2.31	Refolding evaluation of refolded OPRM with EM-1 by Fluorescence titration.	60
Figure 2.32	Circular dichroism of OPRM.....	61
Figure 2.33	Interaction of refolded OPRM with Endomorphin-1 by Biacore.....	64
Figure 2.34	Comparison of refolded OPRM and native OPRM in Fos-12 using analytical grade Superdex 200 HR 10/30 size exclusion chromatography.....	65
Figure 2.35	Comparison of the thermostability of refolded OPRM in detergent in the presence and absence of ligands.....	66
Figure 2.36	Comparison of the thermostability of native OPRM in detergent in the	

Contents

presence and absence of ligands.....	67
Figure 2.37 T_m of OPRM, OPRM with EM-1 and OPRM with an antagonist Cyprodime hydrochloride.	67
Figure 2.38 Several images for the refolded OPRM from the lipidic cubic phase.....	70
Figure 2.39 Purification of beta-arrestin 2 by streptactin from <i>S. cerevisiae</i>	70
Figure 2.40 Interaction of OPRM with beta-arrestin 2 in the presence or absence of EM-1.	71
Figure 2.41 The growth curves of two GPCRs in the presence or absence of signal peptide (SP) in <i>Tetrahymena thermophila</i>	72
Figure 2.42 Purification of OPRM by Ni-NTA from <i>Tetrahymena thermophila</i>	72
Figure 2.43 Identification of OPRM by cleavage of signal peptide by Factor Xa from <i>Tetrahymena</i> (Western blot).	73
Figure 2.44 Cell-free expression of GRKs using <i>E.coli</i> system.....	74
Figure 2.45 Western blot of purification of GRKs from <i>E.coli</i> strains RIL at 18°C.	74
Figure 2.46 GRKs phosphorylation rhodopsin in rod outer segments ROS.	75
Figure 2.47 Phosphorylation of OPRM by GRKs.....	76
Figure 3.1 Phase diagram of the lipid monoolein/water system.	100
Figure 3.2 Cartoon representation of the in meso phase crystallization hypothesis.....	101
Figure 4.1 Detergent screening for Solubisation of OPRM with or without chaotropic agent.....	107



Gesundheit / Health
Band / Volume 52
ISBN 978-3-89336-767-2