

NMR studies on the isolated C39 peptidase-like domain of ABC transporter Haemolysin B from *E. coli*: Investigation of the solution structure and the binding interface with HlyA

Justin Lecher

Member of the Helmholtz Association

JÜLICH
FORSCHUNGSZENTRUM

Forschungszentrum Jülich GmbH
Institute of Complex Systems (ICS)
Strukturbiochemie (ICS-6)

NMR studies on the isolated C39 peptidase-like domain of ABC transporter Haemolysin B from *E. coli*: Investigation of the solution structure and the binding interface with HlyA

Justin Lecher

Schriften des Forschungszentrums Jülich
Reihe Schlüsseltechnologien / Key Technologies Band / Volume 42

ISSN 1866-1807 ISBN 978-3-89336-793-1

Contents

Table of contents I

List of figures V

List of tables VII

1. Introduction 1
- 1.1. Membranes and membrane proteins . . . 1
  - 1.1.1. Forms of transport over membranes in biological systems . . . 2
- 1.2. ABC transporter . . . 3
  - 1.2.1. The blueprint of an ABC transporter . . . 4
  - 1.2.2. Nucleotide Binding Domain (NBD) . . . 5
  - 1.2.3. Transmembrane Domain (TMD) . . . 6
  - 1.2.4. Substrate Binding Protein (SBP) . . . 6
  - 1.2.5. C39 peptidase domains of bacteriocin exporters . . . 7
- 1.3. Type I secretion – The Haemolysin system . . . 9
  - 1.3.1. Haemolysin A (HlyA) . . . 10
  - 1.3.2. Haemolysin B (HlyB) . . . 11
  - 1.3.3. TolC / HlyD . . . 12

2. Aims 15

3. Scientific publications 17
- 3.1. RTX toxin transporters shield its substrate prior to secretion via the unique function of its N- terminal domain . . . 18
- 3.2. ^{1}H, ^{15}N and ^{13}C resonance assignment of the N-terminal C39 peptidase-like domain of the ABC transporter Haemolysin B (HlyB). . . . 58
- 3.3. Crystallization and prelimary X-ray crystallographic studies of an oligomeric species of a refolded C39 peptidase-like domain of the *Escherichia coli* ABC transporter haemolysin B . . . 62

4. Additional contributions to scientific publications 67
- 4.1. Resonance assignments of the nucleotide-free wildtype MloK1 cyclic nucleotide-binding domain. . . . 67
- 4.2. Structural insights into conformational changes of a cyclic nucleotide-binding domain in solution from *Mesorhizobium loti* K1 channel. . . . 67

5. Summary 69

6. Zusammenfassung 71

7. Abbreviations 73

8. Bibliography 77

A. Appendix **87**
A.1. Materials . . . 88
A.1.1. Chemicals . . . 88
A.1.2. Isotopically enriched chemicals . . . 88
A.1.3. Size markers for gel electrophoresis (Protein and DNA Methods) . . . 89
A.1.4. Enzymes . . . 89
A.1.5. Bacterial strains . . . 90
A.1.6. Commercial procedure kits . . . 90
A.1.7. Oligonucleotide primers . . . 90
A.1.8. Hardware and equipment . . . 91
A.1.9. Plasmids . . . 92
A.1.10. Databases . . . 92
A.1.11. Software . . . 93
A.2. Methods . . . 94
A.2.1. Gel electrophoresis . . . 94
A.2.1.1. Agarose gel electrophoresis . . . 94
A.2.1.2. SDS – poly-acrylamide gel electrophoresis . . . 95
A.2.2. Concentration determination of DNA and protein samples . . . 96
A.2.3. Transformation of vector DNA into *E. coli* . . . 96
A.2.4. Plasmid DNA isolation . . . 97
A.2.5. DNA library entries . . . 97
A.2.6. Creation of pET28b-C39-137 from pET28b-C39 . . . 97
A.2.6.1. Polymerase chain reaction (PCR) . . . 97
A.2.6.2. Site-directed mutagenesis . . . 98
A.2.6.3. DNA sequencing . . . 98
A.2.7. Purification of tobacco etch virus (TEV)-Protease . . . 99
A.2.8. Expression and purification of C39-like . . . 99
A.2.8.1. Cultivation of *E. coli* for protein expression . . . 100
A.2.8.2. Expression of C39-like and cell harvesting . . . 101
A.2.8.3. Cell rupture and immobilized metal affinity chromatography 101
A.2.8.4. Cleavage of His-Tag and removal of TEV protease by a 2nd IMAC . . . 102
A.2.8.5. pH-shift and polishing step using size-exclusion chromatography . . . 102
A.2.8.6. Concentration and storage of pure C39-like . . . 103
A.2.9. NMR spectroscopy . . . 103
A.2.9.1. Sample preparation for NMR spectroscopy . . . 103
A.2.9.2. Acquisition and processing of NMR spectroscopy data . . . 103
A.2.10. Resonance assignment with CcpNmr v2.1 . . . 106
A.2.11. Structure calculation using Aria 2 and CNS v.1.21 . . . 106
A.2.11.1. Restraints in NMR structure calculation . . . 106
A.2.11.1.1. NOE-derived distance restraints . . . 107
A.2.11.1.2. Restraints for H-bonds definition . . . 107
A.2.11.1.3. Backbone torsion angle restraints . . . 108
A.2.11.1.4. Isomers and protonation states . . . 108

A.2.11.2. Aria 2 - *semi automated resonance assignment* 108
A.2.11.2.1. Procedure applied by Aria 2 109
A.2.11.2.2. Settings adjustable in Aria 2 109
A.2.12. Quality assessment of NMR structure ensemble 114
A.2.13. Dynamical parameters of C39-like in solution 114
A.2.14. Chemical shift perturbation (CSP) experiments 115
A.2.15. Aria 2 protocol (C39-project.xml) 116
A.3. Bibliography of Appendix 120



Schlüsseltechnologien / Key Technologies
Band / Volume 42
ISBN 978-3-89336-793-1

JÜLICH
FORSCHUNGSZENTRUM