

Institut für Kernphysik (IKP-4)  
Helmholtz-Institut für Strahlen- und Kernphysik,  
University of Bonn, Germany

# Counteracting Trapped Ion Effects in the HESR

*Frank Hinterberger*

## Contents

|                                                                                                                 |           |
|-----------------------------------------------------------------------------------------------------------------|-----------|
| <b>1. Introduction</b>                                                                                          | <b>5</b>  |
| <b>2. HESR Layout and Beam Parameters</b>                                                                       | <b>6</b>  |
| <b>3. Electric Field of the Antiproton Beam</b>                                                                 | <b>12</b> |
| 3.1 Potential well and electric field of a round beam of constant density . . . . .                             | 12        |
| 3.2 Potential well and electric field of a beam with a bi-Gaussian charge distribution                          | 12        |
| 3.3 Maximum transverse electric field . . . . .                                                                 | 14        |
| 3.4 Longitudinal electric field components $E_s$ . . . . .                                                      | 16        |
| <b>4. UHV Update</b>                                                                                            | <b>19</b> |
| <b>5. The Ionization Process</b>                                                                                | <b>20</b> |
| 5.1 Energy transfer . . . . .                                                                                   | 20        |
| 5.2 Ionization cross section . . . . .                                                                          | 20        |
| <b>6. Mean Thermal Energy and Mean Thermal Velocity</b>                                                         | <b>22</b> |
| <b>7. Production Time <math>T_p</math>, Clearing Time <math>T_c</math> and Neutralization <math>\eta</math></b> | <b>23</b> |
| 7.1 Production time $T_p$ . . . . .                                                                             | 23        |
| 7.2 Clearing time $T_c$ . . . . .                                                                               | 25        |
| 7.3 Neutralization $\eta$ . . . . .                                                                             | 25        |
| <b>8. Ion Motion in Dipole Magnets</b>                                                                          | <b>26</b> |
| 8.1 Cyclotron motion of trapped ions in bending magnets . . . . .                                               | 26        |
| 8.2 $\vec{E} \times \vec{B}/B^2$ cross-field drift velocity in dipole magnets . . . . .                         | 27        |
| 8.3 Estimate of the mean cross-field drift velocity in dipole magnets . . . . .                                 | 29        |
| <b>9. Ion Motion in Solenoids</b>                                                                               | <b>31</b> |
| 9.1 Cyclotron motion of trapped ions in solenoids . . . . .                                                     | 31        |
| 9.2 Magnetron motion and modified cyclotron motion in solenoids due to the electric field of the beam . . . . . | 31        |
| 9.3 Fringe field of solenoids . . . . .                                                                         | 33        |
| 9.4 Adiabatic motion of trapped ions in the fringe field of solenoids . . . . .                                 | 34        |
| 9.5 Magnetic mirror effect of solenoids . . . . .                                                               | 34        |
| 9.6 Mean thermal ion drift and clearing times $T_c$ in solenoids . . . . .                                      | 35        |
| <b>10. Clearing Electrodes</b>                                                                                  | <b>36</b> |
| 10.1 Introductory remarks . . . . .                                                                             | 36        |
| 10.2 Clearing rates using single isolated clearing electrodes in straight sections . . .                        | 36        |

|            |                                                                                                                                                     |           |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 10.3       | Continuous clearing electrodes . . . . .                                                                                                            | 38        |
| 10.4       | Electric field of continuous clearing electrodes . . . . .                                                                                          | 40        |
| 10.5       | Estimate of the beam deflection by continuous clearing electrodes . . . . .                                                                         | 41        |
| 10.6       | Clearing rates using continuous clearing electrodes . . . . .                                                                                       | 41        |
| <b>11.</b> | <b>Ion Clearing in Solenoids Using Transverse Cross-Field-Drift Velocities</b>                                                                      | <b>43</b> |
| <b>12.</b> | <b>Counteracting Trapped Ion Effects near the PANDA Target</b>                                                                                      | <b>45</b> |
| 12.1       | Preliminary remark . . . . .                                                                                                                        | 45        |
| 12.2       | Counteracting the very high production rates of $H_2^+$ ions near the PANDA target                                                                  | 50        |
| 12.3       | The PANDA target solenoid . . . . .                                                                                                                 | 53        |
| 12.4       | The compensation solenoid near the PANDA target . . . . .                                                                                           | 54        |
| 12.5       | Neutralization $\eta(s)$ if continuous ion clearing is abandoned in the region of the compensation solenoid and the PANDA target solenoid . . . . . | 54        |
| 12.6       | The dipole spectrometer magnet near the PANDA target . . . . .                                                                                      | 56        |
| 12.7       | The drift spaces near the PANDA target . . . . .                                                                                                    | 58        |
| 12.8       | The quadrupole magnets near the PANDA target . . . . .                                                                                              | 58        |
| 12.9       | The upstream and downstream dipole magnets of the PANDA chicane . . . . .                                                                           | 58        |
| <b>13.</b> | <b>Mitigation of Trapped Ion Effects in the Dipole Magnets of the Arcs</b>                                                                          | <b>59</b> |
| 13.1       | Ion clearing in dipole magnets by mean cross-field drift velocities . . . . .                                                                       | 59        |
| 13.2       | Vanishing of cross-field drift velocity in the beam center . . . . .                                                                                | 62        |
| 13.3       | Suppression of the ion peak in the center of dipole magnets . . . . .                                                                               | 63        |
| 13.4       | Timing of beam shifting in the arcs . . . . .                                                                                                       | 64        |
| 13.5       | Estimate of beam neutralization with beam shifting in the arcs . . . . .                                                                            | 64        |
| 13.6       | Shift of zero crossings of the closed orbit distortion inside of dipole magnets . .                                                                 | 67        |
| 13.7       | Ion clearing in dipole magnets by continuous clearing electrodes . . . . .                                                                          | 70        |
| 13.8       | Continuous ion clearing in dipole magnets using two half-cylinder electrodes .                                                                      | 71        |
| <b>14.</b> | <b>Damping of Coherent Instabilities</b>                                                                                                            | <b>72</b> |
| 14.1       | Ion oscillations . . . . .                                                                                                                          | 72        |
| 14.2       | Formalism of coherent instabilities . . . . .                                                                                                       | 73        |
| 14.3       | Landau damping of coherent instabilities . . . . .                                                                                                  | 77        |
| 14.4       | Numerical results . . . . .                                                                                                                         | 77        |
| 14.5       | Risk of coherent instabilities . . . . .                                                                                                            | 81        |
| 14.6       | Damping of instabilities using feedback systems . . . . .                                                                                           | 81        |
| <b>15.</b> | <b>Beam Shaking</b>                                                                                                                                 | <b>82</b> |
| 15.1       | Formalism . . . . .                                                                                                                                 | 82        |
| 15.2       | Experimental observations . . . . .                                                                                                                 | 83        |
| 15.3       | Resonant transverse shaking of the HESR beam . . . . .                                                                                              | 84        |

|                                                                                                     |            |
|-----------------------------------------------------------------------------------------------------|------------|
| <b>16. Trapped Ion Effects in the Electron Cooler</b>                                               | <b>86</b>  |
| 16.1 Negative potential well of the electron beam . . . . .                                         | 86         |
| 16.2 Ionization rate and neutralization due to the electron beam . . . . .                          | 87         |
| 16.3 Upper limit of EC neutralization by trapped ions at high beam energies . . . . .               | 91         |
| 16.4 Lower limit of EC neutralization by trapped ions at low beam energies . . . . .                | 91         |
| 16.5 Consideration of lower and upper limits of EC neutralization . . . . .                         | 91         |
| <b>17. Drawbacks of the Space-Charge Potential of the Electron Beam</b>                             | <b>93</b>  |
| 17.1 Dependence of the electron energy on the space-charge potential of the electron beam . . . . . | 93         |
| 17.2 Azimuthal velocities due to the space-charge potential of the electron beam . . . . .          | 95         |
| <b>18. Counteracting Space-Charge Effects of the EC beam</b>                                        | <b>98</b>  |
| 18.1 Neutralization of the electron-cooling beam with trapped ions . . . . .                        | 98         |
| 18.2 Measurement of the EC neutralization . . . . .                                                 | 99         |
| 18.3 Stabilization of the EC neutralization . . . . .                                               | 99         |
| 18.4 What is the optimum neutralization of the electron beam at low energies? . . . . .             | 100        |
| 18.5 Stabilization of the optimum neutralization $\eta = 1/\gamma_e^2$ at low energies . . . . .    | 101        |
| 18.6 Adjustment of the EC neutralization at higher energies . . . . .                               | 102        |
| <b>19. Summary and Conclusions</b>                                                                  | <b>103</b> |

Jül-4357  
Oktober 2012  
ISSN 0944-2952