



Novel insights into the energy metabolism of *Corynebacterium glutamicum* by comprehensive analysis of mutants defective in respiration or oxidative phosphorylation

Abigail Koch-Körfges

Forschungszentrum Jülich GmbH
Institute of Bio- and Geosciences (IBG)
Biotechnology (IBG-1)

Novel insights into the energy metabolism of *Corynebacterium glutamicum* by comprehensive analysis of mutants defective in respiration or oxidative phosphorylation

Abigail Koch-Körfges

Schriften des Forschungszentrums Jülich
Reihe Gesundheit / Health

Band / Volume 57

ISSN 1866-1785

ISBN 978-3-89336-826-6

Content

1	Summary	1
1.b	Zusammenfassung	2
2	Introduction	3
2.1.	<i>Corynebacterium glutamicum</i>	3
2.2.	The branched respiratory chain of <i>C. glutamicum</i>	3
2.2.1.	The cytochrome <i>bd</i> oxidase	6
2.2.2.	The cytochrome <i>bc₁-aa₃</i> supercomplex	6
2.3.	Reactive oxygen species	8
2.3.1.	Lipid peroxidation	9
2.4.	Oxidative phosphorylation by F ₁ F ₀ -ATP synthase	10
2.5.	Aim of this work	11
3	Results	13
I.	Physiology and global gene expression of a <i>Corynebacterium glutamicum</i> ΔF ₁ F ₀ -ATP synthase mutant devoid of oxidative phosphorylation	15
II.	Conversion of <i>Corynebacterium glutamicum</i> from an aerobic respiring to an aerobic fermenting bacterium by inactivation of the respiratory chain	36
III.	Lipid peroxidation triggered by the Rieske Fe-S protein in a <i>Corynebacterium glutamicum</i> mutant lacking cytochrome <i>aa₃</i> oxidase and diheme cytochrome <i>c₁</i>	60
4	Discussion	77
4.1.	Substrate level phosphorylation is sufficient for aerobic growth of <i>C. glutamicum</i> and oxidative phosphorylation appears overvalued	77
4.1.1.	Aerobic fermentation and fumarate respiration by the DOOR mutant	78
4.2.	The DOOR is open for alternative proton translocation	81
4.2.1.	Role of the F ₁ F ₀ -ATP synthase for pH homeostasis of the DOOR mutant	82
4.2.2.	Evidence that F ₁ F ₀ -ATP synthase activity is controlled by internal pH	83
4.3.	ROS formed in the absence of the respiratory chain complexes	84
4.4.	Formation of the highly reactive hydroxyl radical in the periplasm promotes lipid peroxidation in <i>C. glutamicum</i> Δ <i>ctaD</i>	85
4.5.	Putative Regulators involved in sensing of O ₂ , ATP, redox state or ROS	88

5	References	91
6	Appendix	97
6.1.	Supplementary Material to “Physiology and global gene expression of a <i>Corynebacterium glutamicum</i> ΔF_1F_0 -ATP synthase mutant devoid of oxidative phosphorylation”	97
6.2.	Supplementary Material to “Conversion of <i>Corynebacterium glutamicum</i> from an aerobic respiring to an aerobic fermenting bacterium by inactivation of the respiratory chain”	104
6.3.	Supplementary Material to “Lipid peroxidation triggered by the Rieske Fe-S protein in a <i>Corynebacterium glutamicum</i> mutant lacking cytochrome <i>aa_3</i> oxidase and diheme cytochrome <i>c_1</i> ”	127

Gesundheit / Health
Band / Volume 57
ISBN 978-3-89336-826-6

