



Self-consistent modeling of plasma response to impurity spreading from intense localized source

Mikhail Koltunov

Forschungszentrum Jülich GmbH
Institute of Energy and Climate Research (IEK)
Plasma Physics (IEK-4)

Self-consistent modeling of plasma response to impurity spreading from intense localized source

Mikhail Koltunov

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 156

ISSN 1866-1793

ISBN 978-3-89336-828-0

Contents

1	Introduction	1
1.1	Nuclear fusion – a key for growing energy consumption demands of mankind	1
1.2	Impurities in fusion devices and their impacts on plasmas	3
1.2.1	Sources of impurities in tokamaks	3
1.2.2	Radiation of impurities	4
1.2.3	Accumulation of heavy impurities	5
1.2.4	Behavior of light impurities	7
1.2.5	Deliberate seeding of impurities	8
1.2.6	Disruption mitigation	8
1.2.7	Reactor fueling	9
1.2.8	Summary of impurity impacts on fusion plasmas	10
1.3	State of arts in modeling of impurity seeded plasmas	10
1.3.1	Spatial and temporal requirements to models	10
1.3.2	A brief survey of theoretical models and numerical codes describing interaction between impurity and plasma	12
1.4	Motivation and outline of this work	14
2	Basic equations	19
2.1	Neutral transport	20
2.2	Plasma quasi-neutrality	20
2.3	Charged impurity transport	20
2.4	Transport equations for main plasma components	22
3	Stationary modeling of impurity spreading and impacts on plasma of scrape-off layer and edge regions	25
3.1	Model	26
3.1.1	Impurity neutral density	26
3.1.2	Charged particle densities	27
3.1.3	Heat transport	28

3.1.4	Integrated particle and momentum balances	29
3.1.5	Integrated heat balances	32
3.2	Results of calculations and discussion	34
3.2.1	Modification of plasma parameters with injection intensity	35
3.2.2	Radial penetration of impurity into the plasma	37
3.2.3	Radiation energy losses from impurity cloud	40
3.2.4	Model validation and sensitivity to input parameters .	42
3.3	Conclusions	43
4	Time-dependent modeling of impurity spread in hot plasma	45
4.1	Model	45
4.1.1	Impurity neutral transport	45
4.1.2	Charged impurity transport in shell approximation .	46
4.2	Numerical approach for solving of partial differential equation systems with interlaced variables	48
4.3	Results of calculations and discussion	50
4.3.1	Spreading of impurity ions on magnetic surfaces	50
4.3.2	Stationary characteristics of impurity ions	54
4.3.3	Role of impurity transport in the radial direction . .	59
4.4	Conditions for applicability of unperturbed temperature approximation	60
4.5	Conclusions	61
5	The impact of plasma cooling on impurity spreading	65
5.1	Model	65
5.1.1	Heat transfer in main plasma components	65
5.1.2	Integrated heat balance	66
5.2	Results of calculations and discussion	69
5.2.1	The impact of plasma cooling on impurity spreading .	69
5.2.2	Unstationary neutral injection	71
5.2.3	Effect of radial transport on local plasma cooling by impurity spreading	71
5.3	Conclusions	74
6	A new look on formation of cold dense structures in plasmas	75
6.1	Model	76
6.2	Approach to numerical solution of partial differential equation systems using “generalized” variables	76
6.3	Results of calculations and discussion	80

6.3.1	The roles of different mechanisms in impurity impact on plasma	80
6.3.2	A new look on formation of cold dense structures	82
6.3.3	Criterion for formation of cold dense structures	85
6.4	Conclusions	86
7	Summary & Outlook	89
7.1	Main results of this work	89
7.2	Future developments	91
A	Appendix	93
A.1	Condition of zero parallel current	93
A.2	Calculation of the heat flux into the cloud	93
A.3	Reduction of time-dependent model to stationary case	95
	Bibliography	97
	List of publications 2009-2012	109

Energie & Umwelt / Energy & Environment
Band / Volume 156
ISBN 978-3-89336-828-0

