

Institute for Advanced Simulation (IAS)
Jülich Supercomputing Centre (JSC)

GPU-accelerated Segmentation of high-resolution Human Brain Images acquired with Polarized Light Imaging

Anna Maria Westhoff

Contents

1	Introduction	1
2	Polarized Light Imaging (PLI)	3
2.1	Motivation for PLI	3
2.2	Preparation of a Brain	3
2.3	Rotating Polarimeter and Imaging	5
2.4	3D Reconstruction of the Polarimeter Images	7
2.5	Requirements for the Segmentation	9
3	Choice of the Algorithm	13
3.1	Segmentation Methods	13
3.1.1	Thresholding	13
3.1.2	Region-Based Segmentation	13
3.1.3	Boundary-Driven Techniques	15
3.1.4	Classification Methods	15
3.2	Comparison of Segmentation Tools	16
3.2.1	Images used for the Comparison	16
3.2.2	Process of Testing	17
3.2.3	Results and Evaluation	17
3.2.4	Summarizing Evaluation	35
4	Seeded Region Growing Segmentation	39
4.1	A basic Algorithm	39
4.2	Adaption of Seeded Region Growing	42
4.2.1	Automated Choice of Seeds	42
4.2.2	Similarity Criterion	54
4.2.3	Choice of the Growing Operator	55
4.3	Processing Pipeline	56
4.4	Review of the Requirements	58
4.5	Optimization of the Runtime Behavior	63
4.5.1	Multi-core Application	64
4.5.2	Data Parallelism and GPUs	65
4.5.3	Evaluation of the Parallelization	69
5	Conclusion and Outlook	77
	Bibliography	83
A	JUDGE Configuration	I

Jül-4365
September 2013
ISSN 0944-2952