

Material migration in tokamak plasmas with a three-dimensional boundary

Ruth Laengner

Member of the Helmholtz Association

JÜLICH
FORSCHUNGSZENTRUM

Forschungszentrum Jülich GmbH
Institute for Energy and Climate Research (IEK)
Plasmaphysics (IEK-4)

Material migration in tokamak plasmas with a three-dimensional boundary

Ruth Laengner

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment Band / Volume 198

ISSN 1866-1793 ISBN 978-3-89336-924-9

Contents

1 Introduction **1**

2 The concept of thermonuclear fusion and magnetic confinement **5**
2.1 The principle of thermonuclear fusion 5
2.2 Magnetic confinement and the safety factor q 5
2.3 The tokamak 8
2.3.1 The high confinement mode 9
2.3.2 The scrape-off layer 9
2.4 Stochastisation of the magnetic field by resonant magnetic perturbations . 12

3 Numerical codes **16**
3.1 The impurity transport code ERO 16
3.1.1 Application of the ERO code 18
3.2 Field line tracing 19

4 Experimental methods **24**
4.1 The tokamak TEXTOR 24
4.1.1 Application of resonant magnetic perturbations with the dynamic ergodic divertor 24
4.1.2 Diagnostics applied 28
4.1.3 Observation of the material transport 32
4.1.4 Determination of the heat flux from IR observation 33
4.2 Post mortem surface analysis 37
4.2.1 Colourimetric fringe analysis 37
4.2.2 Nuclear reaction analysis 38
4.2.3 Secondary ion mass spectrometry 39
4.2.4 Profilometry 40

5 Impurity transport in a 3D stochastic edge **41**
5.1 Impact of drifts and sonic flows on impurity transport in the 3D scarpe-off layer 45
5.2 Discussion of the light emission observed 49
5.3 Ion transport due to higher radial electric field E_r 53
5.3.1 Description of the experimental configurations 54
5.3.2 Local plasma effects in the static RMP case 56
5.3.3 Indication of stochastic finger and 3D SOL flux tube at TL position during RMP sweep 60

5.4 Analysis of the poloidal structure in the 3D plasma boundary with field line tracing . . . 64
5.4.1 3D structure during the static RMP case . . . 64
5.4.2 Stochastic finger and 3D SOL flux tube during RMP sweep . . . 65
5.5 Sonic flow effects for SOL impurity transport . . . 68
5.6 Impurity transport modelling with the ERO code . . . 71
5.6.1 Boundary conditions for axisymmetric ERO modelling as reference case . . . 71
5.6.2 Modification of the code for the RMP cases . . . 78
5.6.3 Electric fields in ERO with RMP fields applied . . . 82
5.7 Estimation of changes in the radial electric field of divertor tokamaks during applied RMPs . . . 87

6 Deposition of trace impurities in the 3D SOL 89
6.1 Characterisation of erosion and deposition balance for unperturbed edge plasmas . . . 89
6.1.1 Deriving the local deposition efficiencies . . . 90
6.1.2 Comparison of experimental results to TEXTOR experimental data base for deposition efficiencies . . . 94
6.1.3 Modelling of the local trace impurity deposition . . . 98
6.2 Carbon deposition in the 3D plasma boundary . . . 106
6.2.1 Deposition in the stochastic finger domain under enhanced $E_r \times B$-drift conditions . . . 106
6.2.2 Deposition in the 3D SOL flux tube domain under enhanced $E_r \times B$-drift conditions . . . 112
6.2.3 Local deposition as a function of the 3D SOL position . . . 118
6.2.4 Deposition during the sweep of the 3D structures . . . 121

7 Formation of hydrogen containing carbon layers in the 3D scrape-off layer 125
7.1 Colourimetric fringe analysis of the deposited hydrogen containing carbon ^{12}C layers . . . 128
7.2 Deuterium retention analysed by nuclear reaction analysis . . . 133

8 Summary and Outlook 137



Energie & Umwelt / Energy & Environment
Band / Volume 198
ISBN 978-3-89336-924-9

JÜLICH
FORSCHUNGSZENTRUM