



Innovative SANEX process for trivalent actinides separation from PUREX raffinate

Michał Sypuła

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung (IEK)
Nukleare Entsorgung und Reaktorsicherheit (IEK-6)

Innovative SANEX process for trivalent actinides separation from PUREX raffinate

Michał Sypuła

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 200

ISSN 1866-1793

ISBN 978-3-89336-927-0

1.	ABSTRACT	4
2.	INTRODUCTION	9
2.1.	NUCLEAR FUEL CYCLE.....	12
2.2.	RADIOTOXICITY AND TIME REQUIRED FOR THE WASTE STORAGE	14
2.3.	PARTITIONING AND TRANSMUTATION	15
2.4.	FAST REACTORS	16
2.5.	NUCLEAR FUEL CYCLE STRATEGIES INCLUDING P&T	17
2.6.	FUNDAMENTALS OF SOLVENT EXTRACTION.....	19
2.7.	SEPARATION OF TRIVALENT ACTINIDES FROM TRIVALENT LANTHANIDES	21
2.8.	STATE OF ART IN THE MINOR ACTINIDE PARTITIONING	22
2.9.	MULTI-CYCLE PROCESSES	24
2.10.	ONE-CYCLE PROCESSES	27
2.11.	NEW EUROPEAN CONCEPTS UNDER DEVELOPMENT	28
2.12.	SCOPE OF THE WORK	30
3.	EXPERIMENTAL PART	31
3.1.	PROCEDURES.....	32
3.1.1.	Determination of distribution ratios and separation factors.....	32
3.1.2.	High Active Raffinate solutions	33
3.1.3.	DIAMEX raffinate solution.....	35
3.1.4.	Determination of the nitric acid extraction into the organic phase	35
3.1.5.	Determination of the limiting organic concentration.....	36
3.1.6.	Screening tests of the new compounds delivered by University of Twente.....	36
3.1.7.	The determination of stability constants of Zr complexes with CDTA and EDTA.	38
3.2.	CHEMICALS AND REAGENTS	39
3.3.	APPARATUS	40
4.	RESULTS AND DISCUSSION	42
4.1.	REVERSED TALSPEAK	45
4.1.1.	The influence of the purity of the extractant on An(III) separation	49
4.1.2.	The influence of pH on the extraction of actinides(III) and lanthanides(III).	51
4.1.3.	The influence of different polyaminocarboxylic acids on An(III) and Ln(III) extraction.....	55
4.1.3.1	NTA.....	58
4.1.3.2	EDTA	59
4.1.3.3	HEDTA	59
4.1.3.4	CDTA.....	60
4.1.3.5	DTPA	62
4.1.3.6	TTHA	65
4.1.4.	The performance of DTPA and TTHA in the reversed-TALSPEAK	67
4.2.	DIAMEX-SANEX.....	70
4.2.1.	Nitric acid concentration dependency on An(III) + Ln(III) extraction	73
4.2.2.	Co-extraction of Ln(III)/An(III) from HAR	75

4.2.3.	Selective stripping of An(III)	76
4.2.4.	Stripping of Ln(III).....	81
4.3.	INNOVATIVE SANEX	83
4.3.1.	Solvent based on TODGA + TBP	86
4.3.1.1.	Co-extraction of Ln(III) + An(III) from HAR solution	87
4.3.1.2.	Selective stripping of trivalent Actinides.....	90
4.3.1.2.1	Screening of buffers and complexing agents	91
4.3.1.2.2	The influence of the DTPA concentration.....	96
4.3.1.2.3	The influence of the initial pH.....	98
4.3.1.2.4	The influence of the nitrate ion concentration	102
4.3.1.3.	Stripping of trivalent Lanthanides	104
4.3.2.	Solvent based on TODGA + 1-octanol.....	105
4.3.2.1.	Nitric acid concentration dependency.....	106
4.3.2.2.	Nitric acid extraction.....	107
4.3.2.3.	The extraction of HAR elements	111
4.3.2.4.	The extraction of Strontium.....	114
4.3.2.5.	Selective stripping of trivalent actinides.....	116
4.3.2.5.1.	Screening of buffers and complexing agents	116
4.3.2.5.2.	The influence of the initial pH.....	119
4.4.	NEW MASKING AGENT	123
4.4.1.	The influence of CDTA on the extraction of HAR elements.....	124
4.4.2.	Influence of the nitric acid concentration on the Pd, Zr, ²⁴¹ Am and ¹⁵² Eu extraction.....	128
4.4.3.	Influence of the CDTA concentration on the ²⁴¹ Am and ¹⁵² Eu extraction	130
4.4.4.	The influence of the Zr concentration on its complexation by CDTA.....	132
4.4.5.	The influence of CDTA on the extraction kinetics.....	134
4.4.6.	The influence of CDTA on Zr and Pd extraction after extended phase contact time.....	136
4.4.7.	Distribution ratios of HAR elements in the extraction and scrubbing steps	138
4.4.8.	The extraction of Pd and Zr in the presence of CDTA and HEDTA	140
4.4.9.	Determination of the stability constants of complexes Zr with CDTA and EDTA.....	143
4.4.9.1.	EDTA	146
4.4.9.2.	CDTA.....	148
4.5.	SINGLE CENTRIFUGAL CONTACTOR TEST	151
4.5.1.	The extraction step	154
4.5.2.	The scrubbing step.....	157
4.5.3.	The selective Actinide stripping step.....	161
4.5.4.	The Lanthanide stripping step	164
4.5.5.	The steady states.....	164
4.5.6.	The influence of the aqueous/organic phase volumetric ratio.....	165
4.5.7.	Nitric acid profiles.....	169
4.6.	SCREENING TESTS OF NEW LIPOPHILIC AND HYDROPHILIC LIGANDS	171
4.6.1.	Lipophilic compounds prepared at Twente.....	171
4.6.1.1.	Extraction of Am(III) and Eu(III) with TODGA derivative ligands containing oxygen as a central atom	172
4.6.1.2.	Extraction of Am(III) and Eu(III) with TODGA derivative ligands containing nitrogen as a central atom	177
4.6.1.3.	Extraction of Am(III) and Eu(III) with diethylenetriaminepentaacetic acid (DTPA) derivatives.....	179

4.6.1.4.	Extraction of Am(III) and Eu(III) with malonamide and diglycolamide derivatives containing sulphur and phosphorus	181
4.6.1.5.	Optimisation studies on TWE-21	183
4.6.2.	Water-soluble ligands.....	185
4.6.2.1.	Extraction of Am(III) and Eu(III) with water-soluble TODGA derivative ligands	187
4.6.2.2.	Extraction of Am(III) and Eu(III) with water-soluble ligands containing sulphur	191
4.6.2.3.	Extraction of Am(III) and Eu(III) with water-soluble tripodal ligands.....	194
5.	CONCLUSIONS	197
5.1.	SUMMARY	197
5.2.	OUTLOOK	201
6.	ACKNOWLEDGEMENTS	202
7.	LITERATURE.....	205



Energie & Umwelt / Energy & Environment
Band / Volume 200
ISBN 978-3-89336-927-0

 **JÜLICH**
FORSCHUNGSZENTRUM