



Interaction of Phosphoric Acid with Cell Components in High Temperature Polymer Electrolyte Fuel Cells

Fang Liu

Forschungszentrum Jülich GmbH
Institute of Energy and Climate Research
Electrochemical Process Engineering (IEK-3)

Interaction of Phosphoric Acid with Cell Components in High Temperature Polymer Electrolyte Fuel Cells

Fang Liu

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 219

ISSN 1866-1793

ISBN 978-3-89336-972-0

Contents

1	Introduction and Goal of Work	1
1.1	Acid in ABPBI membrane	1
1.2	Acid distribution in catalyst layer	2
1.3	Gas distribution in catalyst layer	2
1.4	Outline	2
2	Theory and Literature Overview	3
2.1	General overview	3
2.2	Membrane with phosphoric acid	4
2.2.1	Kinetic study	5
2.2.2	Thermodynamic study	5
2.3	Gas diffusion electrode	8
2.3.1	Gas diffusion layer	8
2.3.2	Catalyst layer with phosphoric acid	9
2.3.3	Degradation of catalyst layer	11
2.4	Flow field geometry	12
2.5	Statistical analysis	13
2.5.1	Distribution of experimental data	13
2.5.2	Design of experiment	14
3	Doping Membrane, Cell Assembly and Characterization	15
3.1	Doping the membrane	15
3.1.1	Doping ABPBI with varied temperature	15
3.1.2	Doping ABPBI with varied concentration	16
3.1.3	Doping level of ABPBI	16
3.2	MEA and cell assembly	18
3.2.1	Electrode preparation	18
3.2.2	Introducing acid into the MEA	19
3.2.3	Cell assembly	19
3.3	Physical characterization	20
3.3.1	Catalyst loading gradient of the catalyst layer	20
3.3.2	Air permeability of GDL and GDE	20
3.3.3	Pressure difference between inlet and outlet of cell	21

3.4	Electrochemical characterization	21
3.4.1	Break-in process	21
3.4.2	Polarization curve	22
3.4.3	Electrochemical impedance spectroscopy	22
3.4.4	Durability experiment	23
3.4.5	Cyclic voltammetry	23
3.4.6	Water collection	24
3.5	Morphology and structure characterization	25
3.5.1	Microscopy	25
3.5.2	Grain size of platinum	25
3.6	Statistical study	25
3.7	Reproducibility of HT-PEFCs (single cells)	26
4	Determination of Acid Doping Level I	29
4.1	Doping level of ABPBI membrane	29
4.2	Reaction rate law	31
4.2.1	Available sites	31
4.2.2	Pseudo-first-order rate law	33
4.2.3	Pseudo-second-order rate law	35
4.2.4	Activation energy	38
4.3	Diffusion mechanism of doping process	38
4.4	Summary	40
5	Determination of Acid Doping Level II	41
5.1	Isotherm study at room temperature	41
5.1.1	Doping level with different acid concentrations	41
5.1.2	Scatchard plot	42
5.1.3	Dissociation of ABPBI-H ₃ PO ₄	45
5.2	Isotherm study at 70 °C	46
5.2.1	Doping level with different acid concentrations	46
5.2.2	Scatchard plot	47
5.3	Summary	49
6	Microporous Layer of Anode and Cathode	51
6.1	Effect of MPL on physical properties of GDE	51
6.1.1	Structure and morphology	51
6.1.2	Catalyst loading gradient	54
6.1.3	Air permeability	55
6.2	Effect of MPL on electrochemical performance of HT-PEFCs	55
6.2.1	Polarization curves	56
6.2.2	Resistances	57
6.2.3	Water collection	58
6.2.4	Discussion	59
6.3	Summary	61

7 Anode Thickness	63
7.1 Effect of catalyst layer thickness on physical properties of GDE	63
7.1.1 Morphology	63
7.1.2 Air permeability	64
7.2 Effect of catalyst layer thickness on performance of HT-PEFC	66
7.2.1 Polarization curves	66
7.2.2 Water collection	67
7.3 Discussion	68
7.4 Summary	68
8 Catalyst Layer Morphology, Platinum Loading and Phosphoric Acid Content	69
8.1 Experimental plan	69
8.2 Results and analysis	70
8.2.1 Cell voltage	70
8.2.2 Resistances	71
8.2.3 Water collection	74
8.2.4 Active surface area of cathode catalyst	75
8.3 Discussion	77
8.3.1 Cell operated under currentless condition	77
8.3.2 Cell operated under constant load	82
8.3.3 Acid concentration in cathode	85
8.4 Summary	89
9 Flow Field Geometry	91
9.1 Customized spiral flow field	91
9.1.1 Arrangement of flow channels	92
9.1.2 Pressure drop between inlet and outlet	93
9.1.3 Cell performance	94
9.1.4 Resistances	95
9.2 Optimization of spiral flow field	100
9.2.1 Pressure difference	100
9.2.2 Cell performance	101
9.2.3 Resistances	102
9.3 Durability of optimized spiral flow field	104
9.4 Summary	108
10 Discussion	109
10.1 Interaction of phosphoric acid with ABPBI membrane	109
10.2 Interaction of phosphoric acid with cathode	110
10.3 Interaction of phosphoric acid with gases	110
11 Conclusion	111
Appendix	113
A1 Concentration and density of phosphoric acid	113

A2	Doped membrane	113
A2.1	Membrane dimension and doping level	113
A2.2	Component content in doped membrane	114
A2.3	Specific conductivity of doped membrane (ex-situ)	116
A3	Catalyst layer	118
A3.1	Catalyst grain and particle	118
A3.2	Grain size of operated catalyst	118
A3.3	Specific surface area and utilization of Platinum	118
A3.4	Intercept of Nyquist curves	120
A3.5	Anodic catalyst loading and kinetic	121
A3.6	Catalyst loading and thickness	121
A3.7	Details of investigated cells in Chapter 8	122
A4	Design of flow field	123
A4.1	Performance of cells with different active area	123
A4.2	Water anode ratio of spiral cells	123
A4.3	Modified flow fields designs	124
A4.4	Pressure test with different flow field designs and electrode substrates	125
Nomenclature		127
Bibliography		131
List of Figures		139
List of Tables		145
Acknowledgments		147



Energie & Umwelt / Energy & Environment
Band / Volume 219
ISBN 978-3-89336-972-0

