




Tat-translocase composition in *Corynebacterium glutamicum* and the effect of TorD coexpression

Dan Oertel

Forschungszentrum Jülich GmbH
Institute of Bio- and Geosciences (IBG)
Biotechnology (IBG-1)

Tat-translocase composition in *Corynebacterium glutamicum* and the effect of TorD coexpression

Dan Oertel

Schriften des Forschungszentrums Jülich
Reihe Gesundheit / Health

Band / Volume 75

ISSN 1866-1785


ISBN 978-3-89336-996-6

Table of contents

1. Introduction	1
1.1. <i>Corynebacterium glutamicum</i>	1
1.1.1. The cell envelope of <i>C. glutamicum</i>	2
1.2. Sec-dependent protein translocation	3
1.3. Tat-dependent protein translocation	4
1.3.1. The Tat signal peptide	5
1.3.2. The Tat translocase of <i>E. coli</i> and plant thylakoids	6
1.3.3. Evolutionary diversity of the Tat-pathway	7
1.3.4. The TatAC-type translocases of <i>Bacillus subtilis</i>	8
1.3.5. The Tat-translocase of <i>Corynebacterium glutamicum</i>	9
1.4. The Redox enzyme maturation protein TorD	11
1.4.1. Expression of TorD in <i>C. glutamicum</i>	13
1.5. Aims of this work	15
2. Material & Methods	17
2.1. Chemicals and Enzymes	17
2.2. Strains, plasmids and oligonucleotides	17
2.2.1. Strains	17
1. <i>Escherichia coli</i>	17
2. <i>Corynebacterium glutamicum</i>	18
2.2.2. Plasmids	18
1. Expression in <i>E. coli</i>	18
2. Expression in <i>C. glutamicum</i>	19
2.2.3. Oligonucleotides	20
2.3. Microbiological methods	23
2.3.1. <i>E. coli</i> media	23
1. LB (lysogeny broth)	23
2. MacConkey agar	23
3. Minimal medium	23
2.3.2. <i>C. glutamicum</i> media	24
1. BHI/ BHIS	24
2. CgXII	24
2.3.3. Antibiotics	25
2.3.4. Cultivation conditions	25
2.3.5. Long-term storage of cultures	25
2.3.6. Growth measurement	25
2.3.7. In-frame gene deletions	25
2.3.8. Chemically competent <i>E. coli</i>	26
2.3.9. Electro-competent <i>E. coli</i>	27
2.3.10. Electro-competent <i>C. glutamicum</i>	27
2.4. Molecular Biological methods	29
2.4.1. Preparation of chromosomal DNA	29
2.4.2. Preparation of plasmid DNA	29
2.4.3. Restriction of DNA	29

2.4.4. DNA-precipitation.....	29
2.4.5. Ligation of DNA fragments.....	29
2.4.6. Agarose gel electrophoresis.....	30
2.4.7. DNA purification from agarose gels	30
2.4.8. Polymerase Chain Reaction.....	31
1. Standard PCR	31
2. Colony PCR.....	31
3. Crossover PCR	31
4. Error prone PCR.....	32
2.4.9. Site-directed mutagenesis.....	32
2.5. Protein biochemical methods	32
2.5.1. Preparation of <i>E. coli</i> membranes	32
2.5.2. Fractionation of <i>E. coli</i> cells by EDTA-lysozyme spheroblasting	33
2.5.3. Preparation of <i>C. glutamicum</i> fractions.....	33
2.5.4. in vivo DSS-Crosslinking.....	34
2.5.5. Purification of Strep-tagged TorD	34
2.5.6. SDS-Polyacrylamide Gel Electrophoresis.....	35
2.5.7. Western Blotting	36
1. Primary antibodies (anti-rabbit)	36
2. Secondary antibodies.....	37
3. Development	37
2.5.8. Mass spectrometric protein identification	37
3. Results.	39
3.1. TatB involvement in <i>C. glutamicum</i> Tat translocation	39
3.1.1. Construction of <i>C. glutamicum</i> <i>tatA/E</i> and <i>tatB</i> -mutants.....	39
1. <i>C. glutamicum</i> <i>tat</i> -mutant growth phenotypes	40
2. All <i>C. glutamicum</i> <i>tat</i> -mutants are unable to secrete GFP Tat-dependently	42
3.1.2. The Rieske protein QcrA is an important Tat-substrate for <i>C. glutamicum</i>	44
1. QcrA is integrated into the membrane in a Tat-dependent manner	45
2. TatB is necessary for the membrane integration of QcrA	47
3.1.3. TatB _{C.g.} is a bona fide TatB protein	48
1. TatB _{C.g.} is unable to substitute for <i>E. coli</i> TatA function.....	50
3.1.4. Conclusion I: <i>C. glutamicum</i> possesses an ABC-type Tat-translocase	51
3.2. The effect of TorD coexpression	52
3.2.1. Coexpression of TorD in complemented <i>E. coli</i> Δ <i>tatB</i> leads to an export block	53
1. The export of TorA ^{SP} -Bla can be blocked by TorD	54
2. The export of TorA ^{SP} -MalE can be blocked by TorD.....	57
3. The export of TorA ^{SP} -GFP can be blocked by TorD.....	60
3.2.2. Crosslinking of TorD ^{Strep} to its artificial substrate TorA ^{SP} -MalE	62
3.2.3. Comparing the TatB proteins of <i>C. glutamicum</i> and <i>E. coli</i>	64
1. Truncation analysis of TatB _{C.g.}	66
2. Hybrid molecules of TatB _{E.c.} and TatB _{C.g.}	69
3.2.4. Mutagenesis of <i>tatB</i> indicates that TatB _{C.g.} presence might be problematic for release of TorD from TorA ^{SP} -substrate	73
3.2.5. TatB-presence is not absolutely necessary for the release of TorD from TorA ^{SP} -MalE	78

3.2.6. Conclusion II: Disturbing the integrity of the Tat-translocase results in incompatibility with TorD	80
4. Discussion	81
4.1. <i>Corynebacterium glutamicum</i> possesses an ABC-type Tat-translocase.....	81
4.1.1. The physiologically important <i>C.glutamicum</i> Rieske protein is translocated Tat-dependently.....	83
4.1.2. <i>C. glutamicum</i> TatB is not bifunctional and thus a <i>bona fide</i> TatB protein.....	85
4.2. Impairing translocase integrity results in incompatibility with the REMP TorD	86
4.2.1. Export block of TorA ^{SP} -substrates in <i>C. glutamicum</i> upon coexpression of TorD.....	87
4.2.2. An interaction of TatB with the TorD/substrate complex is not necessary to release TorD from the substrate.....	88
4.2.3. TorD efficiently binds the artificial substrate TorA ^{SP} -MalE.....	90
4.2.4. Quantity and quality of the expressed TatB protein determine how well TorA ^{SP} -substrate is translocated in presence of TorD.....	91
4.2.5. A kinetic partitioning between binding to TorD and export via the Tat-translocase determines the amount of exported TorA ^{SP} -substrate.....	94
Summary.....	97
Zusammenfassung.....	99
5. Bibliography.....	101



Gesundheit / Health
Band / Volume 75
ISBN 978-3-89336-996-6