


Pyrochlore as nuclear waste form: actinide uptake and chemical stability

Sarah Charlotte Finkeldei



Energie & Umwelt/
Energy & Environment
Band/ Volume 276
ISBN 978-3-95806-072-2

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Nukleare Entsorgung und Reaktorsicherheit (IEK-6)

Pyrochlore as nuclear waste form: actinide uptake and chemical stability

Sarah Charlotte Finkeldei

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 276

ISSN 1866-1793

ISBN 978-3-95806-072-2

Contents

Abbreviations	ix
1 Introduction	1
2 Scientific and theoretical background	5
2.1. The ZrO_2 - Nd_2O_3 system	5
2.2. Synthesis of ZrO_2 - Nd_2O_3 ceramic pellets.....	7
2.2.1 Powder fabrication	7
2.2.2 Ceramic pellet formation	9
2.3. Structural characterisation of ZrO_2 - Nd_2O_3 ceramics.....	9
2.3.1 The pyrochlore and defect fluorite crystal structure	9
2.3.2 Powder diffraction	13
2.3.3 Electron diffraction – single crystal diffraction.....	15
2.3.4 Time resolved laser fluorescence spectroscopy / luminescence spectroscopy.....	18
2.4. Properties of ZrO_2 - Nd_2O_3 ceramics as potential nuclear waste forms.....	22
2.4.1 Structural uptake of Pu.....	22
2.4.2 Theoretical background: Dissolution kinetics.....	23
2.4.3 Experimental background: Dissolution kinetics.....	38
3 Aim of this work.....	43
4 Materials & methods.....	45
4.1. Synthesis of pyrochlores	45
4.1.1 Synthesis by coprecipitation with liquid ammonia	45
4.1.2 Synthesis with gaseous ammonia	46
4.1.3 Sol-gel synthesis.....	46
4.1.4 Ceramic pellet formation	47
4.1.5 Powder preparation for dissolution experiments.....	48
4.1.6 Synthesis of $La_2Zr_2O_7$ for TRLFS measurements	48
4.1.7 Synthesis of Pu-pyrochlores.....	48
4.2. Dissolution Experiments.....	51

4.2.1	Batch dissolution experiments.....	51
4.2.2	Dynamic dissolution experiments	52
4.3.	Analytical methods	54
4.3.1	XRD	54
4.3.2	FIB	55
4.3.3	Electron microscopy	57
4.3.4	TRLFS	58
4.3.5	BET	59
4.3.6	Elemental analysis of aqueous solutions	59
5	Results & discussion	61
5.1.	Phase stability field of pyrochlore and consequence of non-stoichiometry.....	61
5.1.1	Powder diffraction: from stoichiometric pyrochlore to defect fluorite	61
5.1.2	The antisite exchange model – a first attempt to describe the non-stoichiometric pyrochlores.....	70
5.1.3	Electron diffraction at $ZrO_2 - Nd_2O_3$ ceramics with the pyrochlore and defect fluorite crystal structure.....	74
5.2.	Radionuclide uptake.....	77
5.2.1	Structural investigation of Ln, An-pyrochlores by TRLFS.....	77
5.2.2	Structural uptake of Pu-239.....	86
5.3.	Dissolution kinetics.....	94
5.3.1	Batch Dissolution experiments	94
5.3.2	Temporal evolution and stoichiometry of dynamic dissolution experiments	95
5.3.3	Effect of chemical composition and non-stoichiometry of the dissolution rate.....	97
5.3.4	pH dependence of the dissolution rate	100
5.3.5	Effect of temperature.....	102
5.3.6	Deviation from thermodynamic equilibrium.....	103
5.3.7	From the macroscopic to the microscopic scale	107
6	Conclusions and outlook	119
7	Appendix	123

8	List of figures.....	127
9	List of tables.....	135
10	References.....	137
11	Acknowledgements.....	149

**Energie & Umwelt /
Energy & Environment
Band / Volume 276
ISBN 978-3-95806-072-2**

