


# Large-Scale Three Dimensional Modelling of a Direct Methanol Fuel Cell Stack

John Wilkie McIntyre



Energie & Umwelt/  
Energy & Environment  
Band/ Volume 289  
ISBN 978-3-95806-094-4

Forschungszentrum Jülich GmbH  
Institute of Energy and Climate Research  
Electrochemical Process Engineering (IEK-3)

# Large-Scale Three Dimensional Modelling of a Direct Methanol Fuel Cell Stack

John Wilkie McIntyre

Schriften des Forschungszentrums Jülich  
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 289

---

ISSN 1866-1793

ISBN 978-3-95806-094-4

## Contents

1	Fundamentals .....	13
1.1	The Methanol Economy .....	13
1.2	Fuel Cells .....	14
1.2.1	Chemistry.....	16
1.2.2	Materials and Construction .....	16
2	Challenges in DMFC Technology.....	18
2.1	Performance .....	18
2.1.1	Backing Layer .....	20
2.1.2	Catalyst Layer.....	24
2.1.3	Membrane .....	26
2.2	DMFC Durability.....	27
2.2.1	Critical Operating Regimes .....	28
2.2.2	Catalyst Degradation .....	28
2.3	Goals .....	31
2.3.1	Stack operation and optimisation .....	32
2.3.2	Non-standard operation: Disruption effects and their consequences .	32
3	Modelling of a fuel cell stack .....	33
3.1	Zero-dimensional (0D) model.....	33
3.1.1	Base Model .....	33
3.1.2	Key assumptions .....	37
3.2	Large—scale numerical model .....	39
3.2.1	Stack decomposition .....	39
3.2.2	Electric Model.....	40

3.2.3	Electrochemical model .....	41
3.2.4	Model for the flow in anode and cathode feed channels .....	42
3.3	Dimensionless system of equations .....	44
3.3.1	Heat transport model .....	44
3.4	Additional Elements for Modelling Failure Regimes .....	48
3.4.1	Feed Disruption .....	48
3.4.2	Partial cathode flooding .....	49
3.5	Summary.....	52
4	Code .....	54
4.1	Model Development.....	54
4.1.1	Model Control.....	54
4.1.2	Flexibility.....	55
4.1	Numerical Details .....	56
4.2	Poisson and Zero-In Solvers.....	56
4.3	Algorithm .....	57
4.3.1	Main Function.....	59
4.3.2	Temperature.....	60
4.3.3	Electric and Electrochemical Model .....	61
4.4	Communication and Scaling .....	62
4.5	Summary.....	65
5	Model Fitting.....	66
5.1	Typical Experimental Stack Variants and Constants.....	66
5.2	Electrochemical performance parameters: OD .....	68
5.3	Fuel supply related parameters.....	70

5.4	Summary.....	73
6	Results.....	74
6.1	Model Fitting .....	74
6.1.1	Electrochemical performance parameters: OD Tafel Coefficients and Exchange Current Density .....	74
6.1.2	Fuel supply related parameters.....	75
6.2	Temperature Distribution.....	80
6.3	Optimal Feed Parameters.....	84
6.3.1	Methanol Stoichiometry.....	84
6.3.2	Methanol Starting Concentration.....	85
6.3.3	Operational Envelopes .....	88
6.3.4	Minimum Concentration .....	90
6.4	Feed Disturbance.....	91
6.4.1	Minor Disturbance.....	91
6.4.2	Extreme Disturbance .....	93
6.5	Cathode Flooding.....	98
6.5.1	Non-critical disruption .....	99
6.5.2	Transition region.....	100
6.5.3	Critical disruption .....	108
6.6	Convergence .....	114
6.6.1	Normal Operation.....	114
6.6.2	Feed Disturbance.....	115
6.6.3	Cathode Flooding.....	118
7	Summary .....	121
8	Conclusions .....	124

9 References ..... 126

**Energie & Umwelt /  
Energy & Environment  
Band / Volume 289  
ISBN 978-3-95806-094-4**

