


Scanning tunneling microscopy of single-molecule magnets and hybrid-molecular magnets: Two approaches to molecular spintronics

Volkmar Heß



Forschungszentrum Jülich GmbH
Peter Grünberg Institute (PGI)
Electronic Properties (PGI-6)

Scanning tunneling microscopy of single-molecule magnets and hybrid-molecular magnets: Two approaches to molecular spintronics

Volkmar Heß

Schriften des Forschungszentrums Jülich
Reihe Schlüsseltechnologien / Key Technologies

Band / Volume 121

ISSN 1866-1807

ISBN 978-3-95806-128-6

Contents

1	Introduction	1
2	Scanning Tunneling Microscopy	5
2.1	Modes of operation	5
2.2	The one dimensional tunneling effect	8
2.3	Perturbation theory approach	9
2.4	Scanning tunneling spectroscopy	10
2.5	Spin polarized tunneling	13
3	Molecular spintronics	17
3.1	Properties of molecules	19
3.1.1	Electronic properties	19
3.1.2	Magnetic properties of Single Molecule Magnets	20
3.2	Molecule-Surface Interaction	23
3.2.1	Adsorption phenomena	23
3.2.2	Molecules on magnetic surfaces	26
3.2.3	Experimental confirmation	28
3.2.4	SP-STM experiments of molecules on surfaces	31
3.3	Molecule deposition	33
3.3.1	<i>In-situ</i> techniques	33
3.3.2	<i>Ex-situ</i> techniques	33
3.4	{Ni ₄ } SMM	34
3.5	Triphenyl-triazine	36
4	Experimental methods	39
4.1	NSCT vacuum system	39
4.2	{Ni ₄ }/Au(111) sample preparation	41
4.2.1	Preparation of Au(111)	41
4.2.2	Deposition of {Ni ₄ }	42
4.3	TPT/Fe/W(110) sample preparation	42
4.3.1	Preparation of W(110)	42
4.3.2	Fe thin film depostion	43
4.3.3	TPT deposition	44

4.4	STM tip preparation	44
4.4.1	Tungsten tips	44
4.4.2	Tips for SP-STM	46
5	{Ni₄} on Au(111)	49
5.1	XPS results	50
5.1.1	As-deposited state	50
5.1.2	Post-annealed states	51
5.1.3	Decomposition upon in-situ post-annealing	54
5.2	STM results	55
5.2.1	As-deposited state	55
5.2.2	Post-annealing at 590 K	55
5.2.3	Post-annealing at 680 K	57
5.2.4	Structure models of the sulfur overlayers	58
5.3	Conclusion	60
6	Fe/W(110) imaged with SP-STM	61
6.1	Topography and growth of Fe/W(110)	62
6.2	Electronic and magnetic properties	63
6.3	Fe/W(110) imaged with different STM tips	66
6.3.1	Tips without magnetic sensitivity	66
6.3.2	Fe-coated tips	67
6.3.3	Cr-coated tips	68
6.4	Conclusion	73
7	TPT on Fe/W(110)	75
7.1	Adsorption of TPT on Fe/W(110)	76
7.1.1	Adsorption characteristics	76
7.1.2	Adsorption position and geometry	78
7.1.3	Comparison with DFT	80
7.2	Electronic properties of TPT/Fe/W(110)	82
7.2.1	Influence of adsorption orientation	83
7.2.2	Site dependent LDOS of TPT	84
7.2.3	Topography images and dI/dV maps	87
7.3	TPT on Fe/W(110) imaged by SP-STM	88
7.3.1	Spin dependent hybridization	89
7.3.2	Adsorption orientation of TPT in SP-STM	91
7.3.3	Possible interaction of chirality and magnetism	92
7.4	Energy and site dependent spin polarization	94
7.5	Conclusion	98
8	Summary and Outlook	101
	Appendices	105

A	107
A.1 Electrochemical analysis of a Ni ₄ -functionalized gold electrode	107
A.2 Domain wall fitting	108
A.3 Electronic properties of isolated TPT	110
A.4 Site dependent LDOS and PDOS of TPT/Fe/W(110)	111
9 Bibliography	113

Schlüsseltechnologien /
Key Technologies
Band / Volume 121
ISBN 978-3-95806-128-6

