


Properties of convective gravity waves derived by combining global modeling and satellite observations

Quang Thai Trinh



Energie & Umwelt /
Energy & Environment
Band / Volume 324
ISBN 978-3-95806-150-7

Forschungszentrum Jülich GmbH
Institute of Energy and Climate Research
Stratosphere (IEK-7)

Properties of convective gravity waves derived by combining global modeling and satellite observations

Quang Thai Trinh

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 324

ISSN 1866-1793

ISBN 978-3-95806-150-7

Contents

1	Introduction	1
2	Background of gravity waves	9
2.1	Generation mechanism	9
2.2	Important formulas	10
3	The Yonsei convective gravity wave source scheme	15
3.1	Convective gravity waves: observations and models	15
3.1.1	Observational evidences:	15
3.1.2	Convective gravity wave modeling:	17
3.2	The Yonsei convective gravity wave source scheme	21
3.2.1	History and development	21
3.2.2	The current version of the Yonsei model	22
4	Gravity wave ray-tracing	25
4.1	Introduction	25
4.2	Mathematical background of gravity wave ray tracing	25
4.3	The GROGRAT ray-tracer	28
5	A comprehensive observational filter for infrared limb sounding of gravity waves	31
5.1	Introduction	31
5.2	Instruments and observation geometry	34
5.2.1	Limb-sounding technique	34
5.2.2	SABER instrument	35
5.2.3	HIRDLS instrument	38
5.2.4	Observation geometry in the local coordinate system	38
5.3	Global gravity wave simulation	38
5.4	The comprehensive observational filter	40
5.4.1	Visibility filter	42
5.4.2	Projection of the wavelength on the tangent-point track	45
5.4.3	Aliasing effect	46
5.4.4	Calculation of observed vertical wavelength	48
5.5	Further examples	51

5.5.1	Applying the observational filter to observation geometry of SABER	51
5.5.2	Applying the observational filter to observation geometry of HIRDLS	55
5.5.3	Quantification of GWMF reduction	58
5.6	Conclusion	61
6	Tuning of a convective gravity wave source scheme based on satellite observations	65
6.1	Introduction	65
6.2	Model setup	67
6.3	Results	68
6.3.1	A systematic survey of the Yonsei CGWS scheme	68
6.3.2	Zonal average of convective GWMF and its vertical gradients	75
6.3.3	Horizontal distribution of GWMF and phase speed spectrum	81
6.4	Conclusion	88
7	Summary and Outlook	91
	Appendices	95
A	Techniques for observing gravity waves	95
A.1	Radiosonde	95
A.2	Rocketsonde	96
A.3	Research aircraft	96
A.4	Long-duration balloon	97
A.5	Radar	98
A.6	Lidar	98
A.7	Airglow imaging	99
A.8	Spaceborne instruments	100
A.9	Potential new technique: GLORIA	102
B	Applicability of the comprehensive observational filter to other types of instruments	103
B.1	Potential Future Limb Imager	104
B.2	Microwave Limb Sounder	104
B.3	GPS-RO	105
B.4	Nadir Sounding	106
B.5	Summary	106
C	Background removal and noise	107
C.1	Background removal	107
C.2	Noise	108
D	Dependences of β and γ on latitude	111

E Scaling factor α	113
Acknowledgements	119
Bibliography	121

Energie & Umwelt /
Energy & Environment
Band / Volume 324
ISBN 978-3-95806-150-7

