


Realistic Bandwidth Estimation in the Theoretically Predicted Radionuclide Inventory of PWR-UO₂ Spent Fuel Derived from Reactor Design and Operating Data

Ivan Fast



Energie & Umwelt/
Energy & Environment
Band/ Volume 358
ISBN 978-3-95806-206-1

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Nukleare Entsorgung und Reaktorsicherheit (IEK-6)

Realistic Bandwidth Estimation in the Theoretically Predicted Radionuclide Inventory of PWR-UO₂ Spent Fuel Derived from Reactor Design and Operating Data

Ivan Fast

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 358

ISSN 1866-1793

ISBN 978-3-95806-206-1

Contents

Abbreviations	VI
List of figures	X
List of tables	XI
1 Introduction	1
1.1 Task and objectives of the work	1
1.2 Short description of method development	3
1.3 Previous studies	4
1.4 Calculated RN inventory of international PWR-UO ₂ SNF	7
2 Theoretical background	9
2.1 Physical and mathematical basis to the build-up of radionuclide inventory	9
2.2 SCALE as a burn-up code system	13
3 Methodology to the determination of realistic bandwidths of SNF RN inventory	16
4 SRP Analysis	19
4.1 Available data of fuel assembly design and reactor operating parameters .	19
4.2 Correlations between SRPs	21
4.3 Boundaries and typical values of SRPs	23
4.4 Downtime analysis	29
5 Modelling	34
6 Realistic bandwidths of PWR-UO ₂ RN inventory	36
6.1 Theoretical bandwidths of RNs	36
6.2 Available experimental or RCA data	38
6.3 Available RN inventory of international PWR-UO ₂ SNF	40
6.4 Realistic bandwidths of RN	43
6.4.1 Realistic bandwidths of fission products and light radionuclides .	46
6.4.2 Realistic bandwidths of actinides	76
7 Conclusion	121
Bibliography	127

**Energie & Umwelt /
Energy & Environment
Band / Volume 358
ISBN 978-3-95806-206-1**

