



Creating and characterizing a single molecule device for quantitative surface science

Matthew Felix Blishen Green

Schlüsseltechnologien / Key Technologies

Band / Volume 181

ISBN 978-3-95806-352-5

Forschungszentrum Jülich GmbH
Peter Grünberg Institut (PGI)
Functional Nanostructures at Surfaces (PGI-3)

Creating and characterizing a single molecule device for quantitative surface science

Matthew Felix Blishen Green

Schriften des Forschungszentrums Jülich
Reihe Schlüsseltechnologien / Key Technologies

Band / Volume 181

ISSN 1866-1807

ISBN 978-3-95806-352-5

Contents

Introduction	1
1. Theoretical background and experimental techniques	5
1.1. Introduction to scanning tunnelling microscopy	6
1.2. Introduction to atomic force microscopy	10
1.3. Experimental details	13
1.3.1. Experimental setup	13
1.3.2. Sample and tip preparation	17
2. Patterning a hydrogen-bonded molecular monolayer with a hand-controlled SPM	19
Introduction	20
2.1. Patterning a hydrogen-bonded molecular monolayer with a hand-controlled SPM	22
3. Scanning Quantum Dot Microscopy	31
Introduction	32
3.1. Scanning Quantum Dot Microscopy	33
3.2. Scanning Quantum Dot Microscopy: Supplemental Information	39
3.3. A quantitative method to measure local electrostatic potential near surfaces	47
4. Quantitative modelling of single electron charging events	55
Introduction	56
4.1. Single electron box model	57
4.1.1. Experimental data	59
4.1.2. Free energy of the system	64

4.1.3. Charging events of the QD	66
4.1.4. Charging force	73
4.1.5. Applying the theory to experimental data	76
4.2. Point charge model	81
4.2.1. Predictions of the point charge model	81
4.2.2. Discrepancy in α	86
4.2.3. Energy level position and Coulomb repulsion	92
4.3. Discussion	95
Conclusion and outlook	100
4.A. Appendix	102
4.A.1. Interplay of frequency shift and tunnelling current	102
4.A.2. Determining the electronic coupling between tip and QD	104
5. Accurate work function changes measured with scanning quantum dot microscopy	109
Introduction	110
5.1. Point charge model to obtain change in work function	112
5.1.1. An expression for local potential	112
5.1.2. Removing the influence of the tip's properties	115
5.2. Change in work function of Ag(111) after PTCDA adsorption	117
5.2.1. Constant height KPFM results	117
5.2.2. SQDM results	119
5.2.3. Discussion	120
Conclusion and outlook	126
Summary	129
Bibliography	133
List of Figures	141

Schlüsseltechnologien / Key Technologies

Band / Volume 181

ISBN 978-3-95806-352-5

Mitglied der Helmholtz-Gemeinschaft

