



Finite-Difference Time-Domain Simulations Assisting to Reconstruct the Brain's Nerve Fiber Architecture by 3D Polarized Light Imaging

Miriam Menzel

Schlüsseltechnologien / Key Technologies

Band / Volume 188

ISBN 978-3-95806-368-6

Forschungszentrum Jülich GmbH
Institut für Neurowissenschaften und Medizin
Strukturelle und funktionelle Organisation des Gehirns (INM-1)

Finite-Difference Time-Domain Simulations Assisting to Reconstruct the Brain's Nerve Fiber Architecture by 3D Polarized Light Imaging

Miriam Menzel

Schriften des Forschungszentrums Jülich
Reihe Schlüsseltechnologien / Key Technologies

Band / Volume 188

ISSN 1866-1807

ISBN 978-3-95806-368-6

CONTENTS

1	Introduction	1
I	THEORETICAL BACKGROUND	7
2	Polarization Optics	9
2.1	Electromagnetic Field	9
2.2	Refraction and Attenuation	13
2.3	Birefringence	15
2.4	Diattenuation	19
2.5	Matrix Calculus	21
3	Properties of Brain Tissue	25
3.1	Structure of Brain Tissue	25
3.2	Optical Properties of Brain Tissue	28
II	MEASUREMENT & SIMULATION TECHNIQUES	35
4	Polarimetric Measurements	37
4.1	Preparation of Brain Tissue	37
4.2	General Measurement Setup	39
4.3	General Signal Processing	41
4.4	Signal Analysis for the Polarimetric Measurements	42
5	Two-Photon Fluorescence Microscopy (TPFM)	53
5.1	Preparation of Brain Tissue	53
5.2	Microscopic Measurement	54
5.3	Signal Analysis and Image Processing	56
6	Finite-Difference Time-Domain (FDTD) Simulation	57
6.1	Yee's Algorithm	57
6.2	Unconditionally Stable Algorithm	59
6.3	TDME3D Software	61
6.4	Generation of Fiber Architectures	63
III	EXPERIMENTAL STUDIES	67
7	Characterization of the Optical Systems	69
7.1	General Properties of the Optical Systems	69
7.2	Filter Properties of the Large-Area Polarimeter	76

8 Transmittance of Inclined Nerve Fibers	79
8.1 Transmittance of Flat and Steep Fiber Configurations	79
8.2 3D-Reconstruction of Transmittance Images	83
8.3 Transmittance vs. Fiber Inclination in TPFM Images	84
8.4 Discussion	86
9 Diattenuation of Brain Tissue	89
9.1 Impact of Diattenuation on the Polarimetric Measurements	90
9.2 Study on Freshly Embedded Brain Sections	92
9.3 Long-Term Study	99
9.4 Discussion	102
IV FDTD SIMULATION STUDIES	105
10 Modeling	107
10.1 Simulation of the Polarimetric Measurements	107
10.2 Geometries of the Simulated Fiber Configurations	131
10.3 Implementation of the Fiber Configurations in TDME3D	140
10.4 Evaluation of Simulation Parameters	146
10.5 Discussion	161
11 Transmittance of Simulated Fiber Configurations	165
11.1 Transmittance of Inclined Fiber Bundles	166
11.2 Transmittance of Horizontal Fiber Bundles with Different Fiber Properties	172
11.3 Transmittance of Horizontal Crossing vs. Vertical Fibers	178
11.4 Discussion	181
12 Diattenuation of Simulated Fiber Configurations	185
12.1 Diattenuation of Inclined Fiber Bundles	186
12.2 Diattenuation of Horizontal Fiber Bundles with Different Fiber Properties	191
12.3 Diattenuation of Horizontal Crossing vs. Vertical Fibers	194
12.4 Discussion	195
V DISCUSSION & CONCLUSION	199
13 Comparison of Experimental and Simulation Studies	201
13.1 Transmittance Effect	201
13.2 Diattenuation Effect	205
13.3 Overall Discussion	209
14 Conclusion and Outlook	211
Bibliography	215
List of Publications	230
List of Figures	235
List of Tables	241

List of Acronyms	242
List of Symbols	245
APPENDICES	249
A Supplementary Material for Polarization Optics	251
A.1 Derivation of the Wave Equation	251
A.2 Plane Waves in Homogeneous Materials	251
A.3 Derivation of the Refractive Index Ellipsoid for Uniaxial Materials	252
A.4 Birefringence and Dichroism for Uniaxial Absorbing Materials	254
A.5 Total Internal Reflection	261
B Optical Properties of the Optical Systems	263
B.1 Optical Components of the Optical Systems	263
B.2 Contrasts Measured with the USAF Resolution Target	266
B.3 Characterization of the Filter Properties in the LAP	267
C Supplementary Material for Diattenuation Studies	271
C.1 Correction of the 3D-PLI Fiber Orientations	271
C.2 Computation of the Diattenuation Impact on the Polarimetric Measurements	271
C.3 Uncertainties of DI and 3D-PLI Direction Angles as a Function of Retardation	276
C.4 Diattenuation Images of Five Sagittal Rat Brain Sections	276
D Supplementary Material for FDTD Simulations	279
D.1 Finite-Difference Approximation of Maxwell's Curl Equations	279
D.2 Modeling Uniform Illumination	280
D.3 Derivation of the Yee Cell Shift	281
D.4 Computation of the Light Intensity in the Image Plane	282
D.5 Derivation of the Fourier Transform of $\text{circ}(r)$	283
D.6 Representation of the Light Intensity in 3D-PLI Simulations as Fourier Series	284
D.7 Derivation of the Fraunhofer Diffraction Pattern	285
D.8 Fourier Coefficient Maps of Higher Orders	286
D.9 Transmittance Profiles of the USAF Resolution Target Simulated for the Polarizing Microscope	288
D.10 Transmittance Images and Scattering Patterns for the Hexagonal Grid of Fibers	289
D.11 Transmittance and Diattenuation Curves for Different Wavelengths	293
D.12 Diattenuation Simulated for the Imaging System of the Large-Area Polarimeter	294

Schlüsseltechnologien / Key Technologies
Band / Volume 188
ISBN 978-3-95806-368-6

Mitglied der Helmholtz-Gemeinschaft

