



# Wayfinding and Perception Abilities for Pedestrian Simulations

Erik Andresen

IAS Series

Band / Volume 38

ISBN 978-3-95806-375-4

Mitglied der Helmholtz-Gemeinschaft

Forschungszentrum Jülich GmbH  
Institute for Advanced Simulation (IAS)  
Civil Safety Research (IAS-7)

# **Wayfinding and Perception Abilities for Pedestrian Simulations**

Erik Andresen

Schriften des Forschungszentrums Jülich  
Reihe IAS

Band / Volume 38

---

ISSN 1868-8489

ISBN 978-3-95806-375-4

# Contents

<b>I</b>	<b>Introduction</b>	<b>1</b>
<b>1</b>	<b>Simulation of Pedestrian Dynamics</b>	<b>3</b>
1.1	Motivation and Application . . . . .	3
1.2	Models . . . . .	4
1.2.1	Operational Models . . . . .	5
1.2.2	Tactical Level - Route Choice Models . . . . .	7
1.3	Thesis Motivation, Objective and Outline . . . . .	11
<b>2</b>	<b>Human Navigation</b>	<b>15</b>
2.1	Navigation - locomotion and wayfinding . . . . .	15
2.2	The cognitive map . . . . .	16
2.3	Landmarks and further items of the cognitive map . . . . .	17
2.4	Wayfinding - Procedures and tools . . . . .	19
2.4.1	Spatial memories - Cognitive maps vs. action-based representations . . . . .	19
2.4.2	External aid or information . . . . .	20
2.4.3	Generalized knowledge . . . . .	22
2.5	New taxonomy of wayfinding tasks in evacuations . . . . .	23
2.6	Discussion . . . . .	24
<b>II</b>	<b>Modeling Cognitive and Perceptual Abilities for Wayfinding</b>	<b>27</b>
<b>3</b>	<b>General properties of the software framework</b>	<b>29</b>
3.1	Miscellaneous . . . . .	29
3.2	Perceptual abilities . . . . .	30
3.3	Short term memories . . . . .	31
3.4	Selecting an appropriate visible target . . . . .	31

3.5	Restrictions to the selection of crossings - benefit rule . . . . .	33
3.6	Exploration and search strategies . . . . .	33
3.7	Summation and discussion . . . . .	35
<b>4</b>	<b>Spatial knowledge - A cognitive map approach</b>	<b>39</b>
4.1	Modeling cognitive map representations . . . . .	39
4.1.1	Evaluation of the cognitive map . . . . .	41
4.1.2	Path searching to landmark . . . . .	44
4.1.3	Modeling action-based representations (route knowledge) . . . . .	46
4.2	Implementation of generalized knowledge . . . . .	48
4.2.1	Examples . . . . .	50
4.3	Summation and discussion . . . . .	51
<b>5</b>	<b>Perception of signs</b>	<b>53</b>
5.1	Miscellaneous . . . . .	53
5.2	Visibility of signs . . . . .	53
5.3	Probability to detect signage . . . . .	55
5.4	Implementing a sign's instruction . . . . .	56
5.5	Example . . . . .	59
5.6	Summary and discussion . . . . .	61
<b>6</b>	<b>Summarizing the cognitive framework</b>	<b>63</b>
6.1	Combination of single parts . . . . .	63
6.2	Implementation . . . . .	65
<b>III</b>	<b>Experiments and Model Calibration</b>	<b>69</b>
<b>7</b>	<b>Wayfinding studies in an office building</b>	<b>71</b>
7.1	Miscellaneous . . . . .	71
7.2	Method . . . . .	71
7.2.1	Participants . . . . .	71
7.2.2	Task . . . . .	72
7.3	Results . . . . .	75
7.4	Calibration by comparing route distributions from field study and simulations . . . . .	76
7.5	Summary and discussion . . . . .	83

<b>8</b>	<b>Wayfinding studies in a subway station</b>	<b>85</b>
8.1	Miscellaneous . . . . .	85
8.2	Method . . . . .	85
8.2.1	The subway station . . . . .	86
8.2.2	Participants . . . . .	88
8.2.3	Experimental procedure . . . . .	89
8.3	Results . . . . .	93
8.3.1	Real study . . . . .	94
8.3.1.1	Decision point 1 . . . . .	94
8.3.1.2	Decision point 2 . . . . .	97
8.3.1.3	Decision point 3 . . . . .	99
8.3.2	VR-Study . . . . .	100
8.3.2.1	Decision point 1 . . . . .	100
8.3.2.2	Decision point 2 . . . . .	102
8.3.2.3	Decision point 3 . . . . .	102
8.3.3	Overall sign perception and usage - Real and VR-study . . . . .	103
8.4	Discussion - Differences between real and VR-study . . . . .	104
8.5	Summary and Conclusions . . . . .	105
8.6	Model calibration . . . . .	106
8.6.1	Generalized knowledge . . . . .	106
8.6.2	Sign usage . . . . .	106
8.6.3	Reproducing the field study's route choice distribution at DP1 . . . . .	108
8.6.4	Discussion . . . . .	108
<b>IV</b>	<b>Case Study</b>	<b>109</b>
<b>9</b>	<b>Application to an evacuation of a subway station</b>	<b>111</b>
9.1	Miscellaneous . . . . .	111
9.2	The station (simulation geometry) . . . . .	111
9.3	Initial conditions . . . . .	114
9.4	Route choice models . . . . .	115
9.5	Results . . . . .	116
9.5.1	Overall egress times . . . . .	116
9.5.2	Investigation of selected flows at staircases and exits . . . . .	119
9.6	Summary and discussion . . . . .	124

<b>V</b>	<b>Conclusion and Outlook</b>	<b>127</b>
<b>10</b>	<b>Closing Remarks</b>	<b>129</b>
10.1	Summary and conclusions . . . . .	129
10.2	Outlook . . . . .	132
<b>VI</b>	<b>Appendices</b>	<b>135</b>
Appendix A	Route distribution that resulted from the cognitive map model	137
Appendix B	Case study - Used geometry	138
Appendix C	Case study - Initial conditions	140
References		149

IAS Series  
Band / Volume 38  
ISBN 978-3-95806-375-4