



Simulation of Transport Processes through an Asymmetric Gas Separation Membrane

Unoaku Victoria Unije

Energie & Umwelt / Energy & Environment

Band / Volume 463

ISBN 978-3-95806-403-4

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Werkstoffsynthese und Herstellungsverfahren (IEK-1)

Simulation of Transport Processes through an Asymmetric Gas Separation Membrane

Unoaku Victoria Unije

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 463

ISSN 1866-1793

ISBN 978-3-95806-403-4

Table of content

Nomenclature	vii
List of Figures	ix
List of Tables	xiv
1. Introduction	1
1.1 Overview	1
1.2 Objectives of this work	2
2. Fundamentals and state of the art	3
2.1 Inorganic Oxygen transport membranes	3
2.1.1 Ceramic membrane material	4
2.1.1.1 Requirements of ceramic OTM membrane material	4
2.1.1.2 Perovskites	5
2.1.2 Dense Mixed Ionic and Electronic Conducting membranes	6
2.1.3 Transport mechanism in dense membrane	7
2.1.3.1 Bulk transport – Wagner equation	8
2.1.3.2 Surface exchange	11
2.1.4 Dense membrane modifications for flux improvement	14
2.1.4.1 Surface modification	14
2.1.4.2 Reduction of membrane thickness	14
2.2 Asymmetric membranes	14
2.2.1 Transport processes	15
2.3 Porous substrate	16
2.4 Transport mechanism in porous support	17
2.5 Transport models for porous media	19
2.5.1 The Binary Friction Model	19
2.5.1.1 Single gas permeation	21
2.5.1.2 Permeation of gas mixtures	22
3. Experimental methods	24
3.1 Membrane/sample manufacturing	24
3.1.1 Sequential tape casting	24
3.1.1.1 Sample preparation	25
3.1.2 Freeze casting	25
3.1.2.1 Sample preparation	26
3.2 Oxygen permeation	27
3.3 Analysis of microstructure	27
3.3.1 μ XCT data acquisition	27
4. Simulation methods	29
4.1 Geometrical parameters of the porous substrate	29
4.1.1 Tortuosity and diffusive simulation	29
4.1.2 Pore diameter evaluation	29
4.1.3 Permeability	30
4.1.4 Boundary condition	30
4.2 Different pressure simplifications of the BFM on flux	31
4.2.1 One dimensional exact solution of BFM	31
4.2.2 BFM – Constant pressure configurations	33
4.2.2.1 Surface constant pressure	33
4.2.2.2 Averaged constant pressure	34
4.3 Simulation procedure	35
5. Results and discussions	37

Table of content

5.1 Sample parameter evaluation	37
5.1.1 As received sample parameter – permeation measurement	37
5.1.1.1 $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ (BSCF)	37
5.1.1.2 $\text{Ba}_{0.5}\text{Sr}_{0.5}(\text{Co}_{0.8}\text{Fe}_{0.2})_{0.97}\text{Zr}_{0.03}\text{O}_{3-\delta}$ (BSCF3Zr)	37
5.2 3D reconstruction of the XCT data	38
5.3 Computation/Evaluation of the geometrical parameters	41
5.3.1 Flow simulation	41
5.3.2 Diffusion simulation	42
5.3.3 Pore simulation	44
5.4 Evaluation of the characteristic thickness, L_c	44
5.5 Effect of variation in support geometry on flux	45
5.5.1 Effect of the support pore diameter	45
5.5.1.1 Effect of transport terms in BFM (Viscous, Knudsen and binary diffusion term) on flux	47
5.5.1.2 Conclusion	49
5.5.2 Effects of pore diameters on partial pressure/pressure drop	49
5.5.2.1 Interfacial pressure	49
5.5.2.2 Pressure profiles	50
5.5.2.3 Conclusion	51
5.5.3 Effect of thickness and tortuosity factor of the porous support on flux	52
5.5.3.1 Conclusion	57
5.5.4 The effect of anisotropic scaling	57
5.5.4.1 Conclusion	59
5.6 Convective flow in the porous support	60
5.6.1 Conclusion	65
5.7 Comparison of freeze cast and tape cast porous structure	65
5.7.1 Effect of removing the nucleation zone	70
5.7.2 Conclusion	71
5.8 Outline for designing an optimized support microstructure	71
5.8.1 Operating conditions considered and procedure	72
5.8.1.1 Layer geometry and procedure	73
5.8.2 Variations in geometrical parameters of the layers	73
5.8.2.1 Effect of porosity, thickness and pore diameter on flux	73
5.8.2.2 Effect of tortuosity factor	76
5.8.3 Conclusion	79
5.9 One dimensional exact solution of BFM	80
5.9.1 Comparison of the oxygen flux from the simplifications	80
5.9.2 Relative and absolute flux differences between the different pressure simplifications and the exact solution	81
5.9.2.1 Support at the feed side	82
5.9.2.2 Support at the permeate side	84
5.9.3 Conclusion	85
6. Summary	87
7. Outlook	90
8. Reference	91
9. Acknowledgement	100

Energie & Umwelt / Energy & Environment
Band / Volume 463
ISBN 978-3-95806-403-4

Mitglied der Helmholtz-Gemeinschaft

