



Coatings for Metallic Bipolar Plates in High-Temperature Polymer Electrolyte Fuel Cells

Ruiyu Li

Energie & Umwelt / Energy & Environment

Band / Volume 472

ISBN 978-3-95806-425-6

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Elektrochemische Verfahrenstechnik (IEK-3)

Coatings for Metallic Bipolar Plates in High-Temperature Polymer Electrolyte Fuel Cells

Ruiyu Li

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 472

ISSN 1866-1793

ISBN 978-3-95806-425-6

Contents

Chapter 1 Introduction and Goals of the Work	1
1.1 The electrochemical corrosion of metallic materials in the simulated HT-PEFC environment	3
1.2 An electrochemical corrosion study of suitable coatings in the simulated HT-PEFC environment	3
1.3 The electrochemical corrosion behavior of suitable coatings with artificially created defects in simulated HT-PEFC environments	4
1.4 The Performance and durability of HT-PEFC employing different types of bipolar plates ..	4
1.5 Outline.....	4
Chapter 2 Theory and Literature Overview	7
2.1 A general overview of the HT-PEFC	7
2.2 Electrochemical corrosion	10
2.3 The degradation of the bipolar plates.....	15
Chapter 3 The Experiment Methods	21
3.1 Electrochemical corrosion cells	21
3.2 Single Cell Test	28
3.3 Material characterization	33
Chapter 4 The Electrochemical Corrosion of Metallic Material in Phosphoric Acid.....	37
4.1 Potentiodynamic tests	37
4.2 The free corrosion potential of SS316L with a corroded surface	39
4.3 Potentiostatic Tests.....	41
4.4 SEMs of specimens after potentiostatic tests.....	43
4.5 ICP-OES measurements.....	45
4.6 Interfacial contact resistance.....	47
4.7 The XPS depth profile.....	48
4.8 Summary	51
Chapter 5 An Electrochemical Corrosion Study of CrN/Cr Coated SS316L in Phosphoric Acid.....	53
5.1 Coating characterizations.....	53
5.2 Corrosion resistance and stability	54
5.3 Electrochemical impedance spectroscopy	57
5.4 Interfacial contact resistance.....	60

5.5 Summary	61
Chapter 6 The Influence of Oxygen on the Electrochemical Behaviour of CrN/Cr Coating with Artificially Induced Defects on SS316L in the Simulated Cathodic Environment of an HT-PEFC	63
6.1 Coating characterizations	63
6.2 Potentiodynamic polarization tests	64
6.3 The stability of the CrN/Cr coating with artificially induced defects in the simulated cathodic environment of the HT-PEFC	66
6.4 SEM after corrosion tests	68
6.5 Electrochemical impedance spectroscopy	69
6.6 Summary	74
Chapter 7 The Performance and Durability of HT-PEFCs with Different Types of Bipolar Plates	77
7.1 CrN/Cr coating in real bipolar plates	77
7.2 Single-cell performance and durability	79
7.3 Electrochemical Impedance Spectroscopy	80
7.4 Surface analyzation after 1000 h durability tests	83
7.5 ICP-OES measurements	87
7.6 Interfacial contact resistance	88
7.7 Summary	89
Chapter 8 Discussion	91
8.1 The economic advantages of metallic bipolar plates	92
8.2 The technical advantages of metallic bipolar plates	93
8.3 The corrosion rates and interfacial conductivities of bare and CrN/Cr coated metallic bipolar plates	93
8.4 The effect of oxygen on the corrosion behavior of the passive layer of the bare SS316L specimen and the CrN/Cr coated SS316L specimen with artificially induced defects	95
8.5 Cell performance	96
Chapter 9 Conclusion	97
References	99
List of Figures	113
List of Tables	117
Acknowledgements	119

Energie & Umwelt / Energy & Environment
Band / Volume 472
ISBN 978-3-95806-425-6

Mitglied der Helmholtz-Gemeinschaft

