



Spin-orbitronics at the nanoscale: From analytical models to real materials

Juba Bouaziz

Schlüsseltechnologien / Key Technologies
Band / Volume 204
ISBN 978-3-95806-429-4

Forschungszentrum Jülich GmbH
Peter Grünberg Institut (PGI)
Quanten-Theorie der Materialien (PGI-1/IAS-1)

Spin-orbitronics at the nanoscale: From analytical models to real materials

Juba Bouaziz

Schriften des Forschungszentrums Jülich
Reihe Schlüsseltechnologien / Key Technologies

Band / Volume 204

ISSN 1866-1807

ISBN 978-3-95806-429-4

Table of Contents

Abstract	3
Table of Contents	5
1 Introduction	9
2 Theoretical foundations	15
2.1 The many-body problem	16
2.2 Density functional theory (DFT)	16
2.2.1 Approximations to the exchange-correlation energy functional	18
2.2.2 DFT for spin-polarized systems	18
2.3 Green functions and embedding technique	19
2.3.1 Ground state expectation value of an observable from the Green function	21
2.4 The Korringa-Kohn-Rostoker Green function method	21
2.4.1 Free electrons	22
2.4.2 Single site problem	23
2.4.3 Multiple scattering problem	25
2.4.4 Charge neutrality and Lloyd's formula	26
2.4.5 Spin-orbit interaction in KKR	27
2.4.6 KKR in a projection basis	29
2.5 Magnetic anisotropy	30
2.5.1 Magnetic force theorem	31
2.5.2 The torque method	32
2.6 Time-dependent density functional theory (TD-DFT)	34
2.6.1 Linear response theory within TD-DFT	35
2.6.2 Spin splitting sum rule	38
2.6.3 Taylor expansion of the Kohn-Sham susceptibility	39
2.6.4 Mapping TD-DFT into the Landau-Lifshitz-Gilbert equation	40
2.6.5 Zero-point spin-fluctuations	42
2.6.6 Renormalization of the magnetic anisotropy energy	43

2.7	Technical aspects of the KKR codes and new implementations	45
2.7.1	KKR codes available in Jülich	45
2.7.2	New implementations in the KKR-impurity and KKR-susc codes	45
3	Scattering of Rashba electrons off magnetic impurities	49
3.1	Rashba Hamiltonian	50
3.2	Rashba Green function	51
3.3	Transition matrix	53
3.4	Friedel oscillations	55
3.4.1	Friedel oscillations in the induced charge density	56
3.4.2	Friedel oscillations in the induced spin magnetization density	57
3.5	Interactions among magnetic impurities deposited on a Rashba electron gas	57
3.5.1	Extended Heisenberg model	58
3.5.2	Mapping procedure	59
3.6	Magnetic properties of dimers	60
3.6.1	RKKY-approximation	60
3.6.2	Beyond the RKKY-approximation	64
3.6.3	Connecting the different parts of the exchange interaction tensor	65
3.6.4	Magnetic configurations of dimers	66
3.7	Magnetic properties of complex nanostructures	69
3.7.1	Magnetism of linear chains	70
3.7.2	Trimer	70
3.7.3	Hexagon	71
3.7.4	Heptamer	73
3.8	Transport properties of Rashba electrons	75
3.8.1	Scattering States	75
3.8.2	Cylindrical expansion of the Green function and the t-matrix	77
3.8.3	Residual resistivity tensor from linear response theory	78
3.8.4	Resistivity tensor in absence of the spin-orbit interaction	79
3.8.5	Residual resistivity tensor within the s-wave approximation	80
3.8.6	Residual resistivity tensor results and discussions	82
3.9	Orbital magnetization in a Rashba electron gas	88
3.9.1	Rashba spin-orbit interaction as a vector field	90
3.9.2	Ground state charge current induced by a single magnetic impurity on a Rashba electron gas	91
3.9.3	Orbital magnetization of magnetic impurities on a Rashba electron gas from ground state charge currents	93
3.9.4	Orbital magnetization of a single adatom on a Rashba electron	95
3.9.5	Orbital magnetization of a dimer on a Rashba electron gas from ground state charge currents	96
3.9.6	Orbital magnetization of trimer on a Rashba electron gas from ground state charge currents	97
3.10	From Rashba surface states to topological insulators	102
3.11	Summary and outlook	104

4 Magnetic impurities in topological insulators	107
4.1 Introduction to topological insulators	108
4.2 Bi_2Te_3 and Bi_2Se_3 as prototypical topological insulators	113
4.3 Ground state properties of 3d and 4d magnetic impurities embedded in Bi_2Te_3 and Bi_2Se_3	115
4.3.1 3d magnetic impurities embedded in Bi_2Te_3 surface	117
4.3.2 4d magnetic impurities embedded in Bi_2Te_3 surface	120
4.3.3 3d and 4d magnetic impurities embedded in Bi_2Se_3 surface	122
4.4 Investigating the in-gap states	123
4.5 Anderson model for the in-gap states	124
4.6 Magnetocrystalline anisotropy	129
4.6.1 Magnetocrystalline anisotropy for 3d and 4d impurities in Bi_2Te_3 .	130
4.6.2 Magnetocrystalline anisotropy and real space cluster size	134
4.6.3 Magnetocrystalline anisotropy for 3d and 4d impurities in Bi_2Se_3 .	137
4.6.4 Magnetocrystalline anisotropy for 3d and 4d impurities in bulk Bi_2Te_3	137
4.7 Spin dynamics of 3d and 4d impurities in topological insulators	140
4.7.1 Transversal dynamical response	142
4.7.2 Spin excitations of 3d impurities in Bi_2Te_3	142
4.7.3 Spin excitations of 4d impurities in Bi_2Te_3	144
4.7.4 Spin excitations of 3d and 4d impurities in Bi_2Se_3	147
4.7.5 Impact of the surface state on spin excitations of 3d and 4d impurities in Bi_2Te_3	149
4.7.6 Transversal zero-point spin-fluctuations of 3d and 4d impurities in Bi_2Te_3 and Bi_2Se_3	149
4.7.7 Renormalization of the MAE from the ZPSF	153
4.8 Summary and outlook	154
5 Magnetic Skyrmions	157
5.1 Introduction to magnetic Skyrmions	158
5.2 Magnetic Skyrmions in Pd/Fe/Ir(111)	159
5.3 Tunneling spin-mixing magnetoresistance	159
5.3.1 TXMR from multiple scattering theory	162
5.3.2 TXMR in the Alexander-Anderson model	164
5.4 Chiral orbital magnetization	165
5.4.1 Chiral orbital magnetization in Pd/Fe/Ir(111)	166
5.4.2 Connection between TOM and topological charge	170
5.5 Summary and outlook	171
6 Conclusions	173
A Derivation of the t-matrix in the s-wave approximation	177
B Extended Heisenberg model for a magnetic dimer	179
C Asymptotic expansion of the Rashba Green function	181

D Evaluation of the momentum operator matrix elements	183
E Phenomenological derivation of the functional forms	185
F Derivation of the current operator	189
Bibliography	191
List of publications	211
List of tables	213
List of figures	217
Acknowledgments	227

Schlüsseltechnologien / Key Technologies
Band / Volume 204
ISBN 978-3-95806-429-4