



Morphology and Degradation of High Temperature Polymer Electrolyte Fuel Cell Electrodes

Shuai Liu

Energie & Umwelt / Energy & Environment

Band / Volume 479

ISBN 978-3-95806-436-2

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Elektrochemische Verfahrenstechnik (IEK-3)

Morphology and Degradation of High Temperature Polymer Electrolyte Fuel Cell Electrodes

Shuai Liu

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 479

ISSN 1866-1793

ISBN 978-3-95806-436-2

Contents

1.	Introduction	1
1.1.	Working principle of HT-PEFCs	1
1.2.	Literature review	3
1.3.	Fundamentals of HT-PEFCs	9
1.4.	Motivation and research goals	15
2.	Experimental setup and procedures.....	17
2.1.	HT-PEFC preparation	17
2.1.1.	Preparation of gas diffusion electrodes	17
2.1.2.	Membrane doping.....	18
2.1.3.	HT-PEFCs single cell assembling.....	19
2.2.	Electrochemical tests of HT-PEFCs	20
2.3.	MEA Characterizations.....	21
2.3.1.	Electron microscopy.....	21
2.3.2.	Inductively coupled plasma-mass spectrometry (ICP-MS).....	22
2.3.3.	Brunauer–Emmett–Teller (BET) measurement	23
2.4.	Durability test.....	23
3.	Effect of cathode morphology on the performance of HT-PEFCs	25
3.1.	Cathodes prepared by spraying and doctor blade methods.....	25
3.1.1.	Electrode morphology	25
3.1.2.	Electrochemical tests	27
3.2.	Cathodes prepared with different binders	29
3.2.1.	Electrode morphology	29
3.2.2.	Scanning Electrochemical Microscopy	30
3.2.3.	Polarization curve.....	33
3.3.	Effect of binder content on morphology and performance	34
3.3.1.	Cathodes prepared by different contents of binder	34
3.3.2.	BET measurement	35
3.3.3.	SEM and EDX mapping.....	36
3.3.4.	Comparison of electrochemical properties.....	37

3.4.	Summary	42
4.	Role of PTFE on HT-PEFC durability	45
4.1.	OCV operation	45
4.1.1.	Voltage-time and polarization curves.....	45
4.1.2.	Degradation rate comparison.....	46
4.1.3.	Electrochemical impedance spectroscopy.....	47
4.1.4.	Cyclic voltammetry	48
4.1.5.	Voltage loss contributions	49
4.1.6.	Recovery test	51
4.2.	Load cycling test.....	53
4.2.1.	Voltage-time curve	53
4.2.2.	ICP-MS measurement	54
4.3.	Summary	55
5.	Correlations between MEA parameters and electrochemical properties.....	57
5.1.	Experimental plan	57
5.2.	Cathodes with different parameters	58
5.3.	HT-PEFCs voltage	60
5.4.	Resistances.....	63
5.4.1.	Ohmic resistance	64
5.4.2.	Protonic resistance.....	66
5.4.3.	Charge transfer resistance	67
5.4.4.	Mass transport resistance.....	69
5.4.5.	Double layer capacitance.....	71
5.5.	Summary	72
6.	Study of Pt bands formation and Pt/C degradation in HT-PEFCs	75
6.1.	Operating procedure.....	75
6.2.	Electron microscopy characterizations	76
6.2.1.	SEM-EDX mapping analysis	76
6.2.2.	FIB/SEM measurement	78
6.3.	Mechanism of Pt band formation.....	82
6.4.	Electrochemical measurements.....	85

6.4.1. Cyclic voltammetry	85
6.4.2. Changes in cell resistance and performance.....	87
6.5. Summary	89
7. Comparison of degradation under various operating conditions.....	91
7.1. Voltage-time curve.....	92
7.2. FIB/SEM and EDX mapping analysis	94
7.2.1. FIB/SEM characterization.....	94
7.2.2. EDX mapping analysis	97
7.3. ICP-MS measurement.....	105
7.4. Electrochemical impedance spectroscopy	106
7.5. Comparison of performance degradation.....	111
7.6. Summary	114
8. Overall discussion.....	115
9. Conclusion.....	123
Nomenclature.....	125
Abbreviations	125
Latin symbols	127
Greek symbols	129
Bibliography	131
List of Figures	151
List of Tables	157
Publications.....	159
Acknowledgments.....	161

Energie & Umwelt / Energy & Environment
Band / Volume 479
ISBN 978-3-95806-436-2

Mitglied der Helmholtz-Gemeinschaft

