



## A lattice QCD study of nucleon structure with physical quark masses

Nesreen Hasan

IAS Series  
Band / Volume 41  
ISBN 978-3-95806-456-0

Mitglied der Helmholtz-Gemeinschaft

Forschungszentrum Jülich GmbH  
Institute for Advanced Simulation (IAS)  
Jülich Supercomputing Centre (JSC)

# **A lattice QCD study of nucleon structure with physical quark masses**

Nesreen Hasan

Schriften des Forschungszentrums Jülich  
Reihe IAS

Band / Volume 41

---

ISSN 1868-8489

ISBN 978-3-95806-456-0

# Contents

<b>1</b>	<b>Introduction: Nucleon structure</b>	<b>1</b>
1.1	Nucleon charges . . . . .	3
1.2	Nucleon form factors . . . . .	5
1.2.1	Proton radius puzzle . . . . .	8
1.2.2	Proton spin puzzle . . . . .	9
<b>2</b>	<b>Nucleon structure on the lattice</b>	<b>11</b>
2.1	Nucleon field . . . . .	11
2.2	Nucleon correlation functions . . . . .	13
2.2.1	Two-point correlation function . . . . .	13
2.2.2	Three-point correlation function . . . . .	16
2.3	Smearing of quark fields . . . . .	23
2.4	Computation of matrix elements . . . . .	25
2.4.1	Ratio method . . . . .	25
2.4.2	Summation method . . . . .	26
2.5	Nucleon form factors and radii . . . . .	26
2.5.1	Extraction of nucleon form factors . . . . .	26
2.5.2	Extraction of nucleon radii using $z$ expansion . . . . .	28
2.6	Renormalization in lattice QCD . . . . .	29
2.6.1	Rome-Southampton method . . . . .	31
<b>3</b>	<b>Nucleon axial, scalar, and tensor charges</b>	<b>37</b>
3.1	Lattice setup . . . . .	38

3.1.1	Correlation functions . . . . .	38
3.1.2	Simulation details . . . . .	38
3.1.3	Fitting two-point functions . . . . .	40
3.2	Estimation of bare charges . . . . .	41
3.2.1	Ratio method . . . . .	42
3.2.2	Summation method . . . . .	43
3.2.3	Two-state fit of the ratio . . . . .	47
3.2.4	Combining different analyses . . . . .	49
3.3	Nonperturbative renormalization . . . . .	54
3.3.1	Vector current . . . . .	54
3.3.2	Axial, scalar, and tensor bilinears . . . . .	55
3.4	Renormalized charges . . . . .	59
3.5	Summary and outlook . . . . .	62
<b>4</b>	<b>Computing the nucleon charge and axial radii directly at <math>Q^2 = 0</math></b>	<b>65</b>
4.1	The derivative method . . . . .	67
4.1.1	Momentum derivatives of quark propagator . . . . .	67
4.1.2	Flavor structure of correlators constructed from propagator derivatives . . . . .	70
4.1.3	Momentum derivatives of correlation functions . . . . .	72
4.1.4	Momentum derivatives of matrix elements . . . . .	74
4.2	Results . . . . .	81
4.2.1	Results from the fine ensemble . . . . .	82
4.2.2	Results from the coarse ensemble . . . . .	87
4.2.3	Numerical results . . . . .	97
4.3	Summary and outlook . . . . .	99
<b>5</b>	<b>Up, down, and strange nucleon axial form factors</b>	<b>101</b>
5.1	Lattice methodology . . . . .	102
5.1.1	Lattice ensemble and calculation setup . . . . .	102
5.1.2	Effectiveness of hierarchical probing . . . . .	104

5.1.3	Excited-state effects . . . . .	105
5.1.4	Form factor fits using the $z$ expansion . . . . .	111
5.2	Renormalization . . . . .	114
5.2.1	Vector current renormalization . . . . .	115
5.2.2	Study of discretization effects . . . . .	116
5.2.3	Matching to $\overline{\text{MS}}$ and running of the singlet axial current . . .	118
5.2.4	Renormalization of the axial current: $N_f = 2 + 1$ . . . . .	120
5.2.5	Volume-source approach and reuse of disconnected diagrams .	123
5.2.6	Results . . . . .	124
5.3	Axial form factors . . . . .	127
5.3.1	$G_A$ form factors . . . . .	127
5.3.2	Quark spin contributions . . . . .	129
5.3.3	$G_P$ form factors . . . . .	131
5.4	Discussion and conclusions . . . . .	135
<b>6</b>	<b>Summary</b>	<b>139</b>

IAS Series  
Band / Volume 41  
ISBN 978-3-95806-456-0

Mitglied der Helmholtz-Gemeinschaft

