




Electrolyte development for a SOFC operating at low temperature

Jun Zhang

Energie & Umwelt / Energy & Environment

Band / Volume 492

ISBN 978-3-95806-471-3

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Werkstoffsynthese und Herstellungsverfahren (IEK-1)

Electrolyte development for a SOFC operating at low temperature

Jun Zhang

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 492

ISSN 1866-1793

ISBN 978-3-95806-471-3

CONTENTS

1	INTRODUCTION	1
2	BACKGROUND AND THEORY	3
2.1	Solid oxide fuel cell (SOFC)	3
2.1.1	Working principle	3
2.1.2	SOFC development	4
2.1.3	Electrochemistry	5
2.1.4	Components	8
2.1.5	Electrolyte	11
2.2	Electrolyte for SOFC	11
2.2.1	Requirements	11
2.2.2	Oxygen ion transport in the electrolyte	11
2.2.3	Materials	14
2.3	Thin electrolyte film fabrication techniques	18
2.3.1	Ceramic powder processing	18
2.3.2	Sol-gel processing	19
2.3.3	Physical vapor deposition	21
2.4	Low temperature SOFC	22
3	EXPERIMENTAL TECHNIQUES	27
3.1	Material characterization	27
3.1.1	Electrolyte materials	27
3.1.2	X-ray diffraction	27
3.1.3	Chemical analysis	28
3.1.4	Scanning electron microscopy	28
3.1.5	Thermal analysis	28
3.1.6	Archimedes characterization	29
3.1.7	Particle size distribution	29
3.2	Electrochemical impedance characterization	29
3.2.1	Basic principle	29
3.2.2	Impedance analysis of oxygen ionic conductors	30
3.2.3	Measurement procedure	31
3.3	Cell fabrication	32
3.3.1	Synthesis of screen printing paste	32
3.3.2	Viscosity measurement	34
3.3.3	Process of screen printing	35
3.3.4	Thin GDC electrolyte on two different anode supports	36
3.3.5	Leakage rate test	36
3.3.6	In-situ optical dilatometry	37
3.3.7	Fabrication of full cell	38
3.4	Single cell performance test	39
4	CHARACTERIZATION OF IONIC CONDUCTIVITY	41
4.1	Powder characterization	41

4.1.1	Impurity level	41
4.1.2	Particle size distribution	41
4.1.3	Sintering behavior	43
4.2	Microstructure of sintered ceramics	45
4.2.1	SEM cross-sectional observation	45
4.2.2	Average grain size distribution	45
4.3	Conductivity characterization	46
4.3.1	Temperature variation	46
4.3.2	Bulk and grain boundary conductivity	47
4.3.3	Total conductivity	50
4.3.4	Grain size effects - a simple model	54
4.4	Summary	57
5	DEVELOPMENT OF GDC ELECTROLYTE	59
5.1	Development of GDC electrolyte on NiO/YSZ anode	59
5.1.1	Synthesis of screen printing paste	60
5.1.2	Calcination behavior	64
5.1.3	Improvement of green density	65
5.2	Development of GDC electrolyte on NiO/GDC anode	66
5.2.1	Paste characterization	66
5.2.2	Drying behavior	67
5.2.3	Sintering behavior	68
5.2.4	Reducing behavior	72
5.2.5	Single cell performance	75
5.2.6	Post-test analysis of the tested cell	78
5.3	Development of electronic blocking layer	78
5.3.1	PVD development	78
5.3.2	Single cell performance	81
5.3.3	Single cell test at lower temperature	87
5.3.4	Post-test analysis of tested cell	89
5.4	SOEC performance	92
5.4.1	I-V curve	92
5.4.2	SEM observation	93
5.4.3	EIS measurement and DRT analysis	94
5.5	Summary	96
6	SUMMARY AND OUTLOOK	99
	BIBLIOGRAPHY	103
	ABSTRACT	119

Energie & Umwelt / Energy & Environment
Band / Volume 492
ISBN 978-3-95806-471-3