



# Single-Molecule Characterization of FRET-based Biosensors and Development of Two-Color Coincidence Detection

Henning Höfig

Schlüsseltechnologien / Key Technologies

Band / Volume 225

ISBN 978-3-95806-502-4

Forschungszentrum Jülich GmbH  
Institut für Biologische Informationsprozesse  
Zelluläre Strukturbiologie (IBI-6)

# **Single-Molecule Characterization of FRET-based Biosensors and Development of Two-Color Coincidence Detection**

Henning Höfig

Schriften des Forschungszentrums Jülich  
Reihe Schlüsseltechnologien / Key Technologies

Band / Volume 225

---

ISSN 1866-1807

ISBN 978-3-95806-502-4

# Contents

|  |             |
|--|-------------|
| <b>List of Publications</b>                              | <b>III</b>  |
| <b>Abstract</b>  | <b>V</b>    |
| <b>Zusammenfassung</b>                                   | <b>VII</b>  |
| <b>List of Figures</b>                                   | <b>XIII</b> |
| <b>List of Tables</b>                                    | <b>XV</b>   |
| <b>List of Acronyms</b>                                  | <b>XVII</b> |
| <b>1 Introduction</b>                                    | <b>1</b>    |
| <b>2 Materials and Instrumentation</b>                   | <b>5</b>    |
| 2.1 Samples . . . . .                                    | 5           |
| 2.1.1 Fluorescent Dyes . . . . .                         | 5           |
| 2.1.2 Fluorescent Beads . . . . .                        | 5           |
| TetraSpeck Beads . . . . .                               | 5           |
| Nano-Beads . . . . .                                     | 5           |
| 2.1.3 DNA Oligonucleotides . . . . .                     | 5           |
| 2.1.4 FRET-Based Biosensors . . . . .                    | 6           |
| 2.1.5 Dye-Labeled Glucose Binding Protein MglB . . . . . | 6           |
| 2.1.6 Cell-Free Protein Synthesis System . . . . .       | 6           |
| 2.2 Buffers . . . . .                                    | 6           |
| 2.2.1 Photoprotection Additives . . . . .                | 8           |
| Dye-Labeled Glucose Binding Protein . . . . .            | 8           |
| Cell-Free Protein Synthesis System . . . . .             | 8           |
| 2.3 Cover Slip Preparation . . . . .                     | 8           |
| 2.4 List of Confocal Microscope Components . . . . .     | 9           |
| 2.5 Spectrometers . . . . .                              | 10          |
| 2.6 Software . . . . .                                   | 11          |
| <b>3 Theory and Methods</b>                              | <b>13</b>   |
| 3.1 Fluorescence . . . . .                               | 13          |
| 3.1.1 Principles . . . . .                               | 13          |
| Jablonski Diagram . . . . .                              | 14          |

|          |  |           |
|----------|--|-----------|
|          | Absorption . . . . .   | 15        |
|          | Emission . . . . .   | 17        |
|          | Quantum Yield . . . . .  | 17        |
|          | Lifetime . . . . .   | 17        |
|          | Anisotropy . . . . .   | 18        |
|          | Photostability . . . . .   | 18        |
| 3.1.2    | Förster Resonance Energy Transfer (FRET) . . . . .   | 19        |
| 3.1.3    | Fluorescent Proteins . . . . .   | 22        |
| 3.2      | Confocal Microscopy . . . . .  | 24        |
| 3.2.1    | Setup . . . . .  | 24        |
| 3.2.2    | Gaussian Beam Optics and the Molecular Detection Function . . . . .                        | 26        |
| 3.2.3    | Time-Correlated Single Photon Counting (TCSPC) . . . . .                                   | 28        |
| 3.2.4    | Pulsed Interleaved Excitation (PIE) . . . . .  | 29        |
| 3.2.5    | Fluorescence Correlation Spectroscopy (FCS) . . . . .                                      | 30        |
| 3.3      | Single-Molecule Detection of Freely-Diffusing Fluorescent Biomolecules . . . . .           | 33        |
| 3.3.1    | Why Single-Molecule Measurements? . . . . .  | 33        |
| 3.3.2    | Requisites for Single-Molecule Detection: The Signal-to-Background Ratio . . . . .         | 34        |
| 3.3.3    | Workflow of a Single-Molecule Experiment . . . . .   | 36        |
| <b>4</b> | <b>Genetically-Encoded FRET-Based Biosensors</b> . . . . .                                 | <b>39</b> |
| 4.1      | Introduction to Biosensors . . . . .   | 39        |
| 4.2      | Sensing Principles of Genetically-Encoded FRET-Based Biosensors . . . . .                  | 41        |
| 4.3      | Design of Genetically-Encoded FRET-Based Biosensors . . . . .                              | 43        |
| 4.4      | Biosensor for Determination of Glucose Concentration . . . . .                             | 44        |
| 4.5      | Ensemble Read-Out of Biosensor Signal . . . . .  | 45        |
| 4.6      | Biosensor for Determination of Macromolecular Crowding . . . . .                           | 47        |
| 4.7      | Response of Glucose Biosensor to Crowding Conditions . . . . .                             | 49        |
| 4.8      | Limitations of Ensemble Characterization . . . . .   | 52        |
| 4.9      | Single-Molecule Measurements of Genetically-Encoded FRET-Based Biosensors . . . . .        | 55        |
| 4.9.1    | Experimental Realization . . . . .   | 55        |
| 4.9.2    | Determination of Correction Parameters $\alpha$ , $\beta$ , $\gamma$ . . . . .             | 58        |
| 4.9.3    | Correction for PEG 6,000 Background . . . . .  | 62        |
| 4.9.4    | Single-Molecule Characterization of Glucose Biosensor . . . . .                            | 62        |
| 4.9.5    | Performance of Glucose Biosensor . . . . .   | 66        |
| 4.9.6    | Single-Molecule Characterization of Biosensors in Crowding Conditions . . . . .            | 69        |
| 4.9.7    | Reproducibility and Sample-to-Sample Variations . . . . .                                  | 74        |
| 4.9.8    | Consistency of Single-Molecule and Ensemble Data . . . . .                                 | 74        |
| 4.10     | Comparison of Fluorescent Protein-Equipped Versus Dye-Labeled Biosensors . . . . .         | 77        |
| 4.10.1   | Accessible Volume Calculation for Dye Attachment to Glucose Binding Protein MglB . . . . . | 77        |
| 4.10.2   | Single-Molecule Characterization of Dye-Labeled Glucose Biosensor . . . . .                | 78        |

---

|          |  |            |
|----------|--|------------|
| <b>5</b> | <b>Brightness-Gated Two-Color Coincidence Detection (BTCCD)</b>            | <b>83</b>  |
| 5.1      | Introduction to Two-Color Coincidence Detection . . . . .                  | 83         |
| 5.2      | Imperfect Overlap of Confocal Volumes Causes Underestimated Coincidence .  | 84         |
| 5.3      | Basic Idea of Brightness Gating . . . . .                                  | 86         |
| 5.4      | Implementation of Brightness-Gated Two-Color Coincidence Detection . . . . | 87         |
| 5.4.1    | Determination of Optimal Brightness Threshold . . . . .                    | 90         |
| 5.4.2    | Fitting of Coincidence Fraction Curves . . . . .                           | 91         |
| 5.4.3    | Global Coincidence Analysis . . . . .                                      | 91         |
| 5.5      | Reference Samples . . . . .  | 92         |
| 5.5.1    | TetraSpeck Beads . . . . .   | 94         |
| 5.5.2    | Nano-Beads . . . . .   | 95         |
| 5.5.3    | Double-Stranded DNA Labeled with Alexa 488 and Atto 647N . . . . .         | 95         |
| 5.5.4    | Double-Stranded DNA Labeled with Alexa 488 and Alexa 647 . . . . .         | 96         |
| 5.6      | Benchmark with Conventional Two-Color Coincidence Detection . . . . .      | 97         |
| 5.7      | Testing the Limits of BTCCD . . . . .                                      | 99         |
| 5.7.1    | Dependency on Burst Detection Parameters . . . . .                         | 99         |
| 5.7.2    | Dependency on Laser Power and Photobleaching . . . . .                     | 103        |
| 5.7.3    | Minimal Measurement Time . . . . .   | 105        |
| 5.8      | Impact of Chance Coincidence Events . . . . .                              | 107        |
| 5.8.1    | Chance Coincidences in BTCCD . . . . .                                     | 109        |
| 5.8.2    | Experimental Characterization of Chance Coincidence . . . . .              | 110        |
| 5.8.3    | Correction for Chance Coincidences . . . . .                               | 112        |
| 5.9      | Coincidence Analysis of FRET-Based Biosensors . . . . .                    | 113        |
| 5.10     | Investigation of Protein Translation . . . . .                             | 116        |
| 5.10.1   | Ribosomes as the Center of Protein Synthesis . . . . .                     | 116        |
| 5.10.2   | Stalling Efficiency and Activity . . . . .                                 | 117        |
| 5.10.3   | Translation Initiation . . . . .   | 119        |
| <b>6</b> | <b>Conclusion and Outlook</b>  | <b>125</b> |
| 6.1      | Genetically-Encoded FRET-Based Biosensors . . . . .                        | 125        |
| 6.2      | Brightness-Gated Two-Color Coincidence Detection . . . . .                 | 128        |
|          | <b>Bibliography</b>  | <b>131</b> |
| <b>A</b> | <b>Appendix: FRET-Based Biosensors</b>                                     | <b>143</b> |
| <b>B</b> | <b>Appendix: Two-Color Coincidence Detection</b>                           | <b>151</b> |
|          | <b>Acknowledgment</b>  | <b>161</b> |

Schlüsseltechnologien / Key Technologies

Band / Volume 225

ISBN 978-3-95806-502-4

Mitglied der Helmholtz-Gemeinschaft

