



# Transparent Passivating Contact for Crystalline Silicon Solar Cells

Malte Köhler

Energie & Umwelt / Energy & Environment

Band / Volume 538

ISBN 978-3-95806-550-5

Mitglied der Helmholtz-Gemeinschaft

 **JÜLICH**  
Forschungszentrum

Forschungszentrum Jülich GmbH  
Institut für Energie- und Klimaforschung  
IEK-5 Photovoltaik

# **Transparent Passivating Contact for Crystalline Silicon Solar Cells**

Malte Köhler

Schriften des Forschungszentrums Jülich  
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 538

---

ISSN 1866-1793

ISBN 978-3-95806-550-5

# Contents

<b>Abstract</b>	<b>3</b>
<b>Zusammenfassung</b>	<b>7</b>
<b>1. Introduction</b>	<b>11</b>
<b>2. Fundamentals</b>	<b>17</b>
2.1. Basic semiconductor principles . . . . .	17
2.2. Selectivity . . . . .	23
2.3. Passivating contacts . . . . .	33
2.4. Silicon Tunnel Oxides . . . . .	36
<b>3. Experimental Details</b>	<b>41</b>
3.1. Preparation of the Transparent Passivating Contacts . . . . .	41
3.2. Characterization of structural properties of $\mu\text{c-SiC:H}(n)$ . . . . .	44
3.3. Characterization of optical properties of $\mu\text{c-SiC:H}(n)$ . . . . .	45
3.4. Characterization of the TPC contact and solar cells . . . . .	47
<b>4. Wet-chemically grown <math>\text{SiO}_2</math> Tunnel Oxides</b>	<b>55</b>
4.1. Influence of oxidation parameters . . . . .	59
4.2. Influence of the filament temperature during HW-CVD for selected $\text{SiO}_2$ . . . . .	71
4.3. Summary . . . . .	75
<b>5. Material and Contact Properties of <math>\mu\text{c-SiC:H}(n)</math></b>	<b>77</b>
5.1. Electrical properties . . . . .	77
5.2. Optical properties . . . . .	83

*Contents*

5.3.	Passivation and electrical contact properties of TPC . . . . .	88
5.3.1.	Single layer $\mu\text{-SiC:H}(n)$ . . . . .	88
5.3.2.	Double layer $\mu\text{-SiC:H}(n)$ . . . . .	95
5.4.	Summary . . . . .	101
<b>6.</b>	<b>Solar Cell Development with TPC Front Side</b>	<b>105</b>
6.1.	Solar Cells using selected $\text{SiO}_2$ . . . . .	106
6.2.	Single layer TPC solar cells . . . . .	109
6.3.	Double layer TPC solar cells . . . . .	116
6.3.1.	Conductive $\mu\text{-SiC:H}(n)$ layer variation . . . . .	116
6.3.2.	Double layer stack optimization . . . . .	118
6.4.	TCO development for TPC . . . . .	123
6.4.1.	Mechanisms of sputter degradation . . . . .	124
6.4.2.	TCO screening for TPC . . . . .	130
6.4.3.	Influence of ITO deposition conditions on solar cell parameters	133
6.5.	Optical improvement . . . . .	140
<b>7.</b>	<b>Conclusion &amp; Outlook</b>	<b>143</b>
<b>A.</b>	<b>Experimental Details</b>	<b>149</b>
A.1.	Solar Cells using selected $\text{SiO}_2$ . . . . .	149
A.2.	Single layer TPC solar cells . . . . .	150
A.3.	Double layer stack $\mu\text{-SiC:H}(n)$ . . . . .	151
A.4.	TCO development for TPC . . . . .	153
A.5.	Results of the certification . . . . .	155
<b>B.</b>	<b>Abbreviations and Symbols</b>	<b>157</b>
<b>C.</b>	<b>List of Publications</b>	<b>163</b>
<b>D.</b>	<b>Curriculum Vitae</b>	<b>165</b>
	<b>References</b>	<b>167</b>
	<b>Acknowledgments</b>	<b>185</b>

Energie & Umwelt / Energy & Environment  
Band / Volume 538  
ISBN 978-3-95806-550-5

Mitglied der Helmholtz-Gemeinschaft

