




Processing and creep resistance of short SiC fiber containing Ti₃SiC₂ MAX phase composites

Apurv Dash

Energie & Umwelt / Energy & Environment

Band / Volume 543

ISBN 978-3-95806-558-1

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Werkstoffsynthese und Herstellungsverfahren (IEK-1)

Processing and creep resistance of short SiC fiber containing Ti_3SiC_2 MAX phase composites

Apurv Dash

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 543

ISSN 1866-1793

ISBN 978-3-95806-558-1

CONTENTS

Abstract	iii
Zusammenfassung	v
Acknowledgements	vii
1 Introduction	1
1.1 History of materials	1
1.2 MAX phases.	2
1.3 Ti_3SiC_2 MAX phase	4
1.4 Mechanical properties of MAX phases	5
1.5 The need for a composite material	8
References	13
2 State of the art	17
2.1 Synthesis of Ti_3SiC_2 MAX phase.	17
2.2 Molten salt assisted synthesis of MAX phases	20
2.3 Composites with Ti_3SiC_2 as the matrix	21
2.3.1 Particle reinforced ceramic matrix composites.	21
2.3.2 Fiber reinforced ceramic matrix composites	22
2.4 Mechanical properties of MAX phases	22
2.4.1 Room temperature mechanical properties.	22
2.4.2 High temperature mechanical properties	23
2.4.3 High temperature creep of MAX phases	23
References	24
3 Materials & Methods	29
3.1 Synthesis of MAX phase powders	29
3.2 Powder characterization	30
3.3 Ti_3SiC_2 based ceramic matrix composite (CMCs)	32
3.4 High temperature compressive creep	33
4 Result & discussion I: Molten salt shielded synthesis (MS^3) of Ti_3SiC_2	35
4.1 Molten salt shielded synthesis (MS^3) process	35
4.2 Reaction mechanism for the formation of Ti_3SiC_2 in molten salt	40
4.3 Interfacial investigation of KBr- Ti_3SiC_2 with and without Al.	50
4.4 Milling study of synthesized Ti_3SiC_2	52
4.5 Synthesis of other non-oxide ceramic powders	54
4.6 Sintering of Ti by MS^3 process.	58
References	60

5	Result & discussion II: Processing of Ti_3SiC_2 composites containing SiC whiskers and short SiC fibers	67
5.1	Characterization of spark plasma sintered monolithic Ti_3SiC_2	68
5.2	Grain growth of textured Ti_3SiC_2 and its characterization	77
5.3	Characterization of spark plasma sintered short SiC_f / Ti_3SiC_2 composites	81
5.4	Characterization of spark plasma sintered SiC_w / Ti_3SiC_2 composites.	85
	References	89
6	Result & discussion III: Compressive creep resistance of short SiC fiber / Ti_3SiC_2 composites	91
6.1	Creep of textured Ti_3SiC_2	92
6.1.1	Steady state creep of fine grained textured Ti_3SiC_2	92
6.1.2	Steady state creep of coarse grained textured Ti_3SiC_2	93
6.1.3	Creep activation energy and stress exponent.	95
6.1.4	Post creep microstructural investigation	97
6.2	Creep of short SiC_f / Ti_3SiC_2 composites	99
6.2.1	Steady state creep of fine grained SiC_f / Ti_3SiC_2 CMC	99
6.2.2	Creep activation energy and stress exponent.	102
6.2.3	Post creep microstructural investigation	103
6.3	Creep of SiC_w / Ti_3SiC_2 composites	105
6.3.1	Steady state creep of fine grained SiC_w / Ti_3SiC_2 CMC	105
6.3.2	Creep activation energy and stress exponent.	108
6.3.3	Post creep microstructural investigation	110
6.4	Summary of different reinforcements on the creep of Ti_3SiC_2	114
	References	116
7	Conclusion	119
	Curriculum Vitæ	123
	List of Publications	125

Energie & Umwelt / Energy & Environment
Band / Volume 543
ISBN 978-3-95806-558-1