


Galvanostatic Cycling
with Potential Limitation
 $35.2 \mu\text{A cm}^{-2}$ (0.1 C)
25 °C



Infiltrated Positive Electrodes for All-Solid-State Sodium Batteries

Tu Lan

Energie & Umwelt / Energy & Environment

Band / Volume 551

ISBN 978-3-95806-576-5

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Werkstoffsynthese und Herstellungsverfahren (IEK-1)

Infiltrated Positive Electrodes for All-Solid-State Sodium Batteries

Tu Lan

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 551

ISSN 1866-1793

ISBN 978-3-95806-576-5

Table of Contents

List of Abbreviations	vi
I Introduction	1
1.1 Solid-State Batteries	2
1.2 Na-based Batteries	14
1.3 $\text{Na}_3\text{V}_2(\text{PO}_4)_3$	18
1.4 Scope of this Thesis	25
II Methodology.....	26
2.1 Synthesis Methods	26
2.2 Fabrication of Na-ASSBs	29
2.3 Characterization methods.....	32
III Synthesis and Characterization of NVP	42
3.1 Preparation of NVP samples	42
3.2 Conductivity of NVP measured on Na-ASSBs with thin layer NVP	57
IV Na-ASSBs Prepared by Chemical Infiltration.....	61
4.1 Design	61
4.2 Fabrication.....	65
4.3 Performance	71
4.4 Characterization	79
4.5 Discussion: Infiltrated Na-ASSBs compared with other ASSBs.....	86
4.6 Outlook.....	89
V Summary	94
References.....	96
Acknowledgements	101

Energie & Umwelt / Energy & Environment
Band / Volume 551
ISBN 978-3-95806-576-5