


Equivalent Circuit Model
 $R_o + L + 3 RQ$

$$Z_{R-CPE}(f) = \frac{R}{1 + (i2\pi f\tau)^n}$$



Distribution of Relaxation Times for Analysis of Solid Oxide Fuel Cell Stacks

Katharina Fitzek

Energie & Umwelt / Energy & Environment

Band / Volume 559

ISBN 978-3-95806-599-4

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Elektrochemische Verfahrenstechnik (IEK-14)

Distribution of Relaxation Times for Analysis of Solid Oxide Fuel Cell Stacks

Katharina Fitzek

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 559

ISSN 1866-1793

ISBN 978-3-95806-599-4

Contents

1. Introduction and goal of the work	1
2. Fundamentals and Literature	5
2.1 Solid Oxide Fuel Cell (SOFC)	5
2.1.1 Electrochemical Basics	5
2.1.2 Cell and Stack Components	10
2.2 Electrochemical Impedance Spectroscopy	15
2.2.1 Basics	15
2.2.2 Processes on AC stimulation	20
2.2.3 Equivalent Circuit Modelling	27
2.2.4 The Constant Phase Element	32
2.2.5 Distribution of Relaxation Times	38
2.3 Statement of Scientific Gap	47
3. Simulation Structure	50
3.1 Equivalent Circuit Model.....	50
3.2 Error models	51
3.3 Parameter Variations.....	52
3.4 DRT Settings	54
4. Results and Discussion	56
4.1 Simulations with ideal EIS spectra	56
4.2 Simulations with statistical error	80
4.2.1 Simulations with error model 1	80
4.2.2 Simulations with error model 2	111
4.2.3 Simulations with ppd variation	140
4.2.4 Simulations with variation of error level	151
4.2.5 Simulations with variation of minimum frequency.....	161
4.3 Summary of simulation results	166
4.4 Verification of results on experiment	171
4.4.1 Measurements at 650 °C.....	173
4.4.2 Measurements at 700 °C.....	181
4.4.3 Measurements at 800 °C.....	188
4.4.4 Summary of Verification Results.....	195
5. Cross-chapter discussion	197
6. Summary	215
References	222

Energie & Umwelt / Energy & Environment
Band / Volume 559
ISBN 978-3-95806-599-4