



Towards 3D crosshole GPR full-waveform inversion

Amirpasha Mozaffari

Energie & Umwelt / Energy & Environment

Band / Volume 574

ISBN 978-3-95806-623-6

Forschungszentrum Jülich GmbH
Institut für Bio- und Geowissenschaften
Agrosphäre (IBG-3)

Towards 3D crosshole GPR full-waveform inversion

Amirpasha Mozaffari

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 574

ISSN 1866-1793

ISBN 978-3-95806-623-6

Contents

Abstract	i
Zusammenfassung	iii
Publications	v
1 Introduction	1
1.1 All is about the earth and climate	1
1.2 Statement of the problem	1
1.3 GPR to bridge the gap	3
1.4 The need for better tools	4
1.5 Objective and thesis outline	6
2 Theory	8
2.1 Fundamental of electromagnetic wave	8
2.1.1 Fundamental of electromagnetic	8
2.1.2 EM wave propagation	9
2.1.3 Reflection and refraction of the EM waves	10
2.2 Numerical modelling of GPR data	11
2.2.1 Finite-difference method	11
2.2.2 Finite-difference time-domain	12
2.2.2.1 Courant–Friedrichs–Lewy	12
2.2.2.2 Perfectly matched layer	13
2.3 Inversion and ill-posed problem	14
2.3.1 Inverse problem	14
2.3.1.1 State of information	14
2.3.1.2 Parametrisation and prior information	15
2.3.1.3 Forward problem	15
2.3.1.4 Defining the solution of the inverse problem	16
2.4 GPR ray-based inversion	17
2.5 GPR full-waveform inversion	19
2.5.1 Linear regression	19
2.5.2 Linear regression coupled with physics-based forward model	20
2.5.3 Crosshole GPR FWI	21
2.5.3.1 FWI Pre-Processing	22
2.5.3.2 Forward Problem	24
2.5.3.3 Source wavelet estimation and correction	24

2.5.3.4	Inversion algorithm	26
3	2.5D crosshole GPR FWI with synthetic and measured data	30
3.1	Effects of the geometric spreading correction	30
3.2	Novel 2.5D crosshole GPR FWI	34
3.3	Case study 1: Realistic synthetic model	34
3.3.1	Model description and generating synthetic data	34
3.3.1.1	Starting models	35
3.3.2	Inversion strategies	36
3.3.2.1	Direct 2.5D FWI	37
3.3.2.2	Cascade 2.5D FWI	38
3.3.2.3	2.5D FWI with updated ε_r starting model	39
3.4	Case study 2: Experimental data	42
3.4.1	Test site description	42
3.4.2	FWI results	43
3.5	Conclusion	44
4	3D GPR antenna model and enhanced FWI with borehole fluid integration	47
4.1	Introduction	47
4.2	Finite-length antenna and borehole fluid models	49
4.2.1	3D Crosshole GPR antenna model	50
4.2.2	Antenna Validation	51
4.3	Borehole fluid effect (on travel-time and frequency spectrum)	53
4.4	FLA effect in wavelet angular-dependency	55
4.4.1	Synthetic study	55
4.4.2	Measured data study	55
4.5	3D Crosshole GPR modeling with FLA and borehole fluid	56
4.5.1	Synthetic simple subsurface model	56
4.5.2	Synthetic Widen test site model	56
4.6	2.5D crosshole GPR FWI with integrated borehole fluid	57
4.6.1	Synthetic data produced with water-filled borehole	59
4.6.2	Results	60
4.7	Conclusion	72
5	High resolution 3D EM modelling: A new correction to use high-angle crosshole GPR traveltimes data	73
5.1	Crosshole GPR high-angle problem	73
5.2	Novel pre-processing borehole-fluid effect correction resulting in improve in apparent velocity values	76
5.3	3D FDTD modelling	79
5.4	Case study 1: simple layered subsurface model	80
5.5	Case study 2: realistic synthetic heterogeneous model	84
5.6	Conclusion	87

6 Final conclusion and outlook	93
6.1 Conclusions	93
6.2 Outlook	95
Acknowledgments	97
CV	98
List of Figures	101
List of Tables	102
Bibliography	106

Energie & Umwelt / Energy & Environment
Band / Volume 574
ISBN 978-3-95806-623-6