



## Hybrid hydrogels promote physiological functionality of long-term cultured primary neuronal cells in vitro

Corinna Meeßen

Information

Band / Volume 83

ISBN 978-3-95806-643-4

Forschungszentrum Jülich GmbH  
Institut für Biologische Informationsprozesse (IBI)  
Bioelektronik (IBI-3)

# **Hybrid hydrogels promote physiological functionality of long-term cultured primary neuronal cells in vitro**

Corinna Meeßen

Schriften des Forschungszentrums Jülich  
Reihe Information / Information

Band / Volume 83

---

ISSN 1866-1777

ISBN 978-3-95806-643-4

# Contents

<b>1. Introduction</b>	<b>1</b>
<b>2. Background</b>	<b>3</b>
2.1. The extracellular matrix of the central nervous system . . . . .	3
2.2. Basics of neuronal communication . . . . .	4
2.2.1. Action potential . . . . .	5
2.2.2. Chemical synapse . . . . .	6
2.3. Mimics of the human brain . . . . .	7
2.3.1. Organoids . . . . .	7
2.3.2. Spheroids . . . . .	9
2.3.3. Hydrogels . . . . .	10
2.4. Requirements and challenges of Hydrogels for neuroscience . . . . .	12
2.5. Network analysis and graph theory . . . . .	17
2.5.1. Functional connectivity estimation . . . . .	18
2.5.2. Network Measures . . . . .	21
<b>3. Materials and Methods</b>	<b>25</b>
3.1. Natural Hydrogels . . . . .	25
3.1.1. Fibrin . . . . .	25
3.1.2. Collagen . . . . .	26
3.2. Biohybrid Hydrogels . . . . .	27
3.2.1. Fibrin-PVP- <i>co</i> -GMA <sub>3mol%</sub> . . . . .	28
3.2.2. Collagen-PVP- <i>co</i> -GMA <sub>3mol%</sub> . . . . .	28
3.3. Cell culture . . . . .	28
3.4. Cell viability . . . . .	29
3.5. Immunostaining . . . . .	29
3.6. Microscopy . . . . .	30
3.6.1. Confocal imaging . . . . .	30
3.6.2. Calcium imaging . . . . .	30
3.7. Data processing . . . . .	30
3.7.1. Signal extraction and data preprocessing . . . . .	30
3.7.2. Network analysis . . . . .	32
3.7.3. Cross-correlation . . . . .	32
3.7.4. Statistical evaluation . . . . .	32
<b>4. Engineering of a suitable hydrogel system for primary neuronal cell encapsulation</b>	<b>33</b>
4.1. Commercial hydrogels . . . . .	33
4.2. Natural hydrogels . . . . .	35
4.3. Biohybrid hydrogels . . . . .	38
<b>5. Implementation of generalized transfer entropy (GTE) and its pitfalls</b>	<b>41</b>
<b>6. Natural hydrogels lack long-term cultivation properties</b>	<b>45</b>
6.1. Fibrin concentrations in hydrogels affect cell viability . . . . .	45

6.2. Collagen hydrogels enhance neuronal cell viability . . . . .	48
<b>7. Biohybrid hydrogels enhance physiological development for long-term cultivation</b>	<b>51</b>
7.0.1. Fibrin-PVP- <i>co</i> -GMA <sub>3mol%</sub> . . . . .	52
7.0.2. Collagen-PVP- <i>co</i> -GMA <sub>3mol%</sub> . . . . .	56
7.0.3. Conclusion . . . . .	58
<b>8. Development of spontaneous network activity over time</b>	<b>59</b>
8.1. Influence of different molecular weights of PVP on spontaneous network activity development . . . . .	60
8.2. Importance of recording times limited by setup possibilities . . . . .	70
8.2.1. Conclusion . . . . .	74
8.3. PVP- <i>co</i> -GMA <sub>3mol%</sub> has a major influence on network development compared to simple Collagen gels . . . . .	75
8.3.1. Conclusion . . . . .	78
<b>9. Conclusion and scientific relevance</b>	<b>79</b>
<b>10. Applications and future perspectives</b>	<b>83</b>
10.1. Disease modeling and basic research . . . . .	83
10.2. Interfacing with electrodes . . . . .	84
10.2.1. Hydrogels as electrode coatings . . . . .	84
10.2.2. Different types of electrodes . . . . .	84
<b>A. Supplemental figures and tables</b>	<b>89</b>
A.1. Data table . . . . .	90
A.2. Synchrony derived from different adjacency matrices . . . . .	97
A.3. Node strength and degree in biohybrid hydrogels with different PVP polymer chain lengths . . . . .	99
A.4. Biohybrid hydrogel vs. Collagen . . . . .	100
A.5. Importance of recording times . . . . .	103
<b>Bibliography</b>	<b>117</b>
<b>Acknowledgments</b>	<b>119</b>

Information  
Band / Volume 83  
ISBN 978-3-95806-643-4

Mitglied der Helmholtz-Gemeinschaft

