



# Dynamical and statistical structure of spatially organized neuronal networks

Moritz Layer

Information

Band / Volume 85

ISBN 978-3-95806-651-9

Forschungszentrum Jülich GmbH  
Institute of Neurosciences and Medicine (INM)  
Computational and Systems Neuroscience (INM-6)  
& Theoretical Neuroscience (IAS-6)

## **Dynamical and statistical structure of spatially organized neuronal networks**

Moritz Layer

Schriften des Forschungszentrums Jülich  
Reihe Information / Information

Band / Volume 85

---

ISSN 1866-1777

ISBN 978-3-95806-651-9

---

## CONTENTS

---

<b>1</b>	<b>INTRODUCTION</b>	<b>1</b>
1.1	The spatio-temporal connectivity of neocortex . . . . .	2
1.2	Experimentally observed mesoscopic <i>in vivo</i> activity in cortex . . . . .	3
1.3	Neuron and network models utilized in this thesis . . . . .	5
1.4	Mean-field theory of random networks . . . . .	8
1.5	Theory of spatially organized networks . . . . .	10
1.6	Scope of this thesis . . . . .	11
<b>2</b>	<b>NNMT: MEAN-FIELD BASED ANALYSIS TOOLS FOR NEURONAL NETWORK MODELS</b>	<b>13</b>
2.1	Introduction . . . . .	13
2.2	Workflows and architecture . . . . .	14
2.2.1	Basic workflow . . . . .	16
2.2.2	Model workflow . . . . .	16
2.2.3	Structure of the toolbox . . . . .	17
2.3	How to use the toolbox . . . . .	18
2.3.1	Installation and setup . . . . .	18
2.3.2	Usage example: analyzing a microcircuit model . . . . .	18
2.4	Discussion . . . . .	23
2.4.1	Comparison to other tools . . . . .	23
2.4.2	Use cases . . . . .	24
2.4.3	Limitations . . . . .	25
2.4.4	How to contribute and outlook . . . . .	26
<b>3</b>	<b>CORRELATIONS IN TWO-DIMENSIONAL NETWORKS</b>	<b>29</b>
3.1	Introduction . . . . .	29
3.2	Macaque motor cortex shows long-range coordination patterns . . . . .	30
3.3	Multi-synaptic connections determine correlations . . . . .	32
3.4	Almost unstable networks show shallow exponential decay of covariances	34
3.5	Pairwise covariances in motor cortex decay on a millimeter scale . . . . .	38
3.6	Firing rates alter connectivity-dependent covariance patterns . . . . .	39
3.7	Coordination patterns in motor cortex depend on behavioral context . .	41
3.8	Discussion . . . . .	44
3.9	Methods . . . . .	48
<b>4</b>	<b>ACTIVITY PATTERNS IN TWO-DIMENSIONAL NETWORKS</b>	<b>57</b>
4.1	Introduction . . . . .	57
4.2	The model . . . . .	59
4.3	Conditions for patterns to emerge . . . . .	63
4.3.1	Comparison of one- and two-dimensional networks . . . . .	65
4.3.2	The effect of the neuron grid . . . . .	65

4.3.3	Example: Gaussian connectivity profiles . . . . .	68
4.4	Studying the interaction of Fourier modes . . . . .	69
4.4.1	Center manifold reduction for ODEs . . . . .	70
4.4.2	Center manifold reduction for ODEs with parameters . . . . .	71
4.4.3	Center manifold reduction for DDEs . . . . .	72
4.5	Simulation . . . . .	73
4.6	Static patterns . . . . .	74
4.6.1	Interaction of static spatial waves . . . . .	75
4.6.2	Excitation of stable modes . . . . .	78
4.7	Discussion . . . . .	80
5	DISCUSSION . . . . .	85
5.1	Conclusions . . . . .	85
5.2	Sub-projects in the context of spatial organization . . . . .	87
5.3	Overarching assumptions in this thesis . . . . .	88
5.4	Relevance of spatial organization . . . . .	90
5.5	Outlook . . . . .	91
A	NNMT . . . . .	93
A.1	Microcircuit parameters . . . . .	93
B	LONG RANGE CORRELATIONS . . . . .	95
B.1	Correlations and covariances . . . . .	95
B.2	Robustness to E/I separation . . . . .	97
B.3	Stationarity of behavioral data . . . . .	98
B.4	Network model . . . . .	103
B.5	Covariances . . . . .	105
B.6	Cumulant generating function of connectivity matrix . . . . .	106
B.7	Note on derivation of variance of covariances . . . . .	107
B.8	Utilizing symmetries to reduce dimensionality . . . . .	107
B.9	One-dimensional network with one population . . . . .	109
B.9.1	Dimensionality reduction . . . . .	110
B.9.2	Continuum limit . . . . .	111
B.9.3	Prediction of exponential decay of covariance statistics . . . . .	111
B.9.4	Long-range limit . . . . .	112
B.10	One-dimensional network with two populations . . . . .	114
B.10.1	Dimensionality reduction . . . . .	115
B.10.2	General results . . . . .	118
B.10.3	Long-range limit . . . . .	119
B.11	Two-dimensional network with one population . . . . .	121
B.11.1	Dimensionality reduction . . . . .	122
B.11.2	Long-range limit . . . . .	123
B.11.3	Note on higher order approximation . . . . .	125
B.12	Two-dimensional network with two populations . . . . .	126
B.12.1	Dimensionality reduction . . . . .	126
B.12.2	Long-range limit . . . . .	127
B.12.3	Higher order approximation . . . . .	128

B.13	Validation of theory . . . . .	129
B.14	Parameters of NEST simulation . . . . .	131
B.15	Sources of heterogeneity . . . . .	131
C	ACTIVITY PATTERNS IN TWO-DIMENSIONAL NETWORKS	133
C.1	Transition curves in network with Gaussian connectivity . . . . .	133
C.2	NEST simulation parameters . . . . .	135
C.3	Analysis of the convolutions in the non-linearity . . . . .	136
C.4	Center manifold reduction for static patterns . . . . .	137
	Bibliography	141

Information  
Band / Volume 85  
ISBN 978-3-95806-651-9

Mitglied der Helmholtz-Gemeinschaft

