



Diversity of chiral magnetic solitons

Vladyslav Kuchkin

Information

Band / Volume 88

ISBN 978-3-95806-665-6

Forschungszentrum Jülich GmbH
Peter Grünberg Institut (PGI)
Quanten-Theorie der Materialien (PGI-1/IAS-1)

Diversity of chiral magnetic solitons

Vladyslav Kuchkin

Schriften des Forschungszentrums Jülich
Reihe Information / Information

Band / Volume 88

ISSN 1866-1777

ISBN 978-3-95806-665-6

Contents

| | |
|---|-----------|
| Introduction | 1 |
| 1 Model and methods | 4 |
| 1.1 Model | 4 |
| 1.1.1 Atomistic model | 5 |
| 1.1.2 Micromagnetic model | 6 |
| 1.2 Energy minimization and equations of motion | 7 |
| 1.2.1 Euler-Lagrange equations | 7 |
| 1.2.2 Landau-Lifshitz equation | 9 |
| 1.2.3 Thiele equation | 9 |
| 1.2.4 Topology in chiral magnets | 10 |
| 1.2.5 Skyrmions at Bogomol'nyi point | 11 |
| 1.3 Methods | 13 |
| 1.3.1 Energy minimizations | 13 |
| 1.3.2 Numerical solving of the Lagrange-Euler equations | 14 |
| 1.3.3 Numerical solving of the Landau-Lifshitz equation | 15 |
| 1.3.4 Monte-Carlo method | 16 |
| 1.3.5 Vector field visualization | 17 |
| 2 Skyrmions in the tilted magnetic field | 18 |
| 2.1 Skyrmions stability diagram | 18 |
| 2.1.1 Formulation of the problem | 18 |
| 2.1.2 Analytical approach | 19 |
| 2.1.3 Numerical results | 21 |
| 2.1.4 Analysis for π -skyrmion stability | 23 |
| 2.2 Inter-skyrmion interactions | 25 |
| 2.2.1 The case of non-zero field tilt | 25 |
| 2.2.2 The case of perpendicular field | 26 |
| 2.2.3 The role of magnetic anisotropy | 29 |

| | | |
|----------|---|-----------|
| 2.2.4 | Lagrange-Euler equations in the general case | 30 |
| 2.3 | Skyrmions at strong easy-plane anisotropy | 31 |
| 2.4 | Conclusions | 34 |
| 3 | Diversity of chiral skyrmions | 35 |
| 3.1 | Domain walls and chiral kinks | 35 |
| 3.1.1 | Domain walls | 35 |
| 3.2 | Skyrmions diversity | 36 |
| 3.2.1 | Closed domain walls | 36 |
| 3.2.2 | Holomorphic functions and skyrmions | 40 |
| 3.2.3 | Energies of skyrmions with CKs | 46 |
| 3.2.4 | Skyrmions with chiral antikinks | 48 |
| 3.3 | Chiral kinks on 2π -domain wall | 49 |
| 3.3.1 | Stability range of the domain wall with a CK | 49 |
| 3.3.2 | Interaction of CKs | 52 |
| 3.4 | Conclusions | 53 |
| 4 | 2D skyrmion homotopies | 55 |
| 4.1 | Homotopy transition of the domain wall with CK | 55 |
| 4.1.1 | 2π -domain wall with skyrmionium | 56 |
| 4.1.2 | Homotopy path for the 2π -domain wall with a CK | 57 |
| 4.2 | The role of CK in homotopy transitions of Sks | 58 |
| 4.2.1 | Skyrmion bags in the tilted magnetic field | 59 |
| 4.2.2 | Homotopy paths for the skyrmion bags | 60 |
| 4.2.3 | Homotopy paths for skyrmions with chiral antikinks | 62 |
| 4.3 | Skyrmions with tails | 65 |
| 4.3.1 | Transformation of the π -skyrmion | 65 |
| 4.3.2 | Extension of the skyrmion 'zoo' | 66 |
| 4.4 | Conclusions | 68 |
| 5 | Current induced dynamics of skyrmions | 69 |
| 5.1 | LLG equation with the Zhang-Li torque | 69 |
| 5.2 | The geometry of the Thiele equation | 72 |
| 5.3 | Skyrmion symmetry | 74 |
| 5.3.1 | Dissipation tensor transformations | 74 |
| 5.3.2 | High- and low-symmetry skyrmions | 77 |
| 5.3.3 | Interesting mathematical aspects | 80 |
| 5.4 | Conclusions | 81 |

| | |
|--|------------|
| 6 Thermal generation of chiral droplets | 83 |
| 6.1 Chiral droplet in the tilted magnetic field | 83 |
| 6.1.1 Stability range | 84 |
| 6.1.2 The 2π -DW in the tilted magnetic field | 85 |
| 6.2 Numerical simulations | 87 |
| 6.2.1 Stochastic LLG | 89 |
| 6.2.2 Monte-Carlo simulations | 90 |
| 6.3 Conclusions | 91 |
| 7 Dynamics in a 3D chiral magnet | 92 |
| 7.1 Rotation of the cone phase | 92 |
| 7.1.1 Basic equation | 92 |
| 7.1.2 Undamped dynamics | 93 |
| 7.1.3 General case, $\alpha \neq 0$ | 94 |
| 7.1.4 Numerical verification | 95 |
| 7.2 Zhang-Li torque in thin film | 98 |
| 7.3 Surface modulations at the strong tilted field | 100 |
| 7.3.1 Derivation of Euler-Lagrange equations | 100 |
| 7.3.2 Semi-infinite sample | 102 |
| 7.3.3 Sample of finite thickness | 102 |
| 7.3.4 Surface modulations at larger tilts of the field | 104 |
| 7.4 Conclusions | 106 |
| 8 3D solitons in chiral magnet | 107 |
| 8.1 Skyrmion tube in the bulk crystal | 107 |
| 8.1.1 Analytical description | 107 |
| 8.1.2 Numerical solving | 110 |
| 8.2 Skyrmion tubes and homotopy paths | 111 |
| 8.3 3D chiral droplet | 114 |
| 8.3.1 Ansatz construction | 114 |
| 8.3.2 Droplet motion under circular magnetic field | 115 |
| 8.3.3 Homotopy path for the 3D droplet | 116 |
| 8.4 Conclusions | 118 |
| 9 Conclusions | 120 |
| A1 Implementation of the fourth order scheme in Mumax | 135 |
| A2 Implementation of quasilinearization method for π-skyrmions | 138 |

| | |
|--|-----|
| A3 Vector fields visualization | 142 |
| A4 Numerical verification of asymptotics | 143 |
| A5 Chiral kink ansatz | 145 |
| A6 Saddle points in micromagnetism | 147 |
| A7 Velocity space at $\alpha \neq \text{const}$ | 149 |
| A8 2π -DW in tilted magnetic field | 151 |
| A9 Solution for $\Theta(t)$ | 152 |
| A10 Energy minimization with exponential precision | 153 |
| List of publications | 155 |

Information

Band / Volume 88

ISBN 978-3-95806-665-6

Mitglied der Helmholtz-Gemeinschaft

