




Nanoscale Understanding and Control of Metal Exsolution in Perovskite Oxides

Moritz Lukas Weber

Energie & Umwelt / Energy & Environment

Band / Volume 596

ISBN 978-3-95806-669-4

Peter Grünberg Institut (PGI)
Elektronische Materialien (PGI-7)

Nanoscale Understanding and Control of Metal Exsolution in Perovskite Oxides

Moritz Lukas Weber

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 596

ISSN 1866-1793

ISBN 978-3-95806-669-4

Contents

Abstract	vii
Kurzfassung	ix
1 Introduction	1
2 Background	5
2.1 Perovskite energy materials	5
2.2 The defect structure of SrTiO_3	8
2.3 Mass transport in solids	12
2.4 Defect chemistry of donor- and acceptor-doped SrTiO_3	13
3 Experimental methods	17
3.1 Sample synthesis and processing	17
3.1.1 Powder synthesis	17
3.1.2 Pulsed laser deposition	20
3.1.3 Thermal annealing	26
3.2 Characterization techniques	27

3.2.1	Imaging techniques	28
3.2.2	Diffraction and scattering analysis	31
3.2.3	X-ray photoelectron spectroscopy	35
3.2.4	Quantitative bulk analysis	38
3.2.5	Secondary ion mass spectrometry	39
3.2.6	Vibrating sample magnetometry	40
4	Synthesis, structural properties and exsolution response of STNNi	41
4.1	Sintered ceramics	41
4.2	Epitaxial thin films	47
4.2.1	Preparation of SrTiO ₃ substrates	47
4.2.2	Growth of epitaxial STNNi thin films on SrTiO ₃	48
4.3	Characterization of the exsolution response upon reducing annealing	56
4.4	Exsolution of embedded nanostructures as alternative exsolution pathway	61
5	Exsolution of embedded nanoparticles in defect engineered STNNi	65
5.1	Control of the defect structure based on the applied laser fluence . .	65
5.2	Exsolution behavior in defect engineered STNNi	70
5.3	Control of metal exsolution based on embedded nanostructures . . .	71
6	Dynamics of the exsolution response	75
6.1	Structural relaxation of the host lattice	75
6.2	Surface chemistry changes	79

6.3	Particle formation and surface limitations	81
6.4	Simultaneous chemical and structural investigations of the STNNi surface	87
6.5	Bulk and surface material response during metal exsolution	90
7	The role of surface space charge regions for metal exsolution	93
7.1	Surface passivation of exsolution-active perovskites	94
7.2	Investigation of surface space charge regions by SIMS	100
7.3	Surface engineering of the redox chemistry	105
7.4	Surface space charge regions govern the kinetics of metal exsolution	107
8	Influence of the crystallographic orientation	111
8.1	Synthesis of polycrystalline epitaxial STNNi thin films	112
8.2	Evaluation of the facet-dependent exsolution behavior	115
8.3	Discussion: Preferential exsolution of Ni at (001)-facets of STNNi . .	117
9	Summary and Conclusions	119
A	Structural analysis of epitaxial STNNi thin films by SAED	123
B	Evolution of the SrTiO₃ surface morphology under reducing annealing	125
C	Finite-element electrostatic space charge simulations	127
D	Non-reversibility of Ni exsolution in STNNi	131

Energie & Umwelt / Energy & Environment
Band / Volume 596
ISBN 978-3-95806-669-4