



Development of components based on Ti₂AlC / fiber composites for aggressive environmental conditions

Sylvain Badie

Energie & Umwelt / Energy & Environment

Band / Volume 603

ISBN 978-3-95806-680-9

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung
Werkstoffsynthese und Herstellungsverfahren (IEK-1)

Development of components based on Ti₂AlC/fiber composites for aggressive environmental conditions

Sylvain Badie

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 603

ISSN 1866-1793

ISBN 978-3-95806-680-9

Table of content

Chapter I: Introduction	1
I-1 State of the art	1
I-2 MAX phases, a general overview	4
I-3 Synthesis of Ti ₂ AlC	8
I-4 Processing of Ti ₂ AlC	14
I-4.1 Porous templates, foams and coatings	14
I-4.2 Complex shapes	15
I-5 Oxidation performance of Ti ₂ AlC	17
I-5.1 Fundamental mechanisms	18
I-5.2 Oxidation of Ti ₂ AlC	20
I-5.3 Breakaway oxidation of Ti ₂ AlC and Ti ₃ AlC ₂	26
I-5.4 Improvement of the oxidation of Ti-Al-C MAX phases	29
I-5.5 MAX phases and thermal barrier coatings	30
I-6 Mechanical properties of Ti ₂ AlC	32
I-7 Ceramic Matrix Composites	38
I-7.1 Introduction to ceramic matrix composites	38
I-7.2 MAX phase composites	40
I-7.3 Composites in the Ti-Al-C system	42
Chapter II: Experimental procedures	44
II-1 Preparation of raw materials	44
II-1.1 Synthesis of Ti ₂ AlC powders	44
II-1.2 Alumina fibers	45
II-2 Manufacturing of complex shapes	46
II-2.1 Feedstock preparation	46
II-2.2 Powder Injection Molding	47
II-2.3 Chemical and thermal debinding	49
II-3 Densification procedures	50
II-3.1 Pressureless sintering of Ti ₂ AlC	50
II-3.2 FAST/SPS	50
II-3.3 Pressureless sintering of complex shapes	51
II-3.4 Powder bed sintering of complex shapes	51
II-4 Oxidation performance	52
II-4.1 Oxidation of Ti ₂ AlC	52
II-4.2 Breakaway oxidation of Ti ₂ AlC	52
II-4.3 YSZ-coated Ti ₂ AlC	53
II-4.4 Burner rig testing	54

II-5 Mechanical properties	56
II-5.1 Vickers hardness and apparent toughness	56
II-5.2 High-temperature compression tests	56
II-6 Characterization methods	57
II-6.1 Particle size distribution	57
II-6.2 Qualitative/quantitative phase analysis	57
II-6.3 Microstructural characterization.....	58
Chapter III: Synthesis of Ti₂AIC powders	60
Chapter IV: Injection molding of complex shapes.....	68
IV-1 Powder injection molding.....	68
IV-2 Chemical and thermal debinding	71
Chapter V: Densification of Ti₂AIC.....	74
V-1 Pressureless sintering	74
V-1.1 Pressureless sintering of cylindrical compacts	74
V-1.2 Pressureless sintering of complex shapes.....	77
V-2 FAST/SPS	80
V-2.1 FAST/SPS of cylindrical compacts.....	80
V-2.2 Powder bed sintering of complex shapes	85
Chapter VI: Oxidation response	94
VI-1 Isothermal oxidation	94
VI-1.1 Surface roughness-dependent oxide morphology	94
VI-1.2 Oxide scale rumpling	98
VI-2 Breakaway oxidation	103
VI-2.1 Evolution of rumpling.....	103
VI-2.2 Oxide scale blistering.....	104
VI-2.3 Breakaway oxidation phenomenon.....	108
VI-2.4 Corrosion-induced blistering	115
VI-3 Oxidation of YSZ-coated Ti ₂ AIC	116
VI-3.1 YSZ coating adhesion	116
VI-3.2 Thermal cycling of YSZ-coated Ti ₂ AIC	118
VI-3.3 Oxidation of YSZ-coated Ti ₂ AIC composites.....	124
VI-3.4 Burner rig testing	126
VI-4 Oxidation of PIM components.....	128
Chapter VII: Mechanical properties	131
VII-1 Fractographic analyses	131
VII-1.1 Monolithic Ti ₂ AIC	131
VII-1.2 Fiber-reinforced Ti ₂ AIC composites.....	132
VII-2 Vickers hardness and apparent fracture toughness	133

VII-3 High-temperature compressive strength	135
Chapter VIII: Conclusion and outlook	137
References	149

Energie & Umwelt / Energy & Environment
Band / Volume 603
ISBN 978-3-95806-680-9

Mitglied der Helmholtz-Gemeinschaft

