



Joining of tungsten and steel for the first wall of a future fusion reactor

Vishnu Ganesh

Energie & Umwelt / Energy & Environment

Band / Volume 614

ISBN 978-3-95806-715-8

Forschungszentrum Jülich GmbH
Institut für Energie- und Klimaforschung (IEK)
Plasmaphysik (IEK-4)

Joining of tungsten and steel for the first wall of a future fusion reactor

Vishnu Ganesh

Schriften des Forschungszentrums Jülich
Reihe Energie & Umwelt / Energy & Environment

Band / Volume 614

ISSN 1866-1793

ISBN 978-3-95806-715-8

Table of contents

List of publications	iii
Abstract	v
Table of contents	vii
Abbreviations, formula symbols, and nomenclatures	xi
List of Figures	xix
List of Tables	xxix
1 Introduction	1
1.1 Nuclear fusion.....	1
1.2 Future fusion reactor.....	2
1.3 First wall	2
1.4 Materials for first wall	3
1.4.1 Tungsten	3
1.4.2 Reduced activation ferritic/martensitic steel	5
1.5 Joining W and steel.....	6
1.5.1 Boundary conditions and challenges.....	6
1.5.2 Direct joining.....	7
1.5.3 Joining using interlayer	9
1.5.4 Joining using a functionally graded material	11
1.6 Realization of functionally graded first wall components.....	12
1.6.1 Plasma spraying of tungsten on steel with/without FGM	12
1.6.2 Plasma sprayed FGM with bulk-W armour	14
1.6.3 Electric current activated/assisted sintering	15
1.7 High heat flux testing of W-steel joints.....	16
1.8 Goal and outline of the work	17
2 Manufacturing of individual W/steel-composite	19
2.1 Atmospheric plasma spraying.....	19
2.1.1 Working principle of APS process.....	19
2.1.2 Methodology for plasma spraying.....	20
2.1.3 Optimized plasma sprayed composites	22
2.2 Electro discharge sintering	24
2.2.1 Working principle of EDS process.....	24

2.2.2 Methodology for sintering.....	24
2.2.3 Optimization of sintering parameters for 25W	27
2.2.4 Optimization of sintering parameters for 50W	29
2.2.5 Optimization of sintering parameters for 75W	30
2.2.6 Non-homogenous discharge of current	32
2.3 Spark plasma sintering.....	33
2.3.1 Working principle of SPS process	33
2.3.2 Methodology for sintering.....	34
2.3.3 Optimization of sintering parameter for 25W	35
2.3.4 Optimization of sintering parameters for 50W	37
2.3.5 Optimization of co-sintering of 75W with bulk-W	38
2.4 Summary of manufacturing of individual composites.....	41
3 Characterization of W/steel-composites	43
3.1 Comprehensive microstructural characterization	43
3.1.1 As-sprayed plasma sprayed composites.....	43
3.1.2 Plasma sprayed composites after heat treatment.....	44
3.1.3 As-sintered composites	49
3.1.4 Sintered composites after heat treatment	51
3.2 Mechanical characterization	52
3.2.1 Resonant ultrasound spectroscopy	52
3.2.2 Four-point bending test	53
3.3 Physical property	57
3.3.1 Archimedes' density.....	57
3.4 Thermophysical characterization.....	58
3.4.1 Dilatometer analysis.....	58
3.4.2 Differential scanning calorimetry analysis.....	60
3.4.3 Laser flash analysis	62
3.5 Summary of characterization of composites.....	65
4 Manufacturing of joints	67
4.1 Joint featuring sintered graded interlayer	67
4.1.1 Co-sintering of 75W and bulk-W.....	67
4.1.2 Joining of W and steel with 3-layer FGM.....	71
4.1.3 Joining of W and steel with 2-layer FGM.....	72
4.2 Joint featuring plasma sprayed graded interlayer	74
4.2.1 Joining trials for bonding 75W and bulk-W.....	75
4.2.2 Joining trials for bonding 75W and bulk-W with thin V-foil	76
4.2.3 Joining 75W, 50W, and 25W together.....	78
4.2.4 Joining 25W and bulk-steel.....	81

4.2.5 Joining W and steel with 3-layer FGM	82
4.2.6 Joining W and steel with 2-layer FGM	83
4.3 Joining with V interlayer	83
4.4 Joining W and steel directly	84
4.5 Summary.....	86
5 High heat flux testing of W-steel joints	87
5.1 Methodology of benchmark test	87
5.1.1 Testing setup	87
5.1.2 Overview of joints tested.....	88
5.1.3 Testing protocol.....	90
5.2 Performance of the joints.....	91
5.3 Summary and lifetime of the joints	95
6 Post mortem analysis of tested joints	97
6.1 V-3.FG-APS joint.....	97
6.1.1 Investigation of the cross-sectional cut	97
6.1.2 Summarized failure mechanism	101
6.2 2.FG-SPS joint.....	102
6.2.1 Investigation of the cross-sectional cut	102
6.2.2 Investigation of the delaminated W-tile and 50W surface.....	105
6.2.3 Summarized failure mechanism	108
6.3 3.FG-SPS joint.....	108
6.3.1 Investigation of the cross-sectional cut	108
6.3.2 Investigation of the delaminated W-tile and 75W surface.....	111
6.3.3 Summarized failure mechanism	113
6.4 W-steel direct joint	113
6.4.1 Investigation of the cross-sectional cut	113
6.4.2 Investigation of delaminated W-tile and steel surfaces.....	116
6.4.3 Summarized failure mechanism	120
7 Concluding discussion	121
7.1 Evaluation of FGM/individual composites.....	121
7.2 Evaluation of graded W-steel joints	123
7.3 Realization of an actual FW for future fusion reactor	126
7.4 Closure.....	128
8 Summary and outlook	131
8.1 Summary.....	131
8.2 Outlook	132
9 References	135

Appendix A: Metallographic preparation	a
Appendix B: SEM micrographs of starting powders	b
Appendix C: Shrouding chamber and process control of APS	d
Appendix D: Resistance and efficiency of EDS sintering trials	f
Appendix E: Instruments for measuring thermophysical properties	h
Appendix F: Metallurgical bonding of W-W interface	n
Lebenslauf	t
Acknowledgement	u

Energie & Umwelt / Energy & Environment
Band / Volume 614
ISBN 978-3-95806-715-8

Mitglied der Helmholtz-Gemeinschaft

