



Real-time simulations of transmon systems with time-dependent Hamiltonian models

Hannes Alfred Lagemann

IAS Series

Band / Volume 56

ISBN 978-3-95806-720-2

Forschungszentrum Jülich GmbH
Institute for Advanced Simulation (IAS)
Jülich Supercomputing Centre (JSC)

Real-time simulations of transmon systems with time-dependent Hamiltonian models

Hannes Alfred Lagemann

Schriften des Forschungszentrums Jülich
IAS Series

Band / Volume 56

ISSN 1868-8489

ISBN 978-3-95806-720-2

Contents

Zusammenfassung	i
Abstract	iii
1 Introduction	1
2 An introduction to gate-based quantum computing	3
2.1 Mathematical framework	3
2.2 The single-qubit Hilbert space	6
2.3 The multi-qubit Hilbert space	8
2.4 Simulation of the ideal gate-based quantum computer	11
2.5 Algorithms	13
2.6 Prototype gate-based quantum computers	17
2.7 Non-ideal gate-based quantum computers	21
2.8 Summary and conclusions	23
3 Hamiltonian models for lumped-element circuits	25
3.1 The lumped-element approximation	25
3.2 The circuit quantisation formalism	29
3.3 Resonators and two-level systems	33
3.4 Fixed-frequency and flux-tunable transmons	36
3.5 A circuit Hamiltonian model for non-ideal gate-based transmon quantum computers	54
3.6 An effective Hamiltonian model for non-ideal gate-based transmon quantum computers	56
3.7 Summary and conclusions	58
4 Real-time simulation algorithms for time-dependent Hamiltonians	60
4.1 Solving the time-dependent Schrödinger equation numerically	60
4.2 The product-formula algorithm	62

4.3	The time-evolution operator for the effective Hamiltonian model	64
4.4	The time-evolution operator for the circuit Hamiltonian model	68
4.5	Simulations of the circuit Hamiltonian model in alternative bases	72
4.6	Implementation of the second-order time-evolution operator	74
4.7	An overview of the simulation software	76
4.8	Summary, conclusions and outlook	80
5	Analysis of effective models for flux-tunable transmon systems	82
5.1	System specification and simulation parameters	83
5.2	Simulations of a single flux-tunable transmon	90
5.3	Simulations of suppressed transitions in the adiabatic effective two-qubit model: architecture I	96
5.4	Simulations of unsuppressed transitions in the adiabatic effective two-qubit model: architecture I	100
5.5	Simulations of suppressed transitions in the adiabatic effective two-qubit model: architecture II	110
5.6	Simulations of unsuppressed transitions in the adiabatic effective two-qubit model: architecture II	112
5.7	Summary, conclusions and outlook	119
6	On the fragility of gate-error metrics in simulations of flux-tunable transmon quantum computers	123
6.1	System specification and simulation parameters	124
6.2	Control pulses and gate implementation	127
6.3	Computation of gate-error quantifiers	129
6.4	Spectrum of the four-qubit NIGQC obtained with the circuit Hamiltonian	135
6.5	Gate metrics for the elementary gate set	139
6.6	Influence of higher states on gate-error quantifiers obtained with the circuit Hamiltonian	143
6.7	Influence of parameter changes on gate-error quantifiers obtained with the circuit Hamiltonian	146
6.8	Influence of the adiabatic approximation on gate-error quantifiers obtained with the effective Hamiltonian	150
6.9	Summary, Discussion and Conclusions	157
7	Summary, concluding remarks and outlook	162

Appendices	i
A Tables with control pulse parameters for different NIGQC models	i
B Tables with gate-error quantifiers for different NIGQC models	vi
List of figures	ix
List of tables	xii
List of acronyms	xv
List of publications	xvii
Acknowledgments	xviii
Bibliography	xx

IAS Series
Band / Volume 56
ISBN 978-3-95806-720-2

Mitglied der Helmholtz-Gemeinschaft

