



# Plasma Breakdown and Runaway Modelling in ITER-scale Tokamaks

Junxian Chew

IAS Series  
Band / Volume 57  
ISBN 978-3-95806-730-1

Mitglied der Helmholtz-Gemeinschaft

Forschungszentrum Jülich GmbH  
Institute for Advanced Simulation (IAS)  
Jülich Supercomputing Centre (JSC)

# **Plasma Breakdown and Runaway Modelling in ITER-scale Tokamaks**

Junxian Chew

Schriften des Forschungszentrums Jülich  
IAS Series

Band / Volume 57

---

ISSN 1868-8489

ISBN 978-3-95806-730-1

# Contents

<b>Declaration of Authorship</b>	<b>iii</b>
<b>Acknowledgements</b>	<b>v</b>
<b>List of Figures</b>	<b>ix</b>
<b>List of Tables</b>	<b>xiii</b>
<b>1 Introduction</b>	<b>1</b>
<b>2 Tokamak breakdown physics</b>	<b>4</b>
2.1 General description of tokamak . . . . .	4
2.1.1 Scaling laws and tokamak dimensions . . . . .	9
2.2 Tokamak plasma initiation theory . . . . .	12
2.3 Tokamak experimental considerations . . . . .	16
2.4 Recent numerical studies . . . . .	18
2.5 0D ionisation fraction growth rate . . . . .	18
2.6 Research motivation and goals . . . . .	20
<b>3 Implementation of numerical model</b>	<b>23</b>
3.1 Selection of plasma model . . . . .	23
3.1.1 General overview of particle-based models . . . . .	25
3.2 Pretty Efficient Parallel Coulomb solver . . . . .	27
3.3 Gyrophase corrected Boris pusher algorithm . . . . .	28
3.4 Scattering and ionisation model . . . . .	30
3.4.1 Collision probability . . . . .	31
3.4.2 Scattering angle . . . . .	34
3.4.2.1 Random Scatter model . . . . .	34
3.4.2.2 Vahedi & Surendra model . . . . .	38
3.4.2.3 Ohkrimovsky model . . . . .	39
3.5 Tokamak field calculations . . . . .	41
3.5.1 Vector potential of current density in circular loop . . . . .	42
3.5.2 Poloidal B field . . . . .	45
3.5.3 Toroidal B field . . . . .	45
3.5.4 Toroidal E field . . . . .	46

3.5.5	Grid interpolation of poloidal B field . . . . .	46
<b>4 Merging algorithm</b>		<b>51</b>
4.1	Introduction . . . . .	51
4.2	Particle selection for merging . . . . .	53
4.2.1	Spatial proximity selection . . . . .	54
4.2.2	Species selection . . . . .	58
4.2.3	Energy proximity selection . . . . .	59
4.2.4	Momentum unit vector selection . . . . .	60
4.3	Particle merging and momentum partitioning . . . . .	61
4.4	Benchmark of the merging algorithm . . . . .	65
4.4.1	Influence of merging candidates sample size on total energy and momentum . . . . .	66
4.4.2	Influence of $\Delta\Omega$ on super-particle $\Delta\varepsilon$ . . . . .	68
4.4.3	Influence of $\Delta\Omega$ on super-particle momentum . . . . .	71
4.4.4	Conservation of energy in tokamak scenario . . . . .	72
4.5	Super-particle collision events . . . . .	77
4.6	Benchmark of the super-particle ionisation . . . . .	78
4.6.1	Unphysical merge test . . . . .	81
4.7	Compute resources comparison . . . . .	82
4.8	Conclusion . . . . .	84
<b>5 Townsend avalanche benchmark</b>		<b>86</b>
5.1	Introduction . . . . .	86
5.2	Parallel plate experiment . . . . .	87
5.3	Electron-Hydrogen cross sections . . . . .	88
5.4	Numerical experiment . . . . .	91
5.5	Results . . . . .	94
5.5.1	Influence of $\Delta t$ on obtained $\alpha$ . . . . .	96
5.5.2	Influence of $E/p$ on obtained $\alpha$ . . . . .	96
5.5.3	Discussion . . . . .	99
5.6	Conclusion . . . . .	100
<b>6 ITER-like breakdown scenario</b>		<b>102</b>
6.1	0D ionisation fraction equation . . . . .	102
6.2	Numerical setup of the benchmark case . . . . .	104
6.2.1	Field configurations . . . . .	105
6.2.2	Electron - H <sub>2</sub> impact cross sections . . . . .	108
6.2.3	Time step restriction . . . . .	111
6.3	Results and discussions . . . . .	113
6.3.1	Electron velocities . . . . .	113
6.3.1.1	$V_{e,\text{sim.}}$ over time . . . . .	113
6.3.1.2	Velocity distribution . . . . .	114
6.3.2	Growth rate comparison . . . . .	115
6.3.3	Charged particle spatial distribution . . . . .	118
6.3.3.1	Backtraced connection length $L_{bt}$ . . . . .	118
6.3.3.2	Internal fields . . . . .	121

6.3.4	Extrapolation in time . . . . .	123
6.3.4.1	Time evolution of electron $V_{\text{par}}$ . . . . .	123
6.3.4.2	Formation of closed magnetic field . . . . .	125
6.3.4.3	Extrapolation of $\mathbf{E}_{\text{int}}$ . . . . .	127
6.4	Conclusion . . . . .	129
<b>7</b>	<b>Variants of ITER-like plasma breakdown</b>	<b>131</b>
7.1	ITER-like tokamak scenario variants . . . . .	131
7.2	$L_{\text{bt}}$ comparison . . . . .	134
7.3	Electron $V_{\text{par}}$ distribution . . . . .	136
7.3.1	Bimodal distribution fit of electrons' $f(V_{\text{par}})$ . . . . .	139
7.4	Numerically fitted $\gamma$ coefficient . . . . .	141
7.5	Prediction of $t_{\text{crit.}}$ . . . . .	143
7.6	0D $L$ and $\langle L_{\text{bt, seed}} \rangle$ comparison . . . . .	143
7.7	Conclusion . . . . .	144
<b>8</b>	<b>Summary and outlook</b>	<b>146</b>
8.1	Parallel plate experiment benchmark . . . . .	146
8.2	ITER-like plasma initiation simulations . . . . .	147
8.3	Merging algorithm . . . . .	148
8.4	Remark on ITER's plasma initiation . . . . .	149
<b>A</b>	<b>Cross Sections</b>	<b>150</b>
<b>B</b>	<b>Derivations</b>	<b>156</b>
B.1	Current Density in a Circular Loop . . . . .	156
B.2	Expressing Vector Potential in Complete Elliptic Integral of 1 <sup>st</sup> & 2 <sup>nd</sup> Kind	157
<b>C</b>	<b>Numerical Fit Coefficients</b>	<b>159</b>
C.1	$V_{\text{par}}$ distributions . . . . .	159
<b>D</b>	<b>Curriculum Vitae</b>	<b>161</b>
	<b>Bibliography</b>	<b>164</b>

IAS Series  
Band / Volume 57  
ISBN 978-3-95806-730-1

Mitglied der Helmholtz-Gemeinschaft

